Atchafalaya River Basin
Bayou Benoit east of Loreauville, Louisiana — Site No. 0483

Date	Parameter	Depth meters		ppm	Units
07/07/93	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/07/93	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/07/93	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.089	
07/07/94	DISSOLVED OXYGEN	3.0		3.700	MG/L
07/07/94	DISSOLVED OXYGEN	1.5		7.350	MG/L
07/07/94	DISSOLVED OXYGEN	.2		2.450	MG/L
07/07/94	PH, FIELD	3.0		6.950	STANDARD
07/07/94	PH, FIELD	1.5		6.750	STANDARD
07/07/94	PH, FIELD	.2		6.710	STANDARD
07/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		256.000	UMHOS/CM
07/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		172.000	UMHOS/CM
07/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		170.000	UMHOS/CM
07/07/94	TEMPERATURE, WATER	3.0		29.870	DEG C
07/07/94	TEMPERATURE, WATER	1.5		29.750	DEG C
07/07/94	TEMPERATURE, WATER	.2		30.510	DEG C
08/04/98	DISSOLVED OXYGEN	.3		7.400	MG/L
08/04/98	DISSOLVED OXYGEN	1.0		6.100	MG/L
08/04/98	PH, FIELD	.3		7.300	STANDARD
08/04/98	PH, FIELD	1.0		7.200	STANDARD
08/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		338.000	UMHOS/CM
08/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		336.000	UMHOS/CM
08/04/98	TEMPERATURE, WATER	.3		32.300	DEG C
08/04/98	TEMPERATURE, WATER	1.0		31.900	DEG C

Atchafalaya River Basin
Bayou Bristow, Work Canal, South of I-10, Louisiana — Site No. 0981

Date	Parameter	Depth meters		ppm	Units
11/01/99	DISSOLVED OXYGEN	.3		5.200	MG/L
11/01/99	DISSOLVED OXYGEN	1.0		4.800	MG/L
11/01/99	DISSOLVED OXYGEN	2.5		1.600	MG/L
11/01/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/01/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.150	
11/01/99	PH, FIELD	.3		7.200	STANDARD
11/01/99	PH, FIELD	1.0		7.300	STANDARD
11/01/99	PH, FIELD	2.5		7.100	STANDARD
11/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		284.000	UMHOS/CM
11/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		284.000	UMHOS/CM
11/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		285.000	UMHOS/CM
11/01/99	TEMPERATURE, WATER	.3		19.100	DEG C
11/01/99	TEMPERATURE, WATER	1.0		19.000	DEG C
11/01/99	TEMPERATURE, WATER	2.5		19.000	DEG C

Atchafalaya River Basin
Bayou Bristow, Work Canal, Southeast of Des Glaise, Louisiana — Site No. 0982

Date	Parameter	Depth meters		ppm	Units
12/15/99	DISSOLVED OXYGEN	.3		7.400	MG/L
12/15/99	DISSOLVED OXYGEN	1.0		6.800	MG/L
12/15/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/15/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.070	
12/15/99	PH, FIELD	.3		6.400	STANDARD
12/15/99	PH, FIELD	1.0		6.700	STANDARD
12/15/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		294.000	UMHOS/CM
12/15/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		295.000	UMHOS/CM
12/15/99	TEMPERATURE, WATER	.3		14.000	DEG C
12/15/99	TEMPERATURE, WATER	1.0		13.700	DEG C

Atchafalaya River Basin
Bayou Gravenberg — Site No. 0611

Date	Parameter	Depth meters		ppm	Units
07/17/97	DISSOLVED OXYGEN	.3		8.100	MG/L
07/17/97	DISSOLVED OXYGEN	1.0		8.200	MG/L
07/17/97	DISSOLVED OXYGEN	3.0		4.200	MG/L
07/17/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG

07/17/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
07/17/97	PH, FIELD	.3		6.500	STANDARD
07/17/97	PH, FIELD	1.0		6.500	STANDARD
07/17/97	PH, FIELD	3.0		6.500	STANDARD
07/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		340.000	UMHOS/CM
07/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		340.000	UMHOS/CM
07/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		341.000	UMHOS/CM
07/17/97	TEMPERATURE, WATER	.3		28.600	DEG C
07/17/97	TEMPERATURE, WATER	1.0		28.600	DEG C
07/17/97	TEMPERATURE, WATER	3.0		27.600	DEG C

Atchafalaya River Basin
Bayou Petite Prairie, Louisiana — Site No. 1033

Date	Parameter	Depth meters		ppm	Units
09/20/00	DISSOLVED OXYGEN	.3		8.600	MG/L
09/20/00	DISSOLVED OXYGEN	1.0		7.400	MG/L
09/20/00	DISSOLVED OXYGEN	1.5		6.000	MG/L
09/20/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/20/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.081	
09/20/00	PH, FIELD	.3		8.100	STANDARD
09/20/00	PH, FIELD	1.0		8.000	STANDARD
09/20/00	PH, FIELD	1.5		7.900	STANDARD
09/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		464.000	UMHOS/CM
09/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		468.000	UMHOS/CM
09/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		469.000	UMHOS/CM
09/20/00	TEMPERATURE, WATER	.3		27.000	DEG C
09/20/00	TEMPERATURE, WATER	1.0		26.600	DEG C
09/20/00	TEMPERATURE, WATER	1.5		26.200	DEG C

Atchafalaya River Basin
Bayou Sale south of Franklin, Louisiana — Site No. 0442

Date	Parameter	Depth meters		ppm	Units
06/29/94	DISSOLVED OXYGEN	1.5		1.600	MG/L
06/29/94	DISSOLVED OXYGEN	.8		4.600	MG/L
06/29/94	DISSOLVED OXYGEN	.2		6.300	MG/L
06/29/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.090	UG/L AS HG
06/29/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.080	UG/L AS HG
06/29/94	MERCURY, TOTAL	1.0		.080	UG/L AS HG
06/29/94	MERCURY, TOTAL	1.0		.090	UG/L AS HG
06/29/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.079	
06/29/94	PH, FIELD	1.5		6.600	STANDARD
06/29/94	PH, FIELD	.8		6.720	STANDARD
06/29/94	PH, FIELD	.2		6.830	STANDARD
06/29/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		284.000	UMHOS/CM
06/29/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		278.000	UMHOS/CM
06/29/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		276.000	UMHOS/CM
06/29/94	TEMPERATURE, WATER	1.5		28.240	DEG C
06/29/94	TEMPERATURE, WATER	.8		29.120	DEG C
06/29/94	TEMPERATURE, WATER	.2		30.020	DEG C
08/05/99	DISSOLVED OXYGEN	.3		7.300	MG/L
08/05/99	DISSOLVED OXYGEN	1.0		6.300	MG/L
08/05/99	DISSOLVED OXYGEN	2.0		3.700	MG/L
08/05/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/05/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.084	
08/05/99	PH, FIELD	.3		7.700	STANDARD
08/05/99	PH, FIELD	1.0		7.700	STANDARD
08/05/99	PH, FIELD	2.0		7.500	STANDARD
08/05/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		430.000	UMHOS/CM
08/05/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		432.000	UMHOS/CM
08/05/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		434.000	UMHOS/CM
08/05/99	TEMPERATURE, WATER	.3		32.800	DEG C
08/05/99	TEMPERATURE, WATER	1.0		32.400	DEG C
08/05/99	TEMPERATURE, WATER	2.0		31.400	DEG C

Atchafalaya River Basin
Bayou Teche at Patterson, Louisiana — Site No. 0508

Date	Parameter	Depth meters		ppm	Units
01/23/97	DISSOLVED OXYGEN	.3		10.700	MG/L

01/23/97	DISSOLVED OXYGEN	3.0		10.700	MG/L
01/23/97	DISSOLVED OXYGEN	6.0		10.500	MG/L
01/23/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/23/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.316	
01/23/97	PH, FIELD	.3		6.000	STANDARD
01/23/97	PH, FIELD	3.0		6.100	STANDARD
01/23/97	PH, FIELD	6.0		6.200	STANDARD
01/23/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		367.000	UMHOS/CM
01/23/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		369.000	UMHOS/CM
01/23/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		370.000	UMHOS/CM
01/23/97	TEMPERATURE, WATER	.3		12.700	DEG C
01/23/97	TEMPERATURE, WATER	3.0		12.100	DEG C
01/23/97	TEMPERATURE, WATER	6.0		11.700	DEG C
11/09/98	DISSOLVED OXYGEN	.3		7.700	MG/L
11/09/98	DISSOLVED OXYGEN	1.0		7.500	MG/L
11/09/98	DISSOLVED OXYGEN	2.5		7.400	MG/L
11/09/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/09/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.114	
11/09/98	PH, FIELD	.3		7.600	STANDARD
11/09/98	PH, FIELD	1.0		7.600	STANDARD
11/09/98	PH, FIELD	2.5		7.600	STANDARD
11/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		430.000	UMHOS/CM
11/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		430.000	UMHOS/CM
11/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		430.000	UMHOS/CM
11/09/98	TEMPERATURE, WATER	.3		19.300	DEG C
11/09/98	TEMPERATURE, WATER	1.0		18.800	DEG C
11/09/98	TEMPERATURE, WATER	2.5		18.700	DEG C

Atchafalaya River Basin
Bayou Teche near Patterson, Louisiana — Site No. 1035

Date	Parameter	Depth meters		ppm	Units
09/27/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/27/00	PH, FIELD	.3		8.200	UG/L AS HG
09/27/00	PH, FIELD	1.0		8.300	UG/L AS HG
09/27/00	PH, FILED	6.0		8.100	UG/L AS HG
09/27/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.086	

Atchafalaya River Basin
Beau Bayou east of St. Martinville, Louisiana — Site No. 0469

Date	Parameter	Depth meters		ppm	Units
07/07/94	DISSOLVED OXYGEN	.2		3.560	MG/L
07/07/94	DISSOLVED OXYGEN	.6		2.880	MG/L
07/07/94	DISSOLVED OXYGEN	1.3		2.880	MG/L
07/07/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/07/94	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/07/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.048	
07/07/94	PH, FIELD	.2		6.870	STANDARD
07/07/94	PH, FIELD	.6		6.840	STANDARD
07/07/94	PH, FIELD	1.3		6.890	STANDARD
07/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		316.000	UMHOS/CM
07/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.6		316.000	UMHOS/CM
07/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		315.000	UMHOS/CM
07/07/94	TEMPERATURE, WATER	.2		30.150	DEG C
07/07/94	TEMPERATURE, WATER	.6		29.830	DEG C
07/07/94	TEMPERATURE, WATER	1.3		29.330	DEG C

Atchafalaya River Basin
Beau Bayou near intersection with Bayou La Rose, Louisiana — Site No. 1012

Date	Parameter	Depth meters		ppm	Units
06/20/00	DISSOLVED OXYGEN	.3		8.700	MG/L
06/20/00	DISSOLVED OXYGEN	1.0		5.500	MG/L
06/20/00	DISSOLVED OXYGEN	2.5		2.400	MG/L
06/20/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/20/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.186	
06/20/00	PH, FIELD	.3		7.500	STANDARD
06/20/00	PH, FIELD	1.0		7.400	STANDARD
06/20/00	PH, FIELD	2.5		7.200	STANDARD
06/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		596.000	UMHOS/CM

06/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		570.000	UMHOS/CM
06/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		576.000	UMHOS/CM
06/20/00	TEMPERATURE, WATER	.3		31.200	DEG C
06/20/00	TEMPERATURE, WATER	1.0		30.000	DEG C
06/20/00	TEMPERATURE, WATER	2.5		29.200	DEG C

Atchafalaya River Basin
Big Alabama southeast of Krotz Springs, Louisiana — Site No. 0506

Date	Parameter	Depth meters		ppm	Units
10/10/95	DISSOLVED OXYGEN	.2		3.450	MG/L
10/10/95	DISSOLVED OXYGEN	2.3		2.120	MG/L
10/10/95	DISSOLVED OXYGEN	5.5		3.150	MG/L
10/10/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/10/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.324	
10/10/95	PH, FIELD	.2		6.720	STANDARD
10/10/95	PH, FIELD	2.3		6.630	STANDARD
10/10/95	PH, FIELD	5.5		6.570	STANDARD
10/10/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		348.000	UMHOS/CM
10/10/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.3		356.000	UMHOS/CM
10/10/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		347.000	UMHOS/CM
10/10/95	TEMPERATURE, WATER	.2		22.200	DEG C
10/10/95	TEMPERATURE, WATER	2.3		21.900	DEG C
10/10/95	TEMPERATURE, WATER	5.5		21.200	DEG C
08/24/99	DISSOLVED OXYGEN	.3		6.700	MG/L
08/24/99	DISSOLVED OXYGEN	1.0		5.300	MG/L
08/24/99	DISSOLVED OXYGEN	4.5		.500	MG/L
08/24/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/24/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.091	
08/24/99	PH, FIELD	.3		7.800	STANDARD
08/24/99	PH, FIELD	1.0		7.600	STANDARD
08/24/99	PH, FIELD	4.5		6.500	STANDARD
08/24/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		231.000	UMHOS/CM
08/24/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		231.000	UMHOS/CM
08/24/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		312.000	UMHOS/CM
08/24/99	TEMPERATURE, WATER	.3		32.800	DEG C
08/24/99	TEMPERATURE, WATER	1.0		32.300	DEG C
08/24/99	TEMPERATURE, WATER	4.5		27.400	DEG C
07/25/00	DISSOLVED OXYGEN	.3		13.700	MG/L
07/25/00	DISSOLVED OXYGEN	1.0		8.200	MG/L
07/25/00	DISSOLVED OXYGEN	1.5		6.000	MG/L
07/25/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/25/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.112	
07/25/00	PH, FIELD	.3		7.400	STANDARD
07/25/00	PH, FIELD	1.0		7.300	STANDARD
07/25/00	PH, FIELD	1.5		7.100	STANDARD
07/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		373.000	UMHOS/CM
07/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		373.000	UMHOS/CM
07/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		374.000	UMHOS/CM
07/25/00	TEMPERATURE, WATER	.3		31.600	DEG C
07/25/00	TEMPERATURE, WATER	1.0		29.100	DEG C
07/25/00	TEMPERATURE, WATER	1.5		28.800	DEG C

Atchafalaya River Basin
Big Bayou Pigeon southwest of Pigeon, Louisiana — Site No. 0470

Date	Parameter	Depth meters		ppm	Units
06/30/94	DISSOLVED OXYGEN	.0		5.550	MG/L
06/30/94	DISSOLVED OXYGEN	2.6		4.950	MG/L
06/30/94	DISSOLVED OXYGEN	.9		5.050	MG/L
06/30/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.090	UG/L AS HG
06/30/94	MERCURY, TOTAL	1.0		.070	UG/L AS HG
06/30/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.026	
06/30/94	PH, FIELD	.0		7.310	STANDARD
06/30/94	PH, FIELD	2.6		7.260	STANDARD
06/30/94	PH, FIELD	.9		7.240	STANDARD
06/30/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		327.000	UMHOS/CM
06/30/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.6		328.000	UMHOS/CM
06/30/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.9		327.000	UMHOS/CM
06/30/94	TEMPERATURE, WATER	.0		31.350	DEG C
06/30/94	TEMPERATURE, WATER	2.6		29.450	DEG C
06/30/94	TEMPERATURE, WATER	.9		29.470	DEG C

Atchafalaya River Basin
Cow Island Lake east of Butte La Rose, Louisiana. Site No. 0482

Date	Parameter	Depth meters		ppm	Units
05/25/94	DISSOLVED OXYGEN	2.0		.270	MG/L
05/25/94	DISSOLVED OXYGEN	.0		5.300	MG/L
05/25/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
05/25/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
05/25/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.070	
05/25/94	PH, FIELD	2.0		6.900	STANDARD
05/25/94	PH, FIELD	.0		8.100	STANDARD
05/25/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		233.000	UMHOS/CM
05/25/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		233.000	UMHOS/CM
05/25/94	TEMPERATURE, WATER	2.0		22.700	DEG C
05/25/94	TEMPERATURE, WATER	.0		25.700	DEG C
02/04/99	DISSOLVED OXYGEN	.3		9.300	MG/L
02/04/99	DISSOLVED OXYGEN	1.0		9.200	MG/L
02/04/99	DISSOLVED OXYGEN	2.0		2.000	MG/L
02/04/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/04/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.183	
02/04/99	PH, FIELD	.3		7.900	STANDARD
02/04/99	PH, FIELD	1.0		7.900	STANDARD
02/04/99	PH, FIELD	2.0		7.800	STANDARD
02/04/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		305.000	UMHOS/CM
02/04/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		304.000	UMHOS/CM
02/04/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		275.000	UMHOS/CM
02/04/99	TEMPERATURE, WATER	.3		16.500	DEG C
02/04/99	TEMPERATURE, WATER	1.0		16.500	DEG C
02/04/99	TEMPERATURE, WATER	2.0		14.900	DEG C

Atchafalaya River Basin
Crew Boat Chute Northeast of Grand Lake Site No. 0747

Date	Parameter	Depth meters		ppm	Units
07/15/98	DISSOLVED OXYGEN	.3		2.200	MG/L
07/15/98	DISSOLVED OXYGEN	1.0		2.000	MG/L
07/15/98	DISSOLVED OXYGEN	2.5		1.300	MG/L
07/15/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/15/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.169	
07/15/98	PH, FIELD	.3		7.400	STANDARD
07/15/98	PH, FIELD	1.0		7.400	STANDARD
07/15/98	PH, FIELD	2.5		7.300	STANDARD
07/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		409.000	UMHOS/CM
07/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		411.000	UMHOS/CM
07/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		418.000	UMHOS/CM
07/15/98	TEMPERATURE, WATER	.3		30.100	DEG C
07/15/98	TEMPERATURE, WATER	1.0		30.000	DEG C
07/15/98	TEMPERATURE, WATER	2.5		29.800	DEG C

Atchafalaya River Basin
Flat Lake north of Morgan City, Louisiana Site No. 0440

Date	Parameter	Depth meters		ppm	Units
07/21/94	DISSOLVED OXYGEN	2.0		4.150	MG/L
07/21/94	DISSOLVED OXYGEN	.0		5.920	MG/L
07/21/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/21/94	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/21/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.077	
07/21/94	PH, FIELD	2.0		7.400	STANDARD
07/21/94	PH, FIELD	.0		7.360	STANDARD
07/21/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		356.000	UMHOS/CM
07/21/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		359.000	UMHOS/CM
07/21/94	TEMPERATURE, WATER	2.0		29.320	DEG C
07/21/94	TEMPERATURE, WATER	.0		29.650	DEG C
09/28/98	DISSOLVED OXYGEN	.3		6.500	MG/L
09/28/98	DISSOLVED OXYGEN	1.0		6.400	MG/L
09/28/98	DISSOLVED OXYGEN	2.0		6.400	MG/L
09/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.135	
09/28/98	PH, FIELD	.3		7.200	STANDARD

09/28/98	PH, FIELD	1.0		7.200	STANDARD
09/28/98	PH, FIELD	2.0		7.200	STANDARD
09/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		406.000	UMHOS/CM
09/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		406.000	UMHOS/CM
09/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		406.000	UMHOS/CM
09/28/98	TEMPERATURE, WATER	.3		27.700	DEG C
09/28/98	TEMPERATURE, WATER	1.0		27.700	DEG C
09/28/98	TEMPERATURE, WATER	2.0		27.700	DEG C

Atchafalaya River Basin
Grand Lake northeast of Franklin, Louisiana — Site No. 0441

Date	Parameter	Depth meters		ppm	Units
07/01/94	DISSOLVED OXYGEN	1.8		2.150	MG/L
07/01/94	DISSOLVED OXYGEN	.8		6.960	MG/L
07/01/94	DISSOLVED OXYGEN	.2		7.900	MG/L
07/01/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/01/94	MERCURY, TOTAL	1.0		.070	UG/L AS HG
07/01/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.021	
07/01/94	PH, FIELD	1.8		6.900	STANDARD
07/01/94	PH, FIELD	.8		7.430	STANDARD
07/01/94	PH, FIELD	.2		7.800	STANDARD
07/01/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		349.000	UMHOS/CM
07/01/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		350.000	UMHOS/CM
07/01/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		340.000	UMHOS/CM
07/01/94	TEMPERATURE, WATER	1.8		29.900	DEG C
07/01/94	TEMPERATURE, WATER	.8		31.300	DEG C
07/01/94	TEMPERATURE, WATER	.2		32.860	DEG C

Atchafalaya River Basin
I-10 Canal, East Atchafalaya Basin, Louisiana — Site No. 0984

Date	Parameter	Depth meters		ppm	Units
08/07/00	DISSOLVED OXYGEN	.3		7.900	MG/L
08/07/00	DISSOLVED OXYGEN	1.0		6.200	MG/L
08/07/00	DISSOLVED OXYGEN	3.5		1.000	MG/L
08/07/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.096	
08/07/00	PH, FIELD	.3		8.200	STANDARD
08/07/00	PH, FIELD	1.0		7.900	STANDARD
08/07/00	PH, FIELD	3.5		7.100	STANDARD
08/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		345.000	UMHOS/CM
08/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		347.000	UMHOS/CM
08/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		354.000	UMHOS/CM
08/07/00	TEMPERATURE, WATER	.3		30.400	DEG C
08/07/00	TEMPERATURE, WATER	1.0		30.100	DEG C
08/07/00	TEMPERATURE, WATER	3.5		29.300	DEG C

Atchafalaya River Basin
Lake Henderson east of Henderson, Louisiana — Site No. 0436

Date	Parameter	Depth meters		ppm	Units
07/06/94	DISSOLVED OXYGEN	3.0		.120	MG/L
07/06/94	DISSOLVED OXYGEN	1.5		2.210	MG/L
07/06/94	DISSOLVED OXYGEN	.2		3.820	MG/L
07/06/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
07/06/94	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/06/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.118	
07/06/94	PH, FIELD	3.0		6.380	STANDARD
07/06/94	PH, FIELD	1.5		6.500	STANDARD
07/06/94	PH, FIELD	.2		6.600	STANDARD
07/06/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		222.000	UMHOS/CM
07/06/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		215.000	UMHOS/CM
07/06/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		213.000	UMHOS/CM
07/06/94	TEMPERATURE, WATER	3.0		28.110	DEG C
07/06/94	TEMPERATURE, WATER	1.5		30.170	DEG C
07/06/94	TEMPERATURE, WATER	.2		30.650	DEG C
06/01/95	DISSOLVED OXYGEN	.4		2.400	MG/L
06/01/95	DISSOLVED OXYGEN	4.7		.150	MG/L
06/01/95	DISSOLVED OXYGEN	7.2		.130	MG/L
06/01/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/01/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.084	

06/01/95	PH, FIELD	.4		6.600	STANDARD
06/01/95	PH, FIELD	4.7		6.480	STANDARD
06/01/95	PH, FIELD	7.2		6.380	STANDARD
06/01/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.4		118.000	UMHOS/CM
06/01/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.7		160.000	UMHOS/CM
06/01/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.2		179.000	UMHOS/CM
06/01/95	TEMPERATURE, WATER	.4		26.530	DEG C
06/01/95	TEMPERATURE, WATER	4.7		24.400	DEG C
06/01/95	TEMPERATURE, WATER	7.2		23.700	DEG C
04/25/96	DISSOLVED OXYGEN	.1		2.310	MG/L
04/25/96	DISSOLVED OXYGEN	.5		2.320	MG/L
04/25/96	DISSOLVED OXYGEN	1.0		2.400	MG/L
04/25/96	DISSOLVED OXYGEN	1.9		2.530	MG/L
04/25/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/25/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.216	
04/25/96	PH, FIELD	.1		6.790	STANDARD
04/25/96	PH, FIELD	.5		6.800	STANDARD
04/25/96	PH, FIELD	1.0		6.800	STANDARD
04/25/96	PH, FIELD	1.9		6.800	STANDARD
04/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		184.000	UMHOS/CM
04/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		185.000	UMHOS/CM
04/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		188.000	UMHOS/CM
04/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.9		194.000	UMHOS/CM
04/25/96	TEMPERATURE, WATER	.1		23.000	DEG C
04/25/96	TEMPERATURE, WATER	.5		22.800	DEG C
04/25/96	TEMPERATURE, WATER	1.0		22.800	DEG C
04/25/96	TEMPERATURE, WATER	1.9		22.700	DEG C
01/10/97	DISSOLVED OXYGEN	3.0		5.800	MG/L
01/10/97	DISSOLVED OXYGEN	1.5		5.700	MG/L
01/10/97	DISSOLVED OXYGEN	.3		5.700	MG/L
01/10/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/10/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.116	
01/10/97	PH, FIELD	3.0		7.000	STANDARD
01/10/97	PH, FIELD	1.5		7.000	STANDARD
01/10/97	PH, FIELD	.3		7.000	STANDARD
01/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		209.000	UMHOS/CM
01/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		209.000	UMHOS/CM
01/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		210.000	UMHOS/CM
01/10/97	TEMPERATURE, WATER	3.0		11.200	DEG C
01/10/97	TEMPERATURE, WATER	1.5		11.200	DEG C
01/10/97	TEMPERATURE, WATER	.3		11.200	DEG C
10/29/97	DISSOLVED OXYGEN	.3		8.900	MG/L
10/29/97	DISSOLVED OXYGEN	1.0		8.400	MG/L
10/29/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/29/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.025	
10/29/97	PH, FIELD	.3		8.000	STANDARD
10/29/97	PH, FIELD	1.0		8.000	STANDARD
10/29/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		420.000	UMHOS/CM
10/29/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		422.000	UMHOS/CM
10/29/97	TEMPERATURE, WATER	.3		18.800	DEG C
10/29/97	TEMPERATURE, WATER	1.0		18.600	DEG C
01/20/98	DISSOLVED OXYGEN	.3		3.500	MG/L
01/20/98	DISSOLVED OXYGEN	1.0		3.400	MG/L
01/20/98	DISSOLVED OXYGEN	8.0		3.400	MG/L
01/20/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/20/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.004	
01/20/98	PH, FIELD	.3		6.000	STANDARD
01/20/98	PH, FIELD	1.0		6.000	STANDARD
01/20/98	PH, FIELD	8.0		6.100	STANDARD
01/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		88.000	UMHOS/CM
01/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		88.000	UMHOS/CM
01/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.0		87.000	UMHOS/CM
01/20/98	TEMPERATURE, WATER	.3		13.600	DEG C
01/20/98	TEMPERATURE, WATER	1.0		13.600	DEG C
01/20/98	TEMPERATURE, WATER	8.0		13.600	DEG C
04/06/98	DISSOLVED OXYGEN	.3		7.800	MG/L
04/06/98	DISSOLVED OXYGEN	1.0		7.600	MG/L
04/06/98	DISSOLVED OXYGEN	2.7		3.000	MG/L
04/06/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/06/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.015	
04/06/98	PH, FIELD	.3		7.000	STANDARD
04/06/98	PH, FIELD	1.0		7.200	STANDARD
04/06/98	PH, FIELD	2.7		6.800	STANDARD
04/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		133.000	UMHOS/CM

04/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		134.000	UMHOS/CM
04/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.7		138.000	UMHOS/CM
04/06/98	TEMPERATURE, WATER	.3		21.900	DEG C
04/06/98	TEMPERATURE, WATER	1.0		21.900	DEG C
04/06/98	TEMPERATURE, WATER	2.7		20.000	DEG C
07/06/98	DISSOLVED OXYGEN	.3		12.300	MG/L
07/06/98	DISSOLVED OXYGEN	1.0		13.500	MG/L
07/06/98	DISSOLVED OXYGEN	3.0		5.700	MG/L
07/06/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/06/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
07/06/98	PH, FIELD	.3		9.100	STANDARD
07/06/98	PH, FIELD	1.0		9.200	STANDARD
07/06/98	PH, FIELD	3.0		7.400	STANDARD
07/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		335.000	UMHOS/CM
07/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		335.000	UMHOS/CM
07/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		370.000	UMHOS/CM
07/06/98	TEMPERATURE, WATER	.3		33.300	DEG C
07/06/98	TEMPERATURE, WATER	1.0		31.400	DEG C
07/06/98	TEMPERATURE, WATER	3.0		29.100	DEG C
10/15/98	DISSOLVED OXYGEN	.3		5.300	MG/L
10/15/98	DISSOLVED OXYGEN	1.0		4.800	MG/L
10/15/98	DISSOLVED OXYGEN	2.5		2.700	MG/L
10/15/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/15/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.072	
10/15/98	PH, FIELD	.3		7.300	STANDARD
10/15/98	PH, FIELD	1.0		7.600	STANDARD
10/15/98	PH, FIELD	2.5		7.500	STANDARD
10/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		294.000	UMHOS/CM
10/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		294.000	UMHOS/CM
10/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		294.000	UMHOS/CM
10/15/98	TEMPERATURE, WATER	.3		23.500	DEG C
10/15/98	TEMPERATURE, WATER	1.0		23.400	DEG C
10/15/98	TEMPERATURE, WATER	2.5		23.400	DEG C
01/12/99	DISSOLVED OXYGEN	.3		8.800	MG/L
01/12/99	DISSOLVED OXYGEN	1.0		8.800	MG/L
01/12/99	DISSOLVED OXYGEN	2.0		8.900	MG/L
01/12/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/12/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.096	
01/12/99	PH, FIELD	.3		7.000	STANDARD
01/12/99	PH, FIELD	1.0		7.000	STANDARD
01/12/99	PH, FIELD	2.0		7.000	STANDARD
01/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		100.000	UMHOS/CM
01/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		100.000	UMHOS/CM
01/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		97.000	UMHOS/CM
01/12/99	TEMPERATURE, WATER	.3		10.800	DEG C
01/12/99	TEMPERATURE, WATER	1.0		10.800	DEG C
01/12/99	TEMPERATURE, WATER	2.0		10.800	DEG C
04/12/99	DISSOLVED OXYGEN	.3		3.500	MG/L
04/12/99	DISSOLVED OXYGEN	1.0		3.100	MG/L
04/12/99	DISSOLVED OXYGEN	2.3		1.900	MG/L
04/12/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/12/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.092	
04/12/99	PH, FIELD	.3		6.700	STANDARD
04/12/99	PH, FIELD	1.0		6.800	STANDARD
04/12/99	PH, FIELD	2.3		6.700	STANDARD
04/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		145.000	UMHOS/CM
04/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		142.000	UMHOS/CM
04/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.3		138.000	UMHOS/CM
04/12/99	TEMPERATURE, WATER	.3		24.800	DEG C
04/12/99	TEMPERATURE, WATER	1.0		24.200	DEG C
04/12/99	TEMPERATURE, WATER	2.3		23.500	DEG C
07/06/99	DISSOLVED OXYGEN	.3		4.200	MG/L
07/06/99	DISSOLVED OXYGEN	1.0		3.700	MG/L
07/06/99	DISSOLVED OXYGEN	1.5		3.600	MG/L
07/06/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/06/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.166	
07/06/99	PH, FIELD	.3		7.100	STANDARD
07/06/99	PH, FIELD	1.0		7.100	STANDARD
07/06/99	PH, FIELD	1.5		7.100	STANDARD
07/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		281.000	UMHOS/CM
07/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		282.000	UMHOS/CM
07/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		282.000	UMHOS/CM
07/06/99	TEMPERATURE, WATER	.3		30.000	DEG C
07/06/99	TEMPERATURE, WATER	1.0		29.900	DEG C

07/06/99	TEMPERATURE, WATER	1.5		29.900	DEG C
10/05/99	DISSOLVED OXYGEN	.3		8.400	MG/L
10/05/99	DISSOLVED OXYGEN	1.0		8.100	MG/L
10/05/99	DISSOLVED OXYGEN	1.5		7.900	MG/L
10/05/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/05/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.159	
10/05/99	PH, FIELD	.3		7.800	STANDARD
10/05/99	PH, FIELD	1.0		8.000	STANDARD
10/05/99	PH, FIELD	1.5		8.000	STANDARD
10/05/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		460.000	UMHOS/CM
10/05/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		460.000	UMHOS/CM
10/05/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		461.000	UMHOS/CM
10/05/99	TEMPERATURE, WATER	.3		24.500	DEG C
10/05/99	TEMPERATURE, WATER	1.0		24.500	DEG C
10/05/99	TEMPERATURE, WATER	1.5		24.500	DEG C
01/04/00	DISSOLVED OXYGEN	.3		10.400	MG/L
01/04/00	DISSOLVED OXYGEN	1.0		10.300	MG/L
01/04/00	DISSOLVED OXYGEN	2.0		5.300	MG/L
01/04/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/04/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.181	
01/04/00	PH, FIELD	.3		7.400	STANDARD
01/04/00	PH, FIELD	1.0		7.600	STANDARD
01/04/00	PH, FIELD	2.0		7.300	STANDARD
01/04/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		48.000	UMHOS/CM
01/04/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		48.000	UMHOS/CM
01/04/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		48.000	UMHOS/CM
01/04/00	TEMPERATURE, WATER	.3		15.600	DEG C
01/04/00	TEMPERATURE, WATER	1.0		15.600	DEG C
01/04/00	TEMPERATURE, WATER	2.0		15.600	DEG C
04/05/00	DISSOLVED OXYGEN	.3		9.800	MG/L
04/05/00	DISSOLVED OXYGEN	1.0		9.500	MG/L
04/05/00	DISSOLVED OXYGEN	2.0		8.100	MG/L
04/05/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/05/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.268	
04/05/00	PH, FIELD	.3		6.500	STANDARD
04/05/00	PH, FIELD	1.0		6.900	STANDARD
04/05/00	PH, FIELD	2.0		7.100	STANDARD
04/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		403.000	UMHOS/CM
04/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		400.000	UMHOS/CM
04/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		400.000	UMHOS/CM
04/05/00	TEMPERATURE, WATER	.3		18.600	DEG C
04/05/00	TEMPERATURE, WATER	1.0		18.500	DEG C
04/05/00	TEMPERATURE, WATER	2.0		18.100	DEG C
07/06/00	DISSOLVED OXYGEN	2.5		4.800	MG/L
07/06/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/06/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.193	
07/06/00	PH, FIELD	2.5		7.100	STANDARD
07/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		340.000	UMHOS/CM
07/06/00	TEMPERATURE, WATER	2.5		28.700	DEG C
07/07/00	DISSOLVED OXYGEN	.3		7.900	MG/L
07/07/00	DISSOLVED OXYGEN	1.0		7.500	MG/L
07/07/00	PH, FIELD	.3		7.200	STANDARD
07/07/00	PH, FIELD	1.0		7.400	STANDARD
07/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		344.000	UMHOS/CM
07/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		343.000	UMHOS/CM
07/07/00	TEMPERATURE, WATER	.3		30.100	DEG C
07/07/00	TEMPERATURE, WATER	1.0		29.400	DEG C
10/05/00	DISSOLVED OXYGEN	.3		8.300	MG/L
10/05/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/05/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.093	
10/05/00	PH, FIELD	.3		8.000	STANDARD
10/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		545.000	UMHOS/CM
10/05/00	TEMPERATURE, WATER	.3		27.500	DEG C

Atchafalaya River Basin
Little Bayou Pigeon, Louisiana Site No. 0915

Date	Parameter	Depth meters		ppm	Units
10/06/99	DISSOLVED OXYGEN	.3		5.900	MG/L
10/06/99	DISSOLVED OXYGEN	1.0		5.400	MG/L
10/06/99	DISSOLVED OXYGEN	2.0		4.700	MG/L
10/06/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/06/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.110	

10/06/99	PH, FIELD	.3		7.500	STANDARD
10/06/99	PH, FIELD	1.0		7.500	STANDARD
10/06/99	PH, FIELD	2.0		7.300	STANDARD
10/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		501.000	UMHOS/CM
10/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		500.000	UMHOS/CM
10/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		500.000	UMHOS/CM
10/06/99	TEMPERATURE, WATER	.3		23.800	DEG C
10/06/99	TEMPERATURE, WATER	1.0		23.600	DEG C
10/06/99	TEMPERATURE, WATER	2.0		23.500	DEG C

Atchafalaya River Basin
Little Tensas Bayou — Site No. 0895

Date	Parameter	Depth meters		ppm	Units
08/10/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/10/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.086	
08/10/99	PH, FIELD	.3		8.500	STANDARD
08/10/99	PH, FIELD	1.0		8.400	STANDARD
08/10/99	PH, FIELD	5.8		7.200	STANDARD
08/10/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		326.000	UMHOS/CM
08/10/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		330.000	UMHOS/CM
08/10/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.8		530.000	UMHOS/CM
08/10/99	TEMPERATURE, WATER	.3		33.600	DEG C
08/10/99	TEMPERATURE, WATER	1.0		32.500	DEG C
08/10/99	TEMPERATURE, WATER	5.8		20.200	DEG C

Atchafalaya River Basin
Millers Chute East of Grand Lake — Site No. 0755

Date	Parameter	Depth meters		ppm	Units
07/15/98	DISSOLVED OXYGEN	.3		5.400	MG/L
07/15/98	DISSOLVED OXYGEN	1.0		4.600	MG/L
07/15/98	DISSOLVED OXYGEN	3.0		4.200	MG/L
07/15/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/15/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.181	
07/15/98	PH, FIELD	.3		7.700	STANDARD
07/15/98	PH, FIELD	1.0		7.700	STANDARD
07/15/98	PH, FIELD	3.0		7.600	STANDARD
07/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		406.000	UMHOS/CM
07/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		407.000	UMHOS/CM
07/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		404.000	UMHOS/CM
07/15/98	TEMPERATURE, WATER	.3		30.600	DEG C
07/15/98	TEMPERATURE, WATER	1.0		30.100	DEG C
07/15/98	TEMPERATURE, WATER	3.0		29.500	DEG C

Atchafalaya River Basin
Mystic Crew Bayou — Site No. 0542

Date	Parameter	Depth meters		ppm	Units
09/05/96	DISSOLVED OXYGEN	.3		1.670	MG/L
09/05/96	DISSOLVED OXYGEN	1.3		1.320	MG/L
09/05/96	DISSOLVED OXYGEN	2.5		.930	MG/L
09/05/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/05/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.334	
09/05/96	PH, FIELD	.3		6.770	STANDARD
09/05/96	PH, FIELD	1.3		6.870	STANDARD
09/05/96	PH, FIELD	2.5		6.840	STANDARD
09/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		386.000	UMHOS/CM
09/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		388.000	UMHOS/CM
09/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		399.000	UMHOS/CM
09/05/96	TEMPERATURE, WATER	.3		27.560	DEG C
09/05/96	TEMPERATURE, WATER	1.3		27.400	DEG C
09/05/96	TEMPERATURE, WATER	2.5		27.370	DEG C
11/19/97	DISSOLVED OXYGEN	.3		9.600	MG/L
11/19/97	DISSOLVED OXYGEN	1.0		9.100	MG/L
11/19/97	DISSOLVED OXYGEN	2.5		9.600	MG/L
11/19/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/19/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.002	
11/19/97	PH, FIELD	.3		7.300	STANDARD
11/19/97	PH, FIELD	1.0		7.300	STANDARD
11/19/97	PH, FIELD	2.5		7.300	STANDARD

11/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		559.000	UMHOS/CM
11/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		559.000	UMHOS/CM
11/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		560.000	UMHOS/CM
11/19/97	TEMPERATURE, WATER	.3		13.400	DEG C
11/19/97	TEMPERATURE, WATER	1.0		13.300	DEG C
11/19/97	TEMPERATURE, WATER	2.5		13.200	DEG C

Atchafalaya River Basin
Six Mile Lake, Atchafalaya Basin — Site No. 0758

Date	Parameter	Depth meters		ppm	Units
07/28/98	DISSOLVED OXYGEN	.3		5.600	MG/L
07/28/98	DISSOLVED OXYGEN	1.0		5.500	MG/L
07/28/98	DISSOLVED OXYGEN	3.0		5.300	MG/L
07/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.050	
07/28/98	PH, FIELD	.3		7.600	STANDARD
07/28/98	PH, FIELD	1.0		7.600	STANDARD
07/28/98	PH, FIELD	3.0		7.700	STANDARD
07/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		382.000	UMHOS/CM
07/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		384.000	UMHOS/CM
07/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		383.000	UMHOS/CM
07/28/98	TEMPERATURE, WATER	.3		30.100	DEG C
07/28/98	TEMPERATURE, WATER	1.0		30.100	DEG C
07/28/98	TEMPERATURE, WATER	3.0		30.100	DEG C

Atchafalaya River Basin
Two O'Clock Bayou, West of Krotz Springs, Louisiana — Site No. 0759

Date	Parameter	Depth meters		ppm	Units
08/25/98	DISSOLVED OXYGEN	.3		4.600	MG/L
08/25/98	DISSOLVED OXYGEN	1.0		4.100	MG/L
08/25/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/25/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.100	
08/25/98	PH, FIELD	.3		6.500	STANDARD
08/25/98	PH, FIELD	1.0		6.600	STANDARD
08/25/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		159.000	UMHOS/CM
08/25/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		160.000	UMHOS/CM
08/25/98	TEMPERATURE, WATER	.3		29.700	DEG C
08/25/98	TEMPERATURE, WATER	1.0		29.700	DEG C

Atchafalaya River Basin
Upper Grand River West of Bayou Pigeon, Louisiana — Site No. 0894

Date	Parameter	Depth meters		ppm	Units
08/10/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/10/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
08/10/99	PH, FIELD	.3		8.100	STANDARD
08/10/99	PH, FIELD	1.0		8.100	STANDARD
08/10/99	PH, FIELD	6.5		8.100	STANDARD
08/10/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		476.000	UMHOS/CM
08/10/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		476.000	UMHOS/CM
08/10/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.5		477.000	UMHOS/CM
08/10/99	TEMPERATURE, WATER	.3		32.300	DEG C
08/10/99	TEMPERATURE, WATER	1.0		32.300	DEG C
08/10/99	TEMPERATURE, WATER	6.5		32.200	DEG C

Atchafalaya River Basin
Upper Grand River near Cow Island — Site No. 0734

Date	Parameter	Depth meters		ppm	Units
06/30/98	DISSOLVED OXYGEN	.3		6.400	MG/L
06/30/98	DISSOLVED OXYGEN	1.0		6.400	MG/L
06/30/98	DISSOLVED OXYGEN	4.5		6.100	MG/L
06/30/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/30/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.076	
06/30/98	PH, FIELD	.3		7.600	STANDARD
06/30/98	PH, FIELD	1.0		7.600	STANDARD
06/30/98	PH, FIELD	4.5		7.500	STANDARD
06/30/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		386.000	UMHOS/CM

06/30/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		386.000	UMHOS/CM
06/30/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		385.000	UMHOS/CM
06/30/98	TEMPERATURE, WATER	.3		26.800	DEG C
06/30/98	TEMPERATURE, WATER	1.0		26.800	DEG C
06/30/98	TEMPERATURE, WATER	4.5		26.800	DEG C

Atchafalaya River Basin
West Lake Verret near Intracoastal Waterway — Site No. 0859

Date	Parameter	Depth meters		ppm	Units
09/28/98	DISSOLVED OXYGEN	.3		6.100	MG/L
09/28/98	DISSOLVED OXYGEN	1.0		5.900	MG/L
09/28/98	DISSOLVED OXYGEN	3.0		5.700	MG/L
09/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.093	
09/28/98	PH, FIELD	.3		7.000	STANDARD
09/28/98	PH, FIELD	1.0		7.000	STANDARD
09/28/98	PH, FIELD	3.0		7.100	STANDARD
09/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		476.000	UMHOS/CM
09/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		476.000	UMHOS/CM
09/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		476.000	UMHOS/CM
09/28/98	TEMPERATURE, WATER	.3		29.000	DEG C
09/28/98	TEMPERATURE, WATER	1.0		28.900	DEG C
09/28/98	TEMPERATURE, WATER	3.0		28.800	DEG C

Barataria Basin
Barataria Bay North of Grand Isle, Louisiana — Site No. 0635

Date	Parameter	Depth meters		ppm	Units
05/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		34.400	UMHOS/CM
05/04/98	TEMPERATURE, WATER	1.3		23.600	DEG C

Barataria Basin
Bayou Lafourche at Lockport, Louisiana — Site No. 0294

Date	Parameter	Depth meters		ppm	Units
06/02/98	DISSOLVED OXYGEN	.3		8.900	MG/L
06/02/98	DISSOLVED OXYGEN	2.0		8.200	MG/L
06/02/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/02/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.012	
06/02/98	PH, FIELD	.3		8.100	STANDARD
06/02/98	PH, FIELD	2.0		8.000	STANDARD
06/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		355.000	UMHOS/CM
06/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		355.000	UMHOS/CM
06/02/98	TEMPERATURE, WATER	.3		32.400	DEG C
06/02/98	TEMPERATURE, WATER	2.0		32.000	DEG C

Barataria Basin
Bayou Segnette South of Westwego, Louisiana — Site No. 0853

Date	Parameter	Depth meters		ppm	Units
10/28/98	DISSOLVED OXYGEN	.3		8.000	MG/L
10/28/98	DISSOLVED OXYGEN	1.0		6.800	MG/L
10/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.106	
10/28/98	PH, FIELD	.3		11.400	STANDARD
10/28/98	PH, FIELD	1.0		9.400	STANDARD
10/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1250.000	UMHOS/CM
10/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1160.000	UMHOS/CM
10/28/98	TEMPERATURE, WATER	.3		23.300	DEG C
10/28/98	TEMPERATURE, WATER	1.0		22.300	DEG C

Barataria Basin
Caminada Bay North of Cheniere Caminada — Site No. 0727

Date	Parameter	Depth meters		ppm	Units
05/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		35.600	UMHOS/CM
05/11/98	TEMPERATURE, WATER	1.3		27.300	DEG C

Barataria Basin
Grand Isle Beach at Gulf of Mexico — Site No. 0702

Date	Parameter	Depth meters		ppm	Units
05/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		27.300	UMHOS/CM
05/04/98	TEMPERATURE, WATER	2.0		27.300	DEG C

Barataria Basin
Gulf of Mexico at Grand Isle Beach — Site No. 0860

Date	Parameter	Depth meters		ppm	Units
10/13/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.4		35.500	UMHOS/CM
10/13/98	TEMPERATURE, WATER	2.4		25.100	DEG C

Barataria Basin
Harvey Canal Southwest of Belle Chasse, Louisiana — Site No. 0856

Date	Parameter	Depth meters		ppm	Units
10/27/98	DISSOLVED OXYGEN	.3		6.300	MG/L
10/27/98	DISSOLVED OXYGEN	1.0		6.100	MG/L
10/27/98	DISSOLVED OXYGEN	5.0		5.900	MG/L
10/27/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/27/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.241	

10/27/98	PH, FIELD	.3		7.600	STANDARD
10/27/98	PH, FIELD	1.0		7.500	STANDARD
10/27/98	PH, FIELD	5.0		7.500	STANDARD
10/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		732.000	UMHOS/CM
10/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		733.000	UMHOS/CM
10/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		733.000	UMHOS/CM
10/27/98	TEMPERATURE, WATER	.3		22.800	DEG C
10/27/98	TEMPERATURE, WATER	1.0		22.700	DEG C
10/27/98	TEMPERATURE, WATER	5.0		22.500	DEG C

Barataria Basin
Intracoastal Waterway near Belle Chasse, Louisiana — Site No. 0861

Date	Parameter	Depth meters		ppm	Units
10/27/98	DISSOLVED OXYGEN	.3		8.000	MG/L
10/27/98	DISSOLVED OXYGEN	1.0		7.600	MG/L
10/27/98	DISSOLVED OXYGEN	4.5		7.200	MG/L
10/27/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/27/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.071	
10/27/98	PH, FIELD	.3		6.200	STANDARD
10/27/98	PH, FIELD	1.0		5.800	STANDARD
10/27/98	PH, FIELD	4.5		7.900	STANDARD
10/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		620.000	UMHOS/CM
10/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		618.000	UMHOS/CM
10/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		616.000	UMHOS/CM
10/27/98	TEMPERATURE, WATER	.3		23.100	DEG C
10/27/98	TEMPERATURE, WATER	1.0		22.800	DEG C
10/27/98	TEMPERATURE, WATER	4.5		22.400	DEG C

Barataria Basin
Lac des Allemands — Site No. 0541

Date	Parameter	Depth meters		ppm	Units
08/28/96	DISSOLVED OXYGEN	1.3		7.220	MG/L
08/28/96	DISSOLVED OXYGEN	.7		9.570	MG/L
08/28/96	DISSOLVED OXYGEN	.2		10.470	MG/L
08/28/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/28/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/28/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
08/28/96	PH, FIELD	1.3		8.390	STANDARD
08/28/96	PH, FIELD	.7		9.130	STANDARD
08/28/96	PH, FIELD	.2		9.240	STANDARD
08/28/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		298.000	UMHOS/CM
08/28/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.7		308.000	UMHOS/CM
08/28/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		298.000	UMHOS/CM
08/28/96	TEMPERATURE, WATER	1.3		28.920	DEG C
08/28/96	TEMPERATURE, WATER	.7		29.270	DEG C
08/28/96	TEMPERATURE, WATER	.2		30.750	DEG C
12/15/97	DISSOLVED OXYGEN	.3		11.000	MG/L
12/15/97	DISSOLVED OXYGEN	1.0		11.700	MG/L
12/15/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/15/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.167	
12/15/97	PH, FIELD	.3		6.800	STANDARD
12/15/97	PH, FIELD	1.0		6.900	STANDARD
12/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		200.000	UMHOS/CM
12/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		224.000	UMHOS/CM
12/15/97	TEMPERATURE, WATER	.3		9.200	DEG C
12/15/97	TEMPERATURE, WATER	1.0		7.200	DEG C

Barataria Basin
Lake Boeuf north of Raceland, Louisiana — Site No. 0439

Date	Parameter	Depth meters		ppm	Units
07/20/94	DISSOLVED OXYGEN	1.5		1.200	MG/L
07/20/94	DISSOLVED OXYGEN	.0		4.100	MG/L
07/20/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/20/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
07/20/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.077	
07/20/94	PH, FIELD	1.5		6.240	STANDARD
07/20/94	PH, FIELD	.0		6.330	STANDARD
07/20/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		153.000	UMHOS/CM

07/20/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		154.000	UMHOS/CM
07/20/94	TEMPERATURE, WATER	1.5		27.500	DEG C
07/20/94	TEMPERATURE, WATER	.0		29.000	DEG C
04/06/99	DISSOLVED OXYGEN	.3		9.000	MG/L
04/06/99	DISSOLVED OXYGEN	1.0		7.870	MG/L
04/06/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/06/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.114	
04/06/99	PH, FIELD	.3		8.800	STANDARD
04/06/99	PH, FIELD	1.0		8.500	STANDARD
04/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		329.000	UMHOS/CM
04/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		330.000	UMHOS/CM
04/06/99	TEMPERATURE, WATER	.3		26.100	DEG C
04/06/99	TEMPERATURE, WATER	1.0		25.900	DEG C

Barataria Basin
Lake Cataouatche South of Avondale, Louisiana — Site No. 0636

Date	Parameter	Depth meters		ppm	Units
11/03/97	DISSOLVED OXYGEN	.3		9.600	MG/L
11/03/97	DISSOLVED OXYGEN	1.0		9.500	MG/L
11/03/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/03/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.134	
11/03/97	PH, FIELD	.3		7.900	STANDARD
11/03/97	PH, FIELD	1.0		8.000	STANDARD
11/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		756.000	UMHOS/CM
11/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		755.000	UMHOS/CM
11/03/97	TEMPERATURE, WATER	.3		18.900	DEG C
11/03/97	TEMPERATURE, WATER	1.0		18.900	DEG C

Barataria Basin
Lake Salvador — Site No. 0558

Date	Parameter	Depth meters		ppm	Units
10/17/96	DISSOLVED OXYGEN	.3		8.200	MG/L
10/17/96	DISSOLVED OXYGEN	1.8		8.000	MG/L
10/17/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/17/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.363	
10/17/96	PH, FIELD	.3		7.000	STANDARD
10/17/96	PH, FIELD	1.8		7.000	STANDARD
10/17/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1480.000	UMHOS/CM
10/17/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		1500.000	UMHOS/CM
10/17/96	TEMPERATURE, WATER	.3		23.600	DEG C
10/17/96	TEMPERATURE, WATER	1.8		23.400	DEG C

Barataria Basin
Lake Salvador South of Avondale, Louisiana — Site No. 0639

Date	Parameter	Depth meters		ppm	Units
11/03/97	DISSOLVED OXYGEN	.3		8.400	MG/L
11/03/97	DISSOLVED OXYGEN	1.0		7.900	MG/L
11/03/97	PH, FIELD	.3		7.400	STANDARD
11/03/97	PH, FIELD	1.0		7.400	STANDARD
11/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		3810.000	UMHOS/CM
11/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		4000.000	UMHOS/CM
11/03/97	TEMPERATURE, WATER	.3		18.600	DEG C
11/03/97	TEMPERATURE, WATER	1.0		18.600	DEG C

Barataria Basin
Lake Salvador south of Westwego, Louisiana — Site No. 0598

Date	Parameter	Depth meters		ppm	Units
04/15/97	DISSOLVED OXYGEN	.3		8.700	MG/L
04/15/97	DISSOLVED OXYGEN	1.0		8.600	MG/L
04/15/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/15/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.280	
04/15/97	PH, FIELD	.3		7.300	STANDARD
04/15/97	PH, FIELD	1.0		7.600	STANDARD
04/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		631.000	UMHOS/CM
04/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		632.000	UMHOS/CM
04/15/97	TEMPERATURE, WATER	.3		18.200	DEG C

04/15/97	TEMPERATURE, WATER	1.0		17.600	DEG C
10/28/98	DISSOLVED OXYGEN	.3		9.400	MG/L
10/28/98	DISSOLVED OXYGEN	1.0		8.400	MG/L
10/28/98	DISSOLVED OXYGEN	2.5		8.000	MG/L
10/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.091	
10/28/98	PH, FIELD	.3		11.500	STANDARD
10/28/98	PH, FIELD	1.0		9.600	STANDARD
10/28/98	PH, FIELD	2.5		8.600	STANDARD
10/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		2120.000	UMHOS/CM
10/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		2180.000	UMHOS/CM
10/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		2190.000	UMHOS/CM
10/28/98	TEMPERATURE, WATER	.3		24.300	DEG C
10/28/98	TEMPERATURE, WATER	1.0		22.000	DEG C
10/28/98	TEMPERATURE, WATER	2.5		21.900	DEG C

Barataria Basin
Little Lake at Fisherman's Point, Louisiana Site No. 0729

Date	Parameter	Depth meters		ppm	Units
05/20/98	DISSOLVED OXYGEN	1.7		5.600	MG/L
05/20/98	TEMPERATURE, WATER	1.7		28.400	DEG C
06/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.7		9.500	UMHOS/CM
06/09/98	TEMPERATURE, WATER	1.7		28.300	DEG C

Calcasieu River Basin
Bayou Choupique at Carlyss, Louisiana — Site No. 0849

Date	Parameter	Depth meters		ppm	Units
03/30/99	DISSOLVED OXYGEN	.3		3.500	MG/L
03/30/99	DISSOLVED OXYGEN	1.0		2.900	MG/L
03/30/99	DISSOLVED OXYGEN	4.0		1.200	MG/L
03/30/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/30/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.039	
03/30/99	PH, FIELD	.3		6.200	STANDARD
03/30/99	PH, FIELD	1.0		6.200	STANDARD
03/30/99	PH, FIELD	4.0		6.200	STANDARD
03/30/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		154.000	UMHOS/CM
03/30/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		153.000	UMHOS/CM
03/30/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		153.000	UMHOS/CM
03/30/99	TEMPERATURE, WATER	.3		17.800	DEG C
03/30/99	TEMPERATURE, WATER	1.0		17.800	DEG C
03/30/99	TEMPERATURE, WATER	4.0		17.800	DEG C

Calcasieu River Basin
Bayou D'Inde SW of Westlake, Louisiana — Site No. 0168

Date	Parameter	Depth meters		ppm	Units
05/11/99	DISSOLVED OXYGEN	.3		9.000	MG/L
05/11/99	DISSOLVED OXYGEN	1.0		6.000	MG/L
05/11/99	DISSOLVED OXYGEN	4.0		.600	MG/L
05/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.548	
05/11/99	PH, FIELD	.3		7.900	STANDARD
05/11/99	PH, FIELD	1.0		7.600	STANDARD
05/11/99	PH, FIELD	4.0		7.200	STANDARD
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1014.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1019.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		1504.000	UMHOS/CM
05/11/99	TEMPERATURE, WATER	.3		27.800	DEG C
05/11/99	TEMPERATURE, WATER	1.0		26.400	DEG C
05/11/99	TEMPERATURE, WATER	4.0		27.500	DEG C

Calcasieu River Basin
Bayou D'Inde WSW of Lake Charles, Louisiana — Site No. 0170

Date	Parameter	Depth meters		ppm	Units
05/11/99	DISSOLVED OXYGEN	.3		8.800	MG/L
05/11/99	DISSOLVED OXYGEN	1.0		7.800	MG/L
05/11/99	DISSOLVED OXYGEN	4.0		6.000	MG/L
05/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.857	
05/11/99	PH, FIELD	.3		8.000	STANDARD
05/11/99	PH, FIELD	1.0		7.900	STANDARD
05/11/99	PH, FIELD	4.0		7.600	STANDARD
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1475.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1524.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		1566.000	UMHOS/CM
05/11/99	TEMPERATURE, WATER	.3		28.700	DEG C
05/11/99	TEMPERATURE, WATER	1.0		28.200	DEG C
05/11/99	TEMPERATURE, WATER	4.0		26.800	DEG C

Calcasieu River Basin
Beckwith Creek Southeast of DeQuincy, Louisiana — Site No. 0699

Date	Parameter	Depth meters		ppm	Units
04/14/98	DISSOLVED OXYGEN	.3		5.300	MG/L
04/14/98	DISSOLVED OXYGEN	1.0		2.900	MG/L
04/14/98	DISSOLVED OXYGEN	4.0		2.600	MG/L
04/14/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/14/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
04/14/98	PH, FIELD	.3		5.600	STANDARD
04/14/98	PH, FIELD	1.0		5.600	STANDARD
04/14/98	PH, FIELD	4.0		5.600	STANDARD
04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		64.000	UMHOS/CM

04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		64.000	UMHOS/CM
04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		64.000	UMHOS/CM
04/14/98	TEMPERATURE, WATER	.3		18.600	DEG C
04/14/98	TEMPERATURE, WATER	1.0		18.600	DEG C
04/14/98	TEMPERATURE, WATER	4.0		18.400	DEG C

Calcasieu River Basin
Bundick Lake southeast of DeRidder, Louisiana — Site No. 0380

Date	Parameter	Depth meters		ppm	Units
07/19/94	DISSOLVED OXYGEN	.0		7.460	MG/L
07/19/94	DISSOLVED OXYGEN	2.9		5.290	MG/L
07/19/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
07/19/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
07/19/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.204	
07/19/94	PH, FIELD	.0		5.710	STANDARD
07/19/94	PH, FIELD	2.9		6.010	STANDARD
07/19/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		55.000	UMHOS/CM
07/19/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.9		59.000	UMHOS/CM
07/19/94	TEMPERATURE, WATER	.0		30.700	DEG C
07/19/94	TEMPERATURE, WATER	2.9		28.730	DEG C
10/21/98	DISSOLVED OXYGEN	.3		6.500	MG/L
10/21/98	DISSOLVED OXYGEN	1.0		6.400	MG/L
10/21/98	DISSOLVED OXYGEN	3.0		5.600	MG/L
10/21/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/21/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.063	
10/21/98	PH, FIELD	.3		6.300	STANDARD
10/21/98	PH, FIELD	1.0		6.300	STANDARD
10/21/98	PH, FIELD	3.0		6.500	STANDARD
10/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		71.000	UMHOS/CM
10/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		71.000	UMHOS/CM
10/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		81.000	UMHOS/CM
10/21/98	TEMPERATURE, WATER	.3		21.200	DEG C
10/21/98	TEMPERATURE, WATER	1.0		21.200	DEG C
10/21/98	TEMPERATURE, WATER	3.0		21.200	DEG C

Calcasieu River Basin
Calcasieu River Clooney Island Loop near Westlake, Louisiana — Site No. 0628

Date	Parameter	Depth meters		ppm	Units
05/11/99	DISSOLVED OXYGEN	.3		8.600	MG/L
05/11/99	DISSOLVED OXYGEN	1.0		8.400	MG/L
05/11/99	DISSOLVED OXYGEN	5.0		5.000	MG/L
05/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.068	
05/11/99	PH, FIELD	.3		7.700	STANDARD
05/11/99	PH, FIELD	1.0		7.700	STANDARD
05/11/99	PH, FIELD	5.0		7.400	STANDARD
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1365.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1365.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		1845.000	UMHOS/CM
05/11/99	TEMPERATURE, WATER	.3		26.000	DEG C
05/11/99	TEMPERATURE, WATER	1.0		26.000	DEG C
05/11/99	TEMPERATURE, WATER	5.0		25.100	DEG C

Calcasieu River Basin
Calcasieu River Coon Island Loop, west of Lake Charles, Louisiana — Site No. 0181

Date	Parameter	Depth meters		ppm	Units
05/11/99	DISSOLVED OXYGEN	.3		8.100	MG/L
05/11/99	DISSOLVED OXYGEN	1.0		7.700	MG/L
05/11/99	DISSOLVED OXYGEN	5.0		3.600	MG/L
05/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.042	
05/11/99	PH, FIELD	.3		7.600	STANDARD
05/11/99	PH, FIELD	1.0		7.500	STANDARD
05/11/99	PH, FIELD	5.0		7.300	STANDARD
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1518.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1511.000	UMHOS/CM

05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		2014.000	UMHOS/CM
05/11/99	TEMPERATURE, WATER	.3		26.300	DEG C
05/11/99	TEMPERATURE, WATER	1.0		25.900	DEG C
05/11/99	TEMPERATURE, WATER	5.0		25.500	DEG C

Calcasieu River Basin
Calcasieu River at Moss Bluff, Louisiana — Site No. 0093

Date	Parameter	Depth meters		ppm	Units
08/18/94	DISSOLVED OXYGEN	.0		4.410	MG/L
08/18/94	DISSOLVED OXYGEN	3.7		2.610	MG/L
08/18/94	DISSOLVED OXYGEN	7.6		.530	MG/L
08/18/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
08/18/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/18/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.097	
08/18/94	PH, FIELD	.0		6.520	STANDARD
08/18/94	PH, FIELD	3.7		6.370	STANDARD
08/18/94	PH, FIELD	7.6		6.460	STANDARD
08/18/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		1093.000	UMHOS/CM
08/18/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.7		5300.000	UMHOS/CM
08/18/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.6		7914.000	UMHOS/CM
08/18/94	TEMPERATURE, WATER	.0		29.550	DEG C
08/18/94	TEMPERATURE, WATER	3.7		29.140	DEG C
08/18/94	TEMPERATURE, WATER	7.6		29.040	DEG C
12/02/97	DISSOLVED OXYGEN	.3		4.900	MG/L
12/02/97	DISSOLVED OXYGEN	1.0		4.800	MG/L
12/02/97	DISSOLVED OXYGEN	3.0		4.600	MG/L
12/02/97	DISSOLVED OXYGEN	5.5		4.500	MG/L
12/02/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/02/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
12/02/97	PH, FIELD	.3		6.000	STANDARD
12/02/97	PH, FIELD	1.0		6.000	STANDARD
12/02/97	PH, FIELD	3.0		6.000	STANDARD
12/02/97	PH, FIELD	5.5		6.000	STANDARD
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		204.000	UMHOS/CM
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		204.000	UMHOS/CM
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		203.000	UMHOS/CM
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		204.000	UMHOS/CM
12/02/97	TEMPERATURE, WATER	.3		16.700	DEG C
12/02/97	TEMPERATURE, WATER	1.0		16.700	DEG C
12/02/97	TEMPERATURE, WATER	3.0		16.600	DEG C
12/02/97	TEMPERATURE, WATER	5.5		16.600	DEG C

Calcasieu River Basin
Calcasieu River at mile 27.61, near Lake Charles, Louisiana. — Site No. 0187

Date	Parameter	Depth meters		ppm	Units
05/11/99	DISSOLVED OXYGEN	.3		7.500	MG/L
05/11/99	DISSOLVED OXYGEN	1.0		7.300	MG/L
05/11/99	DISSOLVED OXYGEN	5.0		4.800	MG/L
05/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.053	
05/11/99	PH, FIELD	.3		7.500	STANDARD
05/11/99	PH, FIELD	1.0		7.500	STANDARD
05/11/99	PH, FIELD	5.0		7.300	STANDARD
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1704.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1726.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		2100.000	UMHOS/CM
05/11/99	TEMPERATURE, WATER	.3		26.000	DEG C
05/11/99	TEMPERATURE, WATER	1.0		26.100	DEG C
05/11/99	TEMPERATURE, WATER	5.0		25.400	DEG C

Calcasieu River Basin
Calcasieu River near Kinder pumping station — Site No. 0875

Date	Parameter	Depth meters		ppm	Units
03/31/99	DISSOLVED OXYGEN	.3		9.100	MG/L
03/31/99	DISSOLVED OXYGEN	1.0		8.900	MG/L
03/31/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/31/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.005	
03/31/99	PH, FIELD	.3		6.300	STANDARD

03/31/99	PH, FIELD	1.0		6.300	STANDARD
03/31/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		38.000	UMHOS/CM
03/31/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		38.000	UMHOS/CM
03/31/99	TEMPERATURE, WATER	.3		16.400	DEG C
03/31/99	TEMPERATURE, WATER	1.0		16.400	DEG C

Calcasieu River Basin
Contraband Bayou at Lake Charles, Louisiana — Site No. 0631

Date	Parameter	Depth meters		ppm	Units
05/11/99	DISSOLVED OXYGEN	.3		6.900	MG/L
05/11/99	DISSOLVED OXYGEN	1.0		5.100	MG/L
05/11/99	DISSOLVED OXYGEN	5.0		2.700	MG/L
05/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.080	
05/11/99	PH, FIELD	.3		7.500	STANDARD
05/11/99	PH, FIELD	1.0		7.300	STANDARD
05/11/99	PH, FIELD	5.0		7.100	STANDARD
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1208.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1377.000	UMHOS/CM
05/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		1962.000	UMHOS/CM
05/11/99	TEMPERATURE, WATER	.3		26.800	DEG C
05/11/99	TEMPERATURE, WATER	1.0		25.500	DEG C
05/11/99	TEMPERATURE, WATER	5.0		25.100	DEG C

Calcasieu River Basin
English Bayou near Lake Charles, Louisiana — Site No. 0131

Date	Parameter	Depth meters		ppm	Units
12/02/97	DISSOLVED OXYGEN	.3		2.200	MG/L
12/02/97	DISSOLVED OXYGEN	1.0		2.000	MG/L
12/02/97	DISSOLVED OXYGEN	3.0		1.900	MG/L
12/02/97	DISSOLVED OXYGEN	5.0		2.500	MG/L
12/02/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/02/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.041	
12/02/97	PH, FIELD	.3		6.300	STANDARD
12/02/97	PH, FIELD	1.0		6.300	STANDARD
12/02/97	PH, FIELD	3.0		6.300	STANDARD
12/02/97	PH, FIELD	5.0		6.100	STANDARD
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		150.000	UMHOS/CM
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		156.000	UMHOS/CM
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		215.000	UMHOS/CM
12/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		746.000	UMHOS/CM
12/02/97	TEMPERATURE, WATER	.3		17.100	DEG C
12/02/97	TEMPERATURE, WATER	1.0		17.000	DEG C
12/02/97	TEMPERATURE, WATER	3.0		16.800	DEG C
12/02/97	TEMPERATURE, WATER	5.0		17.000	DEG C

Calcasieu River Basin
Hickory Creek Southeast of DeQuincy, Louisiana — Site No. 0704

Date	Parameter	Depth meters		ppm	Units
04/14/98	DISSOLVED OXYGEN	.3		1.900	MG/L
04/14/98	DISSOLVED OXYGEN	1.0		1.200	MG/L
04/14/98	DISSOLVED OXYGEN	4.3		.700	MG/L
04/14/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/14/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
04/14/98	PH, FIELD	.3		6.300	STANDARD
04/14/98	PH, FIELD	1.0		6.100	STANDARD
04/14/98	PH, FIELD	4.3		6.100	STANDARD
04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		108.000	UMHOS/CM
04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		113.000	UMHOS/CM
04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.3		113.000	UMHOS/CM
04/14/98	TEMPERATURE, WATER	.3		21.700	DEG C
04/14/98	TEMPERATURE, WATER	1.0		19.400	DEG C
04/14/98	TEMPERATURE, WATER	4.3		18.900	DEG C

Calcasieu River Basin
Houston River Northwest of Sulphur, Louisiana — Site No. 0705

Date	Parameter	Depth meters		ppm	Units
05/12/98	DISSOLVED OXYGEN	.3		6.300	MG/L
05/12/98	DISSOLVED OXYGEN	1.0		3.700	MG/L
05/12/98	DISSOLVED OXYGEN	6.0		.400	MG/L
05/12/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/12/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/12/98	PH, FIELD	.3		5.700	STANDARD
05/12/98	PH, FIELD	1.0		5.500	STANDARD
05/12/98	PH, FIELD	6.0		5.300	STANDARD
05/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		71.000	UMHOS/CM
05/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		71.000	UMHOS/CM
05/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		72.000	UMHOS/CM
05/12/98	TEMPERATURE, WATER	.3		26.900	DEG C
05/12/98	TEMPERATURE, WATER	1.0		23.900	DEG C
05/12/98	TEMPERATURE, WATER	6.0		21.200	DEG C

Calcasieu River Basin
Lake Charles at Lake Charles, Louisiana — Site No. 0175

Date	Parameter	Depth meters		ppm	Units
09/28/95	DISSOLVED OXYGEN	.1		6.950	MG/L
09/28/95	DISSOLVED OXYGEN	.9		6.950	MG/L
09/28/95	DISSOLVED OXYGEN	1.7		4.660	MG/L
09/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/28/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.236	
09/28/95	PH, FIELD	.1		7.560	STANDARD
09/28/95	PH, FIELD	.9		7.580	STANDARD
09/28/95	PH, FIELD	1.7		7.480	STANDARD
09/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		15750.000	UMHOS/CM
09/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.9		15520.000	UMHOS/CM
09/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.7		16650.000	UMHOS/CM
09/28/95	TEMPERATURE, WATER	.1		26.800	DEG C
09/28/95	TEMPERATURE, WATER	.9		26.870	DEG C
09/28/95	TEMPERATURE, WATER	1.7		27.200	DEG C

Calcasieu River Basin
Sixmile Creek southeast of Grant, Louisiana — Site No. 0445

Date	Parameter	Depth meters		ppm	Units
09/29/94	DISSOLVED OXYGEN	.2		7.950	MG/L
09/29/94	DISSOLVED OXYGEN	1.0		7.900	MG/L
09/29/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/29/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
09/29/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.077	
09/29/94	PH, FIELD	.2		6.630	STANDARD
09/29/94	PH, FIELD	1.0		6.440	STANDARD
09/29/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		55.000	UMHOS/CM
09/29/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		64.000	UMHOS/CM
09/29/94	TEMPERATURE, WATER	.2		20.500	DEG C
09/29/94	TEMPERATURE, WATER	1.0		20.520	DEG C

Calcasieu River Basin
Sweet Lake northeast of Cameron, Louisiana — Site No. 0602

Date	Parameter	Depth meters		ppm	Units
04/08/97	DISSOLVED OXYGEN	.3		8.100	MG/L
04/08/97	DISSOLVED OXYGEN	1.0		8.000	MG/L
04/08/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/08/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.205	
04/08/97	PH, FIELD	.3		6.700	STANDARD
04/08/97	PH, FIELD	1.0		6.800	STANDARD
04/08/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		151.000	UMHOS/CM
04/08/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		151.000	UMHOS/CM
04/08/97	TEMPERATURE, WATER	.3		20.000	DEG C
04/08/97	TEMPERATURE, WATER	1.0		20.000	DEG C

Calcasieu River Basin
West Fork Calcasieu River north of Westlake, Louisiana — Site No. 0437

Date	Parameter	Depth meters		ppm	Units
08/19/94	DISSOLVED OXYGEN	.0		3.010	MG/L
08/19/94	DISSOLVED OXYGEN	3.0		1.280	MG/L
08/19/94	DISSOLVED OXYGEN	6.1		.160	MG/L
08/19/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/19/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/19/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
08/19/94	PH, FIELD	.0		6.910	STANDARD
08/19/94	PH, FIELD	3.0		6.580	STANDARD
08/19/94	PH, FIELD	6.1		6.580	STANDARD
08/19/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		566.000	UMHOS/CM
08/19/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		6958.000	UMHOS/CM
08/19/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.1		13702.000	UMHOS/CM
08/19/94	TEMPERATURE, WATER	.0		28.780	DEG C
08/19/94	TEMPERATURE, WATER	3.0		29.400	DEG C
08/19/94	TEMPERATURE, WATER	6.1		28.430	DEG C

Calcasieu River Basin
West Fork Calcasieu River, Louisiana — Site No. 0986

Date	Parameter	Depth meters		ppm	Units
12/01/99	DISSOLVED OXYGEN	.3		9.000	MG/L
12/01/99	DISSOLVED OXYGEN	1.0		8.900	MG/L
12/01/99	DISSOLVED OXYGEN	3.0		.700	MG/L
12/01/99	DISSOLVED OXYGEN	16.0		.300	MG/L
12/01/99	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
12/01/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.070	
12/01/99	PH, FIELD	.3		6.800	STANDARD
12/01/99	PH, FIELD	1.0		6.800	STANDARD
12/01/99	PH, FIELD	3.0		6.400	STANDARD
12/01/99	PH, FIELD	16.0		6.700	STANDARD
12/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		5460.000	UMHOS/CM
12/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		5385.000	UMHOS/CM
12/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		17000.000	UMHOS/CM
12/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	16.0		26000.000	UMHOS/CM
12/01/99	TEMPERATURE, WATER	.3		14.300	DEG C
12/01/99	TEMPERATURE, WATER	1.0		13.900	DEG C
12/01/99	TEMPERATURE, WATER	3.0		24.700	DEG C
12/01/99	TEMPERATURE, WATER	16.0		26.900	DEG C

Calcasieu River Basin
Willow Lake northeast of Cameron, Louisiana — Site No. 0606

Date	Parameter	Depth meters		ppm	Units
04/29/97	DISSOLVED OXYGEN	.3		7.900	MG/L
04/29/97	DISSOLVED OXYGEN	1.0		7.800	MG/L
04/29/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/29/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.000	
04/29/97	PH, FIELD	.3		6.800	STANDARD
04/29/97	PH, FIELD	1.0		6.700	STANDARD
04/29/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		225.000	UMHOS/CM
04/29/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		225.000	UMHOS/CM
04/29/97	TEMPERATURE, WATER	.3		19.900	DEG C
04/29/97	TEMPERATURE, WATER	1.0		19.700	DEG C

Lake Pontchartrain Basin
Amite River Diversion Canal NE of Sorrento, Louisiana — Site No. 0237

Date	Parameter	Depth meters		ppm	Units
01/18/00	DISSOLVED OXYGEN	.3		7.300	MG/L
01/18/00	DISSOLVED OXYGEN	1.0		7.100	MG/L
01/18/00	DISSOLVED OXYGEN	5.0		6.200	MG/L
01/18/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/18/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.067	
01/18/00	PH, FIELD	.3		5.900	STANDARD
01/18/00	PH, FIELD	1.0		6.000	STANDARD
01/18/00	PH, FIELD	5.0		6.000	STANDARD
01/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		106.000	UMHOS/CM
01/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		107.000	UMHOS/CM
01/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		103.000	UMHOS/CM
01/18/00	TEMPERATURE, WATER	.3		17.500	DEG C
01/18/00	TEMPERATURE, WATER	1.0		17.000	DEG C
01/18/00	TEMPERATURE, WATER	5.0		16.000	DEG C
10/02/00	DISSOLVED OXYGEN	.3		8.300	MG/L
10/02/00	DISSOLVED OXYGEN	1.0		7.000	MG/L
10/02/00	DISSOLVED OXYGEN	9.0		3.100	MG/L
10/02/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/02/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.043	
10/02/00	PH, FIELD	.3		7.400	STANDARD
10/02/00	PH, FIELD	1.0		7.400	STANDARD
10/02/00	PH, FIELD	9.0		7.000	STANDARD
10/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		2320.000	UMHOS/CM
10/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		2070.000	UMHOS/CM
10/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	9.0		8710.000	UMHOS/CM
10/02/00	TEMPERATURE, WATER	.3		27.500	DEG C
10/02/00	TEMPERATURE, WATER	1.0		26.000	DEG C
10/02/00	TEMPERATURE, WATER	9.0		23.700	DEG C

Lake Pontchartrain Basin
Amite River South of Springfield, Louisiana — Site No. 0263

Date	Parameter	Depth meters		ppm	Units
01/18/00	DISSOLVED OXYGEN	.3		7.100	MG/L
01/18/00	DISSOLVED OXYGEN	1.0		6.700	MG/L
01/18/00	DISSOLVED OXYGEN	6.0		6.800	MG/L
01/18/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/18/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.165	
01/18/00	PH, FIELD	.3		6.400	STANDARD
01/18/00	PH, FIELD	1.0		6.200	STANDARD
01/18/00	PH, FIELD	6.0		6.100	STANDARD
01/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		170.000	UMHOS/CM
01/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		165.000	UMHOS/CM
01/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		2480.000	UMHOS/CM
01/18/00	TEMPERATURE, WATER	.3		16.300	DEG C
01/18/00	TEMPERATURE, WATER	1.0		16.000	DEG C
01/18/00	TEMPERATURE, WATER	6.0		14.800	DEG C

Lake Pontchartrain Basin
Amite River at Port Vincent, Louisiana — Site No. 0043

Date	Parameter	Depth meters		ppm	Units
12/07/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.058	
12/13/99	DISSOLVED OXYGEN	.3		9.200	MG/L
12/13/99	DISSOLVED OXYGEN	1.0		8.900	MG/L
12/13/99	DISSOLVED OXYGEN	10.0		2.100	MG/L
12/13/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/13/99	PH, FIELD	.3		5.800	STANDARD
12/13/99	PH, FIELD	1.0		6.100	STANDARD
12/13/99	PH, FIELD	10.0		6.100	STANDARD
12/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		95.000	UMHOS/CM
12/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		95.000	UMHOS/CM
12/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		110.000	UMHOS/CM
12/13/99	TEMPERATURE, WATER	.3		14.900	DEG C
12/13/99	TEMPERATURE, WATER	1.0		14.700	DEG C
12/13/99	TEMPERATURE, WATER	10.0		14.600	DEG C

Lake Pontchartrain Basin
Amite River southeast of Port Vincent, Louisiana — Site No. 0435

Date	Parameter	Depth meters		ppm	Units
08/11/94	DISSOLVED OXYGEN	8.5		1.610	MG/L
08/11/94	DISSOLVED OXYGEN	4.3		4.280	MG/L
08/11/94	DISSOLVED OXYGEN	.2		6.720	MG/L
08/11/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/11/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.063	
08/11/94	PH, FIELD	8.5		6.670	STANDARD
08/11/94	PH, FIELD	4.3		6.540	STANDARD
08/11/94	PH, FIELD	.2		6.710	STANDARD
08/11/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.5		68.000	UMHOS/CM
08/11/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.3		69.000	UMHOS/CM
08/11/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		70.000	UMHOS/CM
08/11/94	TEMPERATURE, WATER	8.5		27.140	DEG C
08/11/94	TEMPERATURE, WATER	4.3		28.340	DEG C
08/11/94	TEMPERATURE, WATER	.2		30.070	DEG C

Lake Pontchartrain Basin
Bay Gardene (Bayou Lost) East of Pointe a la Hache, Louisiana — Site No. 0006

Date	Parameter	Depth meters		ppm	Units
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		10.600	UMHOS/CM
11/17/98	TEMPERATURE, WATER	1.0		20.200	DEG C

Lake Pontchartrain Basin
Bayou Bonfouca — Site No. 0397

Date	Parameter	Depth meters		ppm	Units
06/05/96	DISSOLVED OXYGEN	2.8		2.740	MG/L
06/05/96	DISSOLVED OXYGEN	1.4		2.980	MG/L
06/05/96	DISSOLVED OXYGEN	.2		5.180	MG/L
06/05/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/05/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.480	
06/05/96	PH, FIELD	2.8		6.260	STANDARD
06/05/96	PH, FIELD	1.4		6.180	STANDARD
06/05/96	PH, FIELD	.2		6.330	STANDARD
06/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.8		79.600	UMHOS/CM
06/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.4		80.100	UMHOS/CM
06/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		102.200	UMHOS/CM
06/05/96	TEMPERATURE, WATER	2.8		25.340	DEG C
06/05/96	TEMPERATURE, WATER	1.4		25.490	DEG C
06/05/96	TEMPERATURE, WATER	.2		26.920	DEG C

Lake Pontchartrain Basin
Bayou Bonfouca at Slidell, Louisiana — Site No. 0301

Date	Parameter	Depth meters		ppm	Units
09/15/97	DISSOLVED OXYGEN	.3		8.000	MG/L
09/15/97	DISSOLVED OXYGEN	1.0		8.200	MG/L
09/15/97	DISSOLVED OXYGEN	3.7		9.800	MG/L
09/15/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.089	
09/15/97	PH, FIELD	.3		7.500	STANDARD
09/15/97	PH, FIELD	1.0		7.300	STANDARD
09/15/97	PH, FIELD	3.7		6.800	STANDARD
09/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1970.000	UMHOS/CM
09/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1940.000	UMHOS/CM
09/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.7		2800.000	UMHOS/CM
09/15/97	TEMPERATURE, WATER	.3		30.200	DEG C
09/15/97	TEMPERATURE, WATER	1.0		29.800	DEG C
09/15/97	TEMPERATURE, WATER	3.7		28.000	DEG C
09/17/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG

Lake Pontchartrain Basin
Bayou Cowan, Louisiana — Site No. 0912

Date	Parameter	Depth meters		ppm	Units
10/06/99	DISSOLVED OXYGEN	.3		5.700	MG/L
10/06/99	DISSOLVED OXYGEN	1.0		5.100	MG/L
10/06/99	DISSOLVED OXYGEN	2.5		2.800	MG/L
10/06/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/06/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.118	
10/06/99	PH, FIELD	.3		7.400	STANDARD
10/06/99	PH, FIELD	1.0		7.400	STANDARD
10/06/99	PH, FIELD	2.5		7.200	STANDARD
10/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		465.000	UMHOS/CM
10/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		466.000	UMHOS/CM
10/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		467.000	UMHOS/CM
10/06/99	TEMPERATURE, WATER	.3		24.500	DEG C
10/06/99	TEMPERATURE, WATER	1.0		24.400	DEG C
10/06/99	TEMPERATURE, WATER	2.5		22.800	DEG C

Lake Pontchartrain Basin
Bayou Lacombe north of Lacombe, Louisiana — Site No. 0419

Date	Parameter	Depth meters		ppm	Units
06/06/96	DISSOLVED OXYGEN	5.6		6.360	MG/L
06/06/96	DISSOLVED OXYGEN	2.8		6.050	MG/L
06/06/96	DISSOLVED OXYGEN	.2		5.920	MG/L
06/06/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/06/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
06/06/96	PH, FIELD	5.6		4.560	STANDARD
06/06/96	PH, FIELD	2.8		4.350	STANDARD
06/06/96	PH, FIELD	.2		4.280	STANDARD
06/06/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.6		34.200	UMHOS/CM
06/06/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.8		34.500	UMHOS/CM
06/06/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		34.200	UMHOS/CM
06/06/96	TEMPERATURE, WATER	5.6		24.040	DEG C
06/06/96	TEMPERATURE, WATER	2.8		24.130	DEG C
06/06/96	TEMPERATURE, WATER	.2		24.650	DEG C

Lake Pontchartrain Basin
Bayou Lacombe south of Lacombe, Louisiana — Site No. 0421

Date	Parameter	Depth meters		ppm	Units
09/15/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/17/97	DISSOLVED OXYGEN	.3		8.000	MG/L
09/17/97	DISSOLVED OXYGEN	1.0		8.500	MG/L
09/17/97	DISSOLVED OXYGEN	4.5		11.400	MG/L
09/17/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
09/17/97	PH, FIELD	.3		6.800	STANDARD
09/17/97	PH, FIELD	1.0		6.700	STANDARD
09/17/97	PH, FIELD	4.5		6.300	STANDARD
09/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1079.000	UMHOS/CM
09/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1780.000	UMHOS/CM
09/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		4200.000	UMHOS/CM
09/17/97	TEMPERATURE, WATER	.3		30.500	DEG C
09/17/97	TEMPERATURE, WATER	1.0		29.800	DEG C
09/17/97	TEMPERATURE, WATER	4.5		27.300	DEG C

Lake Pontchartrain Basin
Bayou Liberty near Slidell, Louisiana — Site No. 0503

Date	Parameter	Depth meters		ppm	Units
08/24/95	DISSOLVED OXYGEN	.4		1.620	MG/L
08/24/95	DISSOLVED OXYGEN	3.0		.130	MG/L
08/24/95	DISSOLVED OXYGEN	5.0		.110	MG/L
08/24/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/24/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.032	
08/24/95	PH, FIELD	.4		6.660	STANDARD
08/24/95	PH, FIELD	3.0		6.490	STANDARD
08/24/95	PH, FIELD	5.0		6.410	STANDARD
08/24/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.4		1414.000	UMHOS/CM

08/24/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		4844.000	UMHOS/CM
08/24/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		14516.000	UMHOS/CM
08/24/95	TEMPERATURE, WATER	.4		27.300	DEG C
08/24/95	TEMPERATURE, WATER	3.0		28.000	DEG C
08/24/95	TEMPERATURE, WATER	5.0		27.600	DEG C
06/05/96	DISSOLVED OXYGEN	.2		9.300	MG/L
06/05/96	DISSOLVED OXYGEN	2.1		3.250	MG/L
06/05/96	DISSOLVED OXYGEN	4.2		2.400	MG/L
06/05/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/05/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.824	
06/05/96	PH, FIELD	.2		6.750	STANDARD
06/05/96	PH, FIELD	2.1		5.780	STANDARD
06/05/96	PH, FIELD	4.2		5.890	STANDARD
06/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		134.300	UMHOS/CM
06/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.1		56.000	UMHOS/CM
06/05/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.2		61.200	UMHOS/CM
06/05/96	TEMPERATURE, WATER	.2		29.800	DEG C
06/05/96	TEMPERATURE, WATER	2.1		24.050	DEG C
06/05/96	TEMPERATURE, WATER	4.2		23.580	DEG C
04/19/99	DISSOLVED OXYGEN	.3		5.000	MG/L
04/19/99	DISSOLVED OXYGEN	1.0		3.400	MG/L
04/19/99	DISSOLVED OXYGEN	6.0		.700	MG/L
04/19/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/19/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.043	
04/19/99	PH, FIELD	.3		6.900	STANDARD
04/19/99	PH, FIELD	1.0		6.800	STANDARD
04/19/99	PH, FIELD	6.0		6.600	STANDARD
04/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		2427.000	UMHOS/CM
04/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		2494.000	UMHOS/CM
04/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		5098.000	UMHOS/CM
04/19/99	TEMPERATURE, WATER	.3		22.800	DEG C
04/19/99	TEMPERATURE, WATER	1.0		20.500	DEG C
04/19/99	TEMPERATURE, WATER	6.0		18.000	DEG C

Lake Pontchartrain Basin
Bayou Saint John at New Orleans, Louisiana Site No. 0305

Date	Parameter	Depth meters		ppm	Units
08/23/95	DISSOLVED OXYGEN	.2		7.580	MG/L
08/23/95	DISSOLVED OXYGEN	1.1		5.210	MG/L
08/23/95	DISSOLVED OXYGEN	2.2		3.980	MG/L
08/23/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/23/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.456	
08/23/95	PH, FIELD	.2		8.690	STANDARD
08/23/95	PH, FIELD	1.1		8.160	STANDARD
08/23/95	PH, FIELD	2.2		7.820	STANDARD
08/23/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		4279.000	UMHOS/CM
08/23/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.1		4284.000	UMHOS/CM
08/23/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.2		4328.000	UMHOS/CM
08/23/95	TEMPERATURE, WATER	.2		32.530	DEG C
08/23/95	TEMPERATURE, WATER	1.1		31.730	DEG C
08/23/95	TEMPERATURE, WATER	2.2		31.650	DEG C

Lake Pontchartrain Basin
Blind River near Gramercy, Louisiana Site No. 0538

Date	Parameter	Depth meters		ppm	Units
07/24/96	DISSOLVED OXYGEN	.2		5.640	MG/L
07/24/96	DISSOLVED OXYGEN	2.5		1.500	MG/L
07/24/96	DISSOLVED OXYGEN	4.9		.270	MG/L
07/24/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/24/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
07/24/96	PH, FIELD	.2		7.200	STANDARD
07/24/96	PH, FIELD	2.5		7.000	STANDARD
07/24/96	PH, FIELD	4.9		6.820	STANDARD
07/24/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		333.000	UMHOS/CM
07/24/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		330.000	UMHOS/CM
07/24/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.9		343.000	UMHOS/CM
07/24/96	TEMPERATURE, WATER	.2		31.890	DEG C
07/24/96	TEMPERATURE, WATER	2.5		30.840	DEG C
07/24/96	TEMPERATURE, WATER	4.9		30.350	DEG C
02/26/97	DISSOLVED OXYGEN	.3		7.500	MG/L

02/26/97	DISSOLVED OXYGEN	1.0		7.400	MG/L
02/26/97	DISSOLVED OXYGEN	5.0		7.800	MG/L
02/26/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/26/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.521	
02/26/97	PH, FIELD	.3		6.100	STANDARD
02/26/97	PH, FIELD	1.0		6.100	STANDARD
02/26/97	PH, FIELD	5.0		6.100	STANDARD
02/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		74.000	UMHOS/CM
02/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		69.000	UMHOS/CM
02/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		58.000	UMHOS/CM
02/26/97	TEMPERATURE, WATER	.3		14.600	DEG C
02/26/97	TEMPERATURE, WATER	1.0		14.700	DEG C
02/26/97	TEMPERATURE, WATER	5.0		13.400	DEG C
11/17/97	DISSOLVED OXYGEN	.3		5.800	MG/L
11/17/97	DISSOLVED OXYGEN	1.0		5.600	MG/L
11/17/97	DISSOLVED OXYGEN	3.5		5.400	MG/L
11/17/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/17/97	PH, FIELD	.3		6.200	STANDARD
11/17/97	PH, FIELD	1.0		6.300	STANDARD
11/17/97	PH, FIELD	3.5		6.300	STANDARD
11/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		364.000	UMHOS/CM
11/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		364.000	UMHOS/CM
11/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		364.000	UMHOS/CM
11/17/97	TEMPERATURE, WATER	.3		12.400	DEG C
11/17/97	TEMPERATURE, WATER	1.0		12.400	DEG C
11/17/97	TEMPERATURE, WATER	3.5		12.000	DEG C
02/02/99	DISSOLVED OXYGEN	.3		4.200	MG/L
02/02/99	DISSOLVED OXYGEN	1.0		3.500	MG/L
02/02/99	DISSOLVED OXYGEN	5.5		2.300	MG/L
02/02/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/02/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.467	
02/02/99	PH, FIELD	.3		6.600	STANDARD
02/02/99	PH, FIELD	1.0		6.600	STANDARD
02/02/99	PH, FIELD	5.5		6.700	STANDARD
02/02/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		568.000	UMHOS/CM
02/02/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		567.000	UMHOS/CM
02/02/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		566.000	UMHOS/CM
02/02/99	TEMPERATURE, WATER	.3		17.300	DEG C
02/02/99	TEMPERATURE, WATER	1.0		16.700	DEG C
02/02/99	TEMPERATURE, WATER	5.5		16.200	DEG C

Lake Pontchartrain Basin
Blind River northwest of Gramercy, Louisiana — Site No. 0156

Date	Parameter	Depth meters		ppm	Units
01/31/00	DISSOLVED OXYGEN	.3		6.600	MG/L
01/31/00	DISSOLVED OXYGEN	1.0		6.200	MG/L
01/31/00	DISSOLVED OXYGEN	5.0		5.900	MG/L
01/31/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.250	UG/L AS HG
01/31/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.288	
01/31/00	PH, FIELD	.3		6.100	STANDARD
01/31/00	PH, FIELD	1.0		6.200	STANDARD
01/31/00	PH, FIELD	5.0		6.300	STANDARD
01/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		945.000	UMHOS/CM
01/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		949.000	UMHOS/CM
01/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		956.000	UMHOS/CM
01/31/00	TEMPERATURE, WATER	.3		11.100	DEG C
01/31/00	TEMPERATURE, WATER	1.0		10.600	DEG C
01/31/00	TEMPERATURE, WATER	5.0		10.100	DEG C

Lake Pontchartrain Basin
Blood River Northwest of Warsaw Landing — Site No. 0996

Date	Parameter	Depth meters		ppm	Units
02/02/00	DISSOLVED OXYGEN	.3		5.900	MG/L
02/02/00	DISSOLVED OXYGEN	1.0		5.400	MG/L
02/02/00	DISSOLVED OXYGEN	5.0		3.300	MG/L
02/02/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/02/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.187	
02/02/00	PH, FIELD	.3		5.700	STANDARD
02/02/00	PH, FIELD	1.0		5.700	STANDARD
02/02/00	PH, FIELD	5.0		5.700	STANDARD

02/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		297.000	UMHOS/CM
02/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		316.000	UMHOS/CM
02/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		835.000	UMHOS/CM
02/02/00	TEMPERATURE, WATER	.3		11.700	DEG C
02/02/00	TEMPERATURE, WATER	1.0		9.800	DEG C
02/02/00	TEMPERATURE, WATER	5.0		10.000	DEG C

Lake Pontchartrain Basin
Bogue Falaya at Covington, Louisiana — Site No. 0411

Date	Parameter	Depth meters		ppm	Units
08/30/94	DISSOLVED OXYGEN	.7		6.910	MG/L
08/30/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/30/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/30/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	1.0		.045	
08/30/94	PH, FIELD	.7		6.750	STANDARD
08/30/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.7		45.500	UMHOS/CM
08/30/94	TEMPERATURE, WATER	.7		24.470	DEG C
04/20/99	DISSOLVED OXYGEN	.3		11.000	MG/L
04/20/99	DISSOLVED OXYGEN	1.0		10.600	MG/L
04/20/99	DISSOLVED OXYGEN	4.0		8.800	MG/L
04/20/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/20/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.004	
04/20/99	PH, FIELD	.3		7.300	STANDARD
04/20/99	PH, FIELD	1.0		7.300	STANDARD
04/20/99	PH, FIELD	4.0		7.100	STANDARD
04/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		304.000	UMHOS/CM
04/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		299.000	UMHOS/CM
04/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		65.000	UMHOS/CM
04/20/99	TEMPERATURE, WATER	.3		23.200	DEG C
04/20/99	TEMPERATURE, WATER	1.0		22.800	DEG C
04/20/99	TEMPERATURE, WATER	4.0		19.400	DEG C

Lake Pontchartrain Basin
Breton Sound at Pelican Point — Site No. 0731

Date	Parameter	Depth meters		ppm	Units
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		14.000	UMHOS/CM
05/05/98	TEMPERATURE, WATER	.0		24.100	DEG C
06/29/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		16.700	UMHOS/CM
06/29/98	TEMPERATURE, WATER	.0		29.100	DEG C
08/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		24.400	UMHOS/CM
08/18/98	TEMPERATURE, WATER	.0		30.100	DEG C

Lake Pontchartrain Basin
Breton Sound near Shell Beach, Louisiana — Site No. 0509

Date	Parameter	Depth meters		ppm	Units
06/08/95	DISSOLVED OXYGEN	.5		11.430	MG/L
06/08/95	DISSOLVED OXYGEN	1.3		6.950	MG/L
06/08/95	DISSOLVED OXYGEN	29.1		6.690	MG/L
06/08/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/08/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.500	
06/08/95	PH, FIELD	.5		8.310	STANDARD
06/08/95	PH, FIELD	1.3		8.250	STANDARD
06/08/95	PH, FIELD	29.1		8.120	STANDARD
06/08/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		20446.000	UMHOS/CM
06/08/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		20754.000	UMHOS/CM
06/08/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	29.1		21067.000	UMHOS/CM
06/08/95	TEMPERATURE, WATER	.5		29.900	DEG C
06/08/95	TEMPERATURE, WATER	1.3		29.700	DEG C
06/08/95	TEMPERATURE, WATER	29.1		29.100	DEG C

Lake Pontchartrain Basin
City Park Lake at Baton Rouge, Louisiana — Site No. 0630

Date	Parameter	Depth meters		ppm	Units
09/30/97	DISSOLVED OXYGEN	.3		8.600	MG/L
09/30/97	DISSOLVED OXYGEN	1.0		6.000	MG/L
09/30/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG

09/30/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.069	
09/30/97	PH, FIELD	.3		6.600	STANDARD
09/30/97	PH, FIELD	1.0		6.500	STANDARD
09/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		55.000	UMHOS/CM
09/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		55.000	UMHOS/CM
09/30/97	TEMPERATURE, WATER	.3		28.400	DEG C
09/30/97	TEMPERATURE, WATER	1.0		27.800	DEG C

Lake Pontchartrain Basin
City Park Lake at Children's Rodeo at New Orleans, Louisiana — Site No. 0533

Date	Parameter	Depth meters		ppm	Units
02/09/96	DISSOLVED OXYGEN	.1		10.500	MG/L
02/09/96	DISSOLVED OXYGEN	.8		8.890	MG/L
02/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/09/96	PH, FIELD	.1		7.760	STANDARD
02/09/96	PH, FIELD	.8		7.510	STANDARD
02/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		1930.000	UMHOS/CM
02/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		1945.000	UMHOS/CM
02/09/96	TEMPERATURE, WATER	.1		13.480	DEG C
02/09/96	TEMPERATURE, WATER	.8		10.430	DEG C

Lake Pontchartrain Basin
City Park Lake at Disposal Area at New Orleans, Louisiana — Site No. 0528

Date	Parameter	Depth meters		ppm	Units
02/15/96	DISSOLVED OXYGEN	.1		7.140	MG/L
02/15/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/15/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/15/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.301	
02/15/96	PH, FIELD	.1		7.470	STANDARD
02/15/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		3800.000	UMHOS/CM
02/15/96	TEMPERATURE, WATER	.1		16.300	DEG C

Lake Pontchartrain Basin
City Park Lake at New Orleans, Louisiana — Site No. 0511

Date	Parameter	Depth meters		ppm	Units
08/23/95	DISSOLVED OXYGEN	.1		8.600	MG/L
08/23/95	DISSOLVED OXYGEN	.7		3.140	MG/L
08/23/95	DISSOLVED OXYGEN	1.6		.400	MG/L
08/23/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/23/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.600	
08/23/95	PH, FIELD	.1		8.180	STANDARD
08/23/95	PH, FIELD	.7		6.870	STANDARD
08/23/95	PH, FIELD	1.6		6.620	STANDARD
08/23/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		2950.000	UMHOS/CM
08/23/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.7		2960.000	UMHOS/CM
08/23/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.6		2947.000	UMHOS/CM
08/23/95	TEMPERATURE, WATER	.1		31.430	DEG C
08/23/95	TEMPERATURE, WATER	.7		30.630	DEG C
08/23/95	TEMPERATURE, WATER	1.6		30.410	DEG C
02/09/96	DISSOLVED OXYGEN	.1		10.920	MG/L
02/09/96	DISSOLVED OXYGEN	1.5		7.600	MG/L
02/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/09/96	PH, FIELD	.1		7.900	STANDARD
02/09/96	PH, FIELD	1.5		7.200	STANDARD
02/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		1850.000	UMHOS/CM
02/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		2030.000	UMHOS/CM
02/09/96	TEMPERATURE, WATER	.1		15.390	DEG C
02/09/96	TEMPERATURE, WATER	1.5		11.790	DEG C
08/01/96	DISSOLVED OXYGEN	1.8		.000	MG/L
08/01/96	DISSOLVED OXYGEN	.8		.040	MG/L
08/01/96	DISSOLVED OXYGEN	.2		.190	MG/L
08/01/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/01/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
08/01/96	PH, FIELD	1.8		6.870	STANDARD
08/01/96	PH, FIELD	.8		7.350	STANDARD
08/01/96	PH, FIELD	.2		7.420	STANDARD
08/01/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		1666.000	UMHOS/CM
08/01/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		1515.000	UMHOS/CM

08/01/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		1519.000	UMHOS/CM
08/01/96	TEMPERATURE, WATER	1.8		27.490	DEG C
08/01/96	TEMPERATURE, WATER	.8		27.950	DEG C
08/01/96	TEMPERATURE, WATER	.2		28.060	DEG C
11/05/97	DISSOLVED OXYGEN	.3		7.700	MG/L
11/05/97	DISSOLVED OXYGEN	1.0		7.000	MG/L
11/05/97	DISSOLVED OXYGEN	3.0		5.300	MG/L
11/05/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/05/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.033	
11/05/97	PH, FIELD	.3		6.900	STANDARD
11/05/97	PH, FIELD	1.0		6.900	STANDARD
11/05/97	PH, FIELD	3.0		6.800	STANDARD
11/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		5588.000	UMHOS/CM
11/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		5620.000	UMHOS/CM
11/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		5590.000	UMHOS/CM
11/05/97	TEMPERATURE, WATER	.3		18.600	DEG C
11/05/97	TEMPERATURE, WATER	1.0		18.400	DEG C
11/05/97	TEMPERATURE, WATER	3.0		17.600	DEG C

Lake Pontchartrain Basin
Lake Cuatro Caballo (4 Horse Lake) Site No. 0725

Date	Parameter	Depth meters		ppm	Units
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		4.900	UMHOS/CM
05/05/98	TEMPERATURE, WATER	1.0		26.500	DEG C
05/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		6.000	UMHOS/CM
05/21/98	TEMPERATURE, WATER	.0		29.400	DEG C
06/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		16.000	UMHOS/CM
06/09/98	TEMPERATURE, WATER	.0		27.600	DEG C

Lake Pontchartrain Basin
Lake Pontchartrain South of Madisonville, Louisiana Site No. 0638

Date	Parameter	Depth meters		ppm	Units
03/03/98	DISSOLVED OXYGEN	.3		8.100	MG/L
03/03/98	DISSOLVED OXYGEN	1.0		8.000	MG/L
03/03/98	DISSOLVED OXYGEN	4.5		7.000	MG/L
03/03/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/03/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.193	
03/03/98	PH, FIELD	.3		6.300	STANDARD
03/03/98	PH, FIELD	1.0		6.300	STANDARD
03/03/98	PH, FIELD	4.5		6.200	STANDARD
03/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		143.000	UMHOS/CM
03/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		143.000	UMHOS/CM
03/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		221.000	UMHOS/CM
03/03/98	TEMPERATURE, WATER	.3		15.400	DEG C
03/03/98	TEMPERATURE, WATER	1.0		15.300	DEG C
03/03/98	TEMPERATURE, WATER	4.5		13.400	DEG C

Lake Pontchartrain Basin
Lake Pontchartrain at Bonne Carre Spillway Site No. 0709

Date	Parameter	Depth meters		ppm	Units
03/24/98	DISSOLVED OXYGEN	.3		10.500	MG/L
03/24/98	DISSOLVED OXYGEN	1.0		10.500	MG/L
03/24/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/24/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.050	
03/24/98	PH, FIELD	.3		8.200	STANDARD
03/24/98	PH, FIELD	1.0		8.200	STANDARD
03/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		792.000	UMHOS/CM
03/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		797.000	UMHOS/CM
03/24/98	TEMPERATURE, WATER	.3		18.200	DEG C
03/24/98	TEMPERATURE, WATER	1.0		18.000	DEG C

Lake Pontchartrain Basin
Lake Pontchartrain at South Causeway Site No. 0710

Date	Parameter	Depth meters		ppm	Units
03/24/98	DISSOLVED OXYGEN	.3		9.300	MG/L
03/24/98	DISSOLVED OXYGEN	1.0		9.100	MG/L

03/24/98	DISSOLVED OXYGEN	3.0		8.900	MG/L
03/24/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/24/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.032	
03/24/98	PH, FIELD	.3		7.200	STANDARD
03/24/98	PH, FIELD	1.0		7.200	STANDARD
03/24/98	PH, FIELD	3.0		7.200	STANDARD
03/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1449.000	UMHOS/CM
03/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1449.000	UMHOS/CM
03/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		1445.000	UMHOS/CM
03/24/98	TEMPERATURE, WATER	.3		15.800	DEG C
03/24/98	TEMPERATURE, WATER	1.0		15.700	DEG C
03/24/98	TEMPERATURE, WATER	3.0		15.300	DEG C

Lake Pontchartrain Basin
Lake Pontchartrain near Mandeville, Louisiana — Site No. 0637

Date	Parameter	Depth meters		ppm	Units
03/03/98	DISSOLVED OXYGEN	.3		9.400	MG/L
03/03/98	DISSOLVED OXYGEN	1.0		9.200	MG/L
03/03/98	DISSOLVED OXYGEN	2.5		9.000	MG/L
03/03/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/03/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.496	
03/03/98	PH, FIELD	.3		6.500	STANDARD
03/03/98	PH, FIELD	1.0		6.600	STANDARD
03/03/98	PH, FIELD	2.5		6.700	STANDARD
03/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		861.000	UMHOS/CM
03/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		850.000	UMHOS/CM
03/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		927.000	UMHOS/CM
03/03/98	TEMPERATURE, WATER	.3		14.300	DEG C
03/03/98	TEMPERATURE, WATER	1.0		14.000	DEG C
03/03/98	TEMPERATURE, WATER	2.5		13.800	DEG C

Lake Pontchartrain Basin
Lake Pontchartrain south of Bayou Lacombe — Site No. 0596

Date	Parameter	Depth meters		ppm	Units
03/04/97	DISSOLVED OXYGEN	1.0		10.400	MG/L
03/04/97	PH, FIELD	1.0		7.800	STANDARD
03/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		8370.000	UMHOS/CM
03/04/97	TEMPERATURE, WATER	1.0		18.900	DEG C

Lake Pontchartrain Basin
Lost Lake near Delacroix, Louisiana — Site No. 0405

Date	Parameter	Depth meters		ppm	Units
06/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		2.200	UMHOS/CM
06/03/98	TEMPERATURE, WATER	.0		30.600	DEG C

Lake Pontchartrain Basin
Natalbany River west of Ponchatoula, Louisiana — Site No. 0298

Date	Parameter	Depth meters		ppm	Units
02/02/00	DISSOLVED OXYGEN	.3		6.600	MG/L
02/02/00	DISSOLVED OXYGEN	1.0		6.200	MG/L
02/02/00	DISSOLVED OXYGEN	4.5		2.800	MG/L
02/02/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.210	UG/L AS HG
02/02/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.155	
02/02/00	PH, FIELD	.3		6.200	STANDARD
02/02/00	PH, FIELD	1.0		6.200	STANDARD
02/02/00	PH, FIELD	4.5		6.100	STANDARD
02/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		433.000	UMHOS/CM
02/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		475.000	UMHOS/CM
02/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		3361.000	UMHOS/CM
02/02/00	TEMPERATURE, WATER	.3		12.000	DEG C
02/02/00	TEMPERATURE, WATER	1.0		10.500	DEG C
02/02/00	TEMPERATURE, WATER	4.5		11.300	DEG C
09/12/00	DISSOLVED OXYGEN	.3		2.500	MG/L
09/12/00	DISSOLVED OXYGEN	1.0		1.700	MG/L
09/12/00	DISSOLVED OXYGEN	4.7		.200	MG/L
09/12/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG

09/12/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.051	
09/12/00	PH, FIELD	.3		7.500	STANDARD
09/12/00	PH, FIELD	1.0		6.900	STANDARD
09/12/00	PH, FIELD	4.7		6.400	STANDARD
09/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		390.000	UMHOS/CM
09/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		520.000	UMHOS/CM
09/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.7		9860.000	UMHOS/CM
09/12/00	TEMPERATURE, WATER	.3		27.000	DEG C
09/12/00	TEMPERATURE, WATER	1.0		26.100	DEG C
09/12/00	TEMPERATURE, WATER	4.7		29.900	DEG C

Lake Pontchartrain Basin
North Pass South of Ponchatoula, Louisiana — Site No. 0640

Date	Parameter	Depth meters		ppm	Units
03/04/98	DISSOLVED OXYGEN	.3		8.300	MG/L
03/04/98	DISSOLVED OXYGEN	1.0		7.100	MG/L
03/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
03/04/98	PH, FIELD	.3		6.500	STANDARD
03/04/98	PH, FIELD	1.0		6.500	STANDARD
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		186.000	UMHOS/CM
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		188.000	UMHOS/CM
03/04/98	TEMPERATURE, WATER	.3		14.500	DEG C
03/04/98	TEMPERATURE, WATER	1.0		14.800	DEG C

Lake Pontchartrain Basin
Pass Manchac at Manchac, Louisiana — Site No. 0036

Date	Parameter	Depth meters		ppm	Units
03/04/98	DISSOLVED OXYGEN	.3		9.200	MG/L
03/04/98	DISSOLVED OXYGEN	1.0		9.200	MG/L
03/04/98	DISSOLVED OXYGEN	3.0		9.200	MG/L
03/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.004	
03/04/98	PH, FIELD	.3		7.000	STANDARD
03/04/98	PH, FIELD	1.0		7.000	STANDARD
03/04/98	PH, FIELD	3.0		7.000	STANDARD
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		177.000	UMHOS/CM
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		173.000	UMHOS/CM
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		176.000	UMHOS/CM
03/04/98	TEMPERATURE, WATER	.3		14.300	DEG C
03/04/98	TEMPERATURE, WATER	1.0		14.300	DEG C
03/04/98	TEMPERATURE, WATER	3.0		14.300	DEG C

Lake Pontchartrain Basin
Pass Manchac east of Manchac, Louisiana — Site No. 0265

Date	Parameter	Depth meters		ppm	Units
03/04/98	DISSOLVED OXYGEN	.3		9.400	MG/L
03/04/98	DISSOLVED OXYGEN	1.0		9.500	MG/L
03/04/98	DISSOLVED OXYGEN	3.0		9.400	MG/L
03/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.435	
03/04/98	PH, FIELD	.3		7.000	STANDARD
03/04/98	PH, FIELD	1.0		7.000	STANDARD
03/04/98	PH, FIELD	3.0		7.000	STANDARD
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		164.000	UMHOS/CM
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		164.000	UMHOS/CM
03/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		166.000	UMHOS/CM
03/04/98	TEMPERATURE, WATER	.3		14.400	DEG C
03/04/98	TEMPERATURE, WATER	1.0		14.400	DEG C
03/04/98	TEMPERATURE, WATER	3.0		14.200	DEG C

Lake Pontchartrain Basin
Pass Rigolets (The Rigolets) southeast of Slidell, Louisiana — Site No. 0035

Date	Parameter	Depth meters		ppm	Units
06/19/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.555	
07/03/96	DISSOLVED OXYGEN	12.4		6.550	MG/L

07/03/96	DISSOLVED OXYGEN	6.2		6.420	MG/L
07/03/96	DISSOLVED OXYGEN	3.1		6.570	MG/L
07/03/96	DISSOLVED OXYGEN	.2		6.860	MG/L
07/03/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/03/96	PH, FIELD	12.4		7.090	STANDARD
07/03/96	PH, FIELD	6.2		7.030	STANDARD
07/03/96	PH, FIELD	3.1		7.060	STANDARD
07/03/96	PH, FIELD	.2		7.110	STANDARD
07/03/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	12.4		7115.000	UMHOS/CM
07/03/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.2		7032.000	UMHOS/CM
07/03/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.1		7000.000	UMHOS/CM
07/03/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		6984.000	UMHOS/CM
07/03/96	TEMPERATURE, WATER	12.4		30.270	DEG C
07/03/96	TEMPERATURE, WATER	6.2		30.220	DEG C
07/03/96	TEMPERATURE, WATER	3.1		30.310	DEG C
07/03/96	TEMPERATURE, WATER	.2		30.470	DEG C

Lake Pontchartrain Basin
Ponchatoula River near Ponchatoula, Louisiana — Site No. 0740

Date	Parameter	Depth meters		ppm	Units
06/23/98	DISSOLVED OXYGEN	.3		8.600	MG/L
06/23/98	DISSOLVED OXYGEN	1.0		6.300	MG/L
06/23/98	DISSOLVED OXYGEN	4.0		.600	MG/L
06/23/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
06/23/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.000	
06/23/98	PH, FIELD	.3		8.100	STANDARD
06/23/98	PH, FIELD	1.0		8.200	STANDARD
06/23/98	PH, FIELD	4.0		7.300	STANDARD
06/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		296.000	UMHOS/CM
06/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		295.000	UMHOS/CM
06/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		314.000	UMHOS/CM
06/23/98	TEMPERATURE, WATER	.3		32.700	DEG C
06/23/98	TEMPERATURE, WATER	1.0		32.600	DEG C
06/23/98	TEMPERATURE, WATER	4.0		31.600	DEG C

Lake Pontchartrain Basin
Second Bay — Site No. 0864

Date	Parameter	Depth meters		ppm	Units
11/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		8.100	UMHOS/CM
11/19/98	TEMPERATURE, WATER	.0		21.500	DEG C

Lake Pontchartrain Basin
Spanish Lake near Baton Rouge, Louisiana — Site No. 0741

Date	Parameter	Depth meters		ppm	Units
06/22/98	DISSOLVED OXYGEN	.3		7.500	MG/L
06/22/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/22/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.011	
06/22/98	PH, FIELD	.3		10.200	STANDARD
06/22/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		2090.000	UMHOS/CM
06/22/98	TEMPERATURE, WATER	.3		29.000	DEG C

Lake Pontchartrain Basin
Spanish Lake south of New Orleans, Louisiana — Site No. 0404

Date	Parameter	Depth meters		ppm	Units
05/26/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		2.700	UMHOS/CM
05/26/98	TEMPERATURE, WATER	.0		29.100	DEG C
06/03/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		3.000	UMHOS/CM
06/03/98	TEMPERATURE, WATER	.0		30.300	DEG C

Lake Pontchartrain Basin
Tangipahoa River west of Madisonville, Louisiana — Site No. 0467

Date	Parameter	Depth meters		ppm	Units
09/07/94	DISSOLVED OXYGEN	2.0		5.900	MG/L
09/07/94	DISSOLVED OXYGEN	1.0		5.780	MG/L

09/07/94	DISSOLVED OXYGEN	.0		5.840	MG/L
09/07/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/07/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
09/07/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.041	
09/07/94	PH, FIELD	2.0		6.090	STANDARD
09/07/94	PH, FIELD	1.0		6.090	STANDARD
09/07/94	PH, FIELD	.0		6.080	STANDARD
09/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		52.000	UMHOS/CM
09/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		52.000	UMHOS/CM
09/07/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		52.000	UMHOS/CM
09/07/94	TEMPERATURE, WATER	2.0		26.710	DEG C
09/07/94	TEMPERATURE, WATER	1.0		26.720	DEG C
09/07/94	TEMPERATURE, WATER	.0		26.740	DEG C

Lake Pontchartrain Basin
Tangipahoa River west of Robert, Louisiana — Site No. 0033

Date	Parameter	Depth meters		ppm	Units
04/21/99	DISSOLVED OXYGEN	.3		8.800	MG/L
04/21/99	DISSOLVED OXYGEN	1.0		8.600	MG/L
04/21/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/21/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.003	
04/21/99	PH, FIELD	.3		7.100	STANDARD
04/21/99	PH, FIELD	1.0		6.900	STANDARD
04/21/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		50.000	UMHOS/CM
04/21/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		50.000	UMHOS/CM
04/21/99	TEMPERATURE, WATER	.3		22.600	DEG C
04/21/99	TEMPERATURE, WATER	1.0		22.700	DEG C

Lake Pontchartrain Basin
Tchefuncte River near Covington, Louisiana — Site No. 0409

Date	Parameter	Depth meters		ppm	Units
08/30/94	DISSOLVED OXYGEN	4.6		3.600	MG/L
08/30/94	DISSOLVED OXYGEN	.0		5.060	MG/L
08/30/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/30/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/30/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
08/30/94	PH, FIELD	4.6		5.880	STANDARD
08/30/94	PH, FIELD	.0		5.960	STANDARD
08/30/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.6		58.000	UMHOS/CM
08/30/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		59.000	UMHOS/CM
08/30/94	TEMPERATURE, WATER	4.6		26.400	DEG C
08/30/94	TEMPERATURE, WATER	.0		28.100	DEG C
04/20/99	DISSOLVED OXYGEN	.3		8.400	MG/L
04/20/99	DISSOLVED OXYGEN	1.0		7.700	MG/L
04/20/99	DISSOLVED OXYGEN	5.5		2.900	MG/L
04/20/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/20/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.066	
04/20/99	PH, FIELD	.3		7.200	STANDARD
04/20/99	PH, FIELD	1.0		7.000	STANDARD
04/20/99	PH, FIELD	5.5		6.500	STANDARD
04/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1399.000	UMHOS/CM
04/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1383.000	UMHOS/CM
04/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		4800.000	UMHOS/CM
04/20/99	TEMPERATURE, WATER	.3		22.200	DEG C
04/20/99	TEMPERATURE, WATER	1.0		21.200	DEG C
04/20/99	TEMPERATURE, WATER	5.5		20.600	DEG C

Lake Pontchartrain Basin
Tickfaw River east of Killian, Louisiana — Site No. 0427

Date	Parameter	Depth meters		ppm	Units
09/08/94	DISSOLVED OXYGEN	9.0		1.000	MG/L
09/08/94	DISSOLVED OXYGEN	3.0		2.110	MG/L
09/08/94	DISSOLVED OXYGEN	.0		5.150	MG/L
09/08/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.150	
09/08/94	PH, FIELD	9.0		5.830	STANDARD
09/08/94	PH, FIELD	3.0		5.750	STANDARD
09/08/94	PH, FIELD	.0		5.880	STANDARD
09/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	9.0		50.000	UMHOS/CM

09/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		50.000	UMHOS/CM
09/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		52.000	UMHOS/CM
09/08/94	TEMPERATURE, WATER	9.0		26.910	DEG C
09/08/94	TEMPERATURE, WATER	3.0		27.720	DEG C
09/08/94	TEMPERATURE, WATER	.0		28.690	DEG C
06/23/98	DISSOLVED OXYGEN	.3		10.500	MG/L
06/23/98	DISSOLVED OXYGEN	1.0		10.000	MG/L
06/23/98	DISSOLVED OXYGEN	6.0		.400	MG/L
06/23/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
06/23/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.010	
06/23/98	PH, FIELD	.3		9.200	STANDARD
06/23/98	PH, FIELD	1.0		8.600	STANDARD
06/23/98	PH, FIELD	6.0		6.400	STANDARD
06/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		91.000	UMHOS/CM
06/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		88.000	UMHOS/CM
06/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		72.000	UMHOS/CM
06/23/98	TEMPERATURE, WATER	.3		33.900	DEG C
06/23/98	TEMPERATURE, WATER	1.0		33.400	DEG C
06/23/98	TEMPERATURE, WATER	6.0		27.500	DEG C

Lake Pontchartrain Basin
University Lake in Baton Rouge, Louisiana — Site No. 0645

Date	Parameter	Depth meters		ppm	Units
09/30/97	DISSOLVED OXYGEN	.3		14.200	MG/L
09/30/97	DISSOLVED OXYGEN	1.0		10.200	MG/L
09/30/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/30/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.046	
09/30/97	PH, FIELD	.3		9.800	STANDARD
09/30/97	PH, FIELD	1.0		9.400	STANDARD
09/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		93.000	UMHOS/CM
09/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		79.000	UMHOS/CM
09/30/97	TEMPERATURE, WATER	.3		31.000	DEG C
09/30/97	TEMPERATURE, WATER	1.0		27.000	DEG C

Mermentau River Basin
Bayou Chene near Verret, Louisiana — Site No. 1114

Date	Parameter	Depth meters		ppm	Units
11/30/00	DISSOLVED OXYGEN	.3		5.000	MG/L
11/30/00	DISSOLVED OXYGEN	1.0		4.500	MG/L
11/30/00	DISSOLVED OXYGEN	3.5		3.100	MG/L
11/30/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/30/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.115	
11/30/00	PH, FIELD	.3		7.500	STANDARD
11/30/00	PH, FIELD	1.0		7.400	STANDARD
11/30/00	PH, FIELD	3.5		7.300	STANDARD
11/30/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		140.000	UMHOS/CM
11/30/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		140.000	UMHOS/CM
11/30/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		139.000	UMHOS/CM
11/30/00	TEMPERATURE, WATER	.3		15.100	DEG C
11/30/00	TEMPERATURE, WATER	1.0		14.400	DEG C
11/30/00	TEMPERATURE, WATER	3.5		14.200	DEG C

Mermentau River Basin
Bayou Des Cannes northeast of Jennings, Louisiana — Site No. 0308

Date	Parameter	Depth meters		ppm	Units
06/29/95	DISSOLVED OXYGEN	.3		1.840	MG/L
06/29/95	DISSOLVED OXYGEN	3.5		1.250	MG/L
06/29/95	DISSOLVED OXYGEN	6.2		.510	MG/L
06/29/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/29/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
06/29/95	PH, FIELD	.3		6.970	STANDARD
06/29/95	PH, FIELD	3.5		6.920	STANDARD
06/29/95	PH, FIELD	6.2		6.940	STANDARD
06/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		267.000	UMHOS/CM
06/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		287.000	UMHOS/CM
06/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.2		311.000	UMHOS/CM
06/29/95	TEMPERATURE, WATER	.3		27.810	DEG C
06/29/95	TEMPERATURE, WATER	3.5		27.630	DEG C
06/29/95	TEMPERATURE, WATER	6.2		27.310	DEG C
05/16/96	DISSOLVED OXYGEN	5.3		2.840	MG/L
05/16/96	DISSOLVED OXYGEN	2.5		2.960	MG/L
05/16/96	DISSOLVED OXYGEN	.2		4.040	MG/L
05/16/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/16/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
05/16/96	PH, FIELD	5.3		7.000	STANDARD
05/16/96	PH, FIELD	2.5		7.070	STANDARD
05/16/96	PH, FIELD	.2		7.310	STANDARD
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.3		433.000	UMHOS/CM
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		493.000	UMHOS/CM
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		463.000	UMHOS/CM
05/16/96	TEMPERATURE, WATER	5.3		24.300	DEG C
05/16/96	TEMPERATURE, WATER	2.5		25.090	DEG C
05/16/96	TEMPERATURE, WATER	.2		26.430	DEG C
03/13/97	DISSOLVED OXYGEN	.3		2.100	MG/L
03/13/97	DISSOLVED OXYGEN	2.5		1.500	MG/L
03/13/97	DISSOLVED OXYGEN	5.0		1.100	MG/L
03/13/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/13/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.202	
03/13/97	PH, FIELD	.3		6.300	STANDARD
03/13/97	PH, FIELD	2.5		6.300	STANDARD
03/13/97	PH, FIELD	5.0		6.300	STANDARD
03/13/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		164.000	UMHOS/CM
03/13/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		167.000	UMHOS/CM
03/13/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		165.000	UMHOS/CM
03/13/97	TEMPERATURE, WATER	.3		20.900	DEG C
03/13/97	TEMPERATURE, WATER	2.5		20.000	DEG C
03/13/97	TEMPERATURE, WATER	5.0		19.500	DEG C
11/04/98	DISSOLVED OXYGEN	.3		3.100	MG/L
11/04/98	DISSOLVED OXYGEN	1.0		2.000	MG/L
11/04/98	DISSOLVED OXYGEN	6.0		1.500	MG/L
11/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.062	
11/04/98	PH, FIELD	.3		7.100	STANDARD
11/04/98	PH, FIELD	1.0		7.000	STANDARD

11/04/98	PH, FIELD	6.0		7.100	STANDARD
11/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		272.000	UMHOS/CM
11/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		271.000	UMHOS/CM
11/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		272.000	UMHOS/CM
11/04/98	TEMPERATURE, WATER	.3		21.200	DEG C
11/04/98	TEMPERATURE, WATER	1.0		20.600	DEG C
11/04/98	TEMPERATURE, WATER	6.0		19.200	DEG C

Mermentau River Basin
Bayou Lacassine near Hayes, Louisiana — Site No. 0706

Date	Parameter	Depth meters		ppm	Units
05/21/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/21/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.045	

Mermentau River Basin
Bayou Lacassine near Lake Arthur, Louisiana — Site No. 0098

Date	Parameter	Depth meters		ppm	Units
05/21/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/21/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	

Mermentau River Basin
Bayou Nezpique northeast of Jennings, Louisiana — Site No. 0438

Date	Parameter	Depth meters		ppm	Units
07/15/94	DISSOLVED OXYGEN	.0		4.000	MG/L
07/15/94	DISSOLVED OXYGEN	8.7		3.750	MG/L
07/15/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/15/94	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/15/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.144	
07/15/94	PH, FIELD	.0		5.820	STANDARD
07/15/94	PH, FIELD	8.7		5.940	STANDARD
07/15/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		75.000	UMHOS/CM
07/15/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.7		75.000	UMHOS/CM
07/15/94	TEMPERATURE, WATER	.0		25.700	DEG C
07/15/94	TEMPERATURE, WATER	8.7		25.380	DEG C
12/14/98	DISSOLVED OXYGEN	.3		5.000	MG/L
12/14/98	DISSOLVED OXYGEN	1.0		5.000	MG/L
12/14/98	DISSOLVED OXYGEN	4.0		5.100	MG/L
12/14/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/14/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.154	
12/14/98	PH, FIELD	.3		7.000	STANDARD
12/14/98	PH, FIELD	1.0		7.000	STANDARD
12/14/98	PH, FIELD	4.0		7.000	STANDARD
12/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		208.000	UMHOS/CM
12/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		208.000	UMHOS/CM
12/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		208.000	UMHOS/CM
12/14/98	TEMPERATURE, WATER	.3		15.000	DEG C
12/14/98	TEMPERATURE, WATER	1.0		14.900	DEG C
12/14/98	TEMPERATURE, WATER	4.0		14.900	DEG C

Mermentau River Basin
Bayou Plaquemine Brule near Mermentau, Louisiana — Site No. 0504

Date	Parameter	Depth meters		ppm	Units
06/29/95	DISSOLVED OXYGEN	.2		3.480	MG/L
06/29/95	DISSOLVED OXYGEN	5.1		.580	MG/L
06/29/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/29/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.374	
06/29/95	PH, FIELD	.2		6.910	STANDARD
06/29/95	PH, FIELD	5.1		6.720	STANDARD
06/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		204.000	UMHOS/CM
06/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.1		240.000	UMHOS/CM
06/29/95	TEMPERATURE, WATER	.2		28.090	DEG C
06/29/95	TEMPERATURE, WATER	5.1		27.690	DEG C
05/16/96	DISSOLVED OXYGEN	2.0		7.800	MG/L
05/16/96	DISSOLVED OXYGEN	3.9		3.840	MG/L
05/16/96	DISSOLVED OXYGEN	.2		6.790	MG/L
05/16/96	DISSOLVED OXYGEN	3.9		9.910	MG/L

05/16/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/16/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
05/16/96	PH, FIELD	2.0		7.290	STANDARD
05/16/96	PH, FIELD	3.9		7.190	STANDARD
05/16/96	PH, FIELD	.2		7.430	STANDARD
05/16/96	PH, FIELD	3.9		7.210	STANDARD
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		504.000	UMHOS/CM
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.9		530.000	UMHOS/CM
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		505.000	UMHOS/CM
05/16/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.9		536.000	UMHOS/CM
05/16/96	TEMPERATURE, WATER	2.0		26.000	DEG C
05/16/96	TEMPERATURE, WATER	3.9		23.380	DEG C
05/16/96	TEMPERATURE, WATER	.2		27.070	DEG C
05/16/96	TEMPERATURE, WATER	3.9		23.780	DEG C
12/15/98	DISSOLVED OXYGEN	.3		3.700	MG/L
12/15/98	DISSOLVED OXYGEN	1.0		4.200	MG/L
12/15/98	DISSOLVED OXYGEN	5.0		3.300	MG/L
12/15/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/15/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.053	
12/15/98	PH, FIELD	.3		7.400	STANDARD
12/15/98	PH, FIELD	1.0		7.400	STANDARD
12/15/98	PH, FIELD	5.0		7.400	STANDARD
12/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		346.000	UMHOS/CM
12/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		344.000	UMHOS/CM
12/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		342.000	UMHOS/CM
12/15/98	TEMPERATURE, WATER	.3		14.600	DEG C
12/15/98	TEMPERATURE, WATER	1.0		14.600	DEG C
12/15/98	TEMPERATURE, WATER	5.0		14.100	DEG C
08/17/99	DISSOLVED OXYGEN	.3		5.200	MG/L
08/17/99	DISSOLVED OXYGEN	1.0		4.000	MG/L
08/17/99	DISSOLVED OXYGEN	4.5		.500	MG/L
08/17/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/17/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.134	
08/17/99	PH, FIELD	.3		7.400	STANDARD
08/17/99	PH, FIELD	1.0		7.300	STANDARD
08/17/99	PH, FIELD	4.5		7.100	STANDARD
08/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		246.000	UMHOS/CM
08/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		246.000	UMHOS/CM
08/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		288.000	UMHOS/CM
08/17/99	TEMPERATURE, WATER	.3		30.500	DEG C
08/17/99	TEMPERATURE, WATER	1.0		30.100	DEG C
08/17/99	TEMPERATURE, WATER	4.5		29.000	DEG C

Mermentau River Basin
Bayou Plaquemine Brule, Louisiana Site No. 1032

Date	Parameter	Depth meters		ppm	Units
09/18/00	DISSOLVED OXYGEN	.3		7.400	MG/L
09/18/00	DISSOLVED OXYGEN	1.0		6.100	MG/L
09/18/00	DISSOLVED OXYGEN	3.1		2.700	MG/L
09/18/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/18/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.095	
09/18/00	PH, FIELD	.3		8.100	STANDARD
09/18/00	PH, FIELD	1.0		8.000	STANDARD
09/18/00	PH, FIELD	3.1		7.900	STANDARD
09/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		577.000	UMHOS/CM
09/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		573.000	UMHOS/CM
09/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.1		577.000	UMHOS/CM
09/18/00	TEMPERATURE, WATER	.3		28.400	DEG C
09/18/00	TEMPERATURE, WATER	1.0		27.400	DEG C
09/18/00	TEMPERATURE, WATER	3.1		26.400	DEG C

Mermentau River Basin
Bayou Queue de Tortue near confluence with Mermentau River Site No. 0874

Date	Parameter	Depth meters		ppm	Units
03/08/99	DISSOLVED OXYGEN	.3		4.400	MG/L
03/08/99	DISSOLVED OXYGEN	1.0		4.000	MG/L
03/08/99	DISSOLVED OXYGEN	4.5		.700	MG/L
03/08/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/08/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.059	
03/08/99	PH, FIELD	.3		6.800	STANDARD

03/08/99	PH, FIELD	1.0		6.800	STANDARD
03/08/99	PH, FIELD	4.5		6.900	STANDARD
03/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		180.000	UMHOS/CM
03/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		180.000	UMHOS/CM
03/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		180.000	UMHOS/CM
03/08/99	TEMPERATURE, WATER	.3		17.400	DEG C
03/08/99	TEMPERATURE, WATER	1.0		17.400	DEG C
03/08/99	TEMPERATURE, WATER	4.5		17.400	DEG C

Mermentau River Basin
Bayou Queue de Tortue north of Leleux, Louisiana — Site No. 1008

Date	Parameter	Depth meters		ppm	Units
04/24/00	DISSOLVED OXYGEN	.3		4.800	MG/L
04/24/00	DISSOLVED OXYGEN	1.0		2.600	MG/L
04/24/00	DISSOLVED OXYGEN	2.5		.600	MG/L
04/24/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
04/24/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.154	
04/24/00	PH, FIELD	.3		7.100	STANDARD
04/24/00	PH, FIELD	1.0		7.000	STANDARD
04/24/00	PH, FIELD	2.5		6.700	STANDARD
04/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		613.000	UMHOS/CM
04/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		612.000	UMHOS/CM
04/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		619.000	UMHOS/CM
04/24/00	TEMPERATURE, WATER	.3		26.700	DEG C
04/24/00	TEMPERATURE, WATER	1.0		22.100	DEG C
04/24/00	TEMPERATURE, WATER	2.5		19.600	DEG C

Mermentau River Basin
Bayou Queue de Tortue west of Kaplan, Louisiana — Site No. 0580

Date	Parameter	Depth meters		ppm	Units
05/12/97	DISSOLVED OXYGEN	.3		4.400	MG/L
05/12/97	DISSOLVED OXYGEN	1.0		3.100	MG/L
05/12/97	DISSOLVED OXYGEN	2.5		2.200	MG/L
05/12/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/12/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.189	
05/12/97	PH, FIELD	.3		7.000	STANDARD
05/12/97	PH, FIELD	1.0		7.000	STANDARD
05/12/97	PH, FIELD	2.5		6.700	STANDARD
05/12/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		382.000	UMHOS/CM
05/12/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		381.000	UMHOS/CM
05/12/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		288.000	UMHOS/CM
05/12/97	TEMPERATURE, WATER	.3		22.400	DEG C
05/12/97	TEMPERATURE, WATER	1.0		22.100	DEG C
05/12/97	TEMPERATURE, WATER	2.5		21.200	DEG C

Mermentau River Basin
Bayou des Cannes — Site No. 0913

Date	Parameter	Depth meters		ppm	Units
08/17/99	DISSOLVED OXYGEN	.3		7.200	MG/L
08/17/99	DISSOLVED OXYGEN	1.0		6.600	MG/L
08/17/99	DISSOLVED OXYGEN	6.0		.400	MG/L
08/17/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/17/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.157	
08/17/99	PH, FIELD	.3		7.500	STANDARD
08/17/99	PH, FIELD	1.0		7.400	STANDARD
08/17/99	PH, FIELD	6.0		7.100	STANDARD
08/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		181.000	UMHOS/CM
08/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		182.000	UMHOS/CM
08/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		189.000	UMHOS/CM
08/17/99	TEMPERATURE, WATER	.3		31.600	DEG C
08/17/99	TEMPERATURE, WATER	1.0		30.900	DEG C
08/17/99	TEMPERATURE, WATER	6.0		29.300	DEG C

Mermentau River Basin
Bayou des Cannes, Louisiana — Site No. 1031

Date	Parameter	Depth meters		ppm	Units
09/18/00	DISSOLVED OXYGEN	.3		4.700	MG/L
09/18/00	DISSOLVED OXYGEN	1.0		4.800	MG/L
09/18/00	DISSOLVED OXYGEN	5.5		1.800	MG/L
09/18/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/18/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.137	
09/18/00	PH, FIELD	.3		8.000	STANDARD
09/18/00	PH, FIELD	1.0		7.900	STANDARD
09/18/00	PH, FIELD	5.5		7.800	STANDARD
09/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		436.000	UMHOS/CM
09/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		437.000	UMHOS/CM
09/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		439.000	UMHOS/CM
09/18/00	TEMPERATURE, WATER	.3		28.900	DEG C
09/18/00	TEMPERATURE, WATER	1.0		28.300	DEG C
09/18/00	TEMPERATURE, WATER	5.5		26.900	DEG C

Mermentau River Basin
Crooked Creek Reservoir southwest of Turkey Creek, Louisiana — Site No. 0585

Date	Parameter	Depth meters		ppm	Units
03/25/97	DISSOLVED OXYGEN	.3		8.500	MG/L
03/25/97	DISSOLVED OXYGEN	1.0		8.400	MG/L
03/25/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/25/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.131	
03/25/97	PH, FIELD	.3		5.500	STANDARD
03/25/97	PH, FIELD	1.0		5.500	STANDARD
03/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		23.000	UMHOS/CM
03/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		23.000	UMHOS/CM
03/25/97	TEMPERATURE, WATER	.3		21.500	DEG C
03/25/97	TEMPERATURE, WATER	1.0		21.500	DEG C
09/09/97	DISSOLVED OXYGEN	.3		6.700	MG/L
09/09/97	DISSOLVED OXYGEN	1.0		6.500	MG/L
09/09/97	DISSOLVED OXYGEN	2.0		6.400	MG/L
09/09/97	PH, FIELD	.3		6.600	STANDARD
09/09/97	PH, FIELD	1.0		6.700	STANDARD
09/09/97	PH, FIELD	2.0		6.700	STANDARD
09/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		35.000	UMHOS/CM
09/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		36.000	UMHOS/CM
09/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		35.000	UMHOS/CM
09/09/97	TEMPERATURE, WATER	.3		28.600	DEG C
09/09/97	TEMPERATURE, WATER	1.0		28.500	DEG C
09/09/97	TEMPERATURE, WATER	2.0		28.500	DEG C
10/09/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.057	
03/01/99	DISSOLVED OXYGEN	.3		9.500	MG/L
03/01/99	DISSOLVED OXYGEN	1.0		9.200	MG/L
03/01/99	DISSOLVED OXYGEN	2.5		9.300	MG/L
03/01/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/01/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.049	
03/01/99	PH, FIELD	.3		6.100	STANDARD
03/01/99	PH, FIELD	1.0		6.100	STANDARD
03/01/99	PH, FIELD	2.5		6.100	STANDARD
03/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		30.000	UMHOS/CM
03/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		30.000	UMHOS/CM
03/01/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		30.000	UMHOS/CM
03/01/99	TEMPERATURE, WATER	.3		18.100	DEG C
03/01/99	TEMPERATURE, WATER	1.0		18.100	DEG C
03/01/99	TEMPERATURE, WATER	2.5		18.000	DEG C
04/26/00	DISSOLVED OXYGEN	.3		8.500	MG/L
04/26/00	DISSOLVED OXYGEN	1.0		8.400	MG/L
04/26/00	DISSOLVED OXYGEN	2.5		8.200	MG/L
04/26/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
04/26/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.181	
04/26/00	PH, FIELD	.3		5.200	STANDARD
04/26/00	PH, FIELD	1.0		5.400	STANDARD
04/26/00	PH, FIELD	2.5		5.500	STANDARD
04/26/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		32.000	UMHOS/CM
04/26/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		32.000	UMHOS/CM
04/26/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		32.000	UMHOS/CM
04/26/00	TEMPERATURE, WATER	.3		25.400	DEG C

04/26/00	TEMPERATURE, WATER	1.0		25.300	DEG C
04/26/00	TEMPERATURE, WATER	2.5		25.000	DEG C

Mermentau River Basin
Grand Lake near Hackberry Point, Louisiana — Site No. 0737

Date	Parameter	Depth meters		ppm	Units
06/29/98	DISSOLVED OXYGEN	.3		7.700	MG/L
06/29/98	DISSOLVED OXYGEN	1.0		7.600	MG/L
06/29/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/29/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.048	
06/29/98	PH, FIELD	.3		7.500	STANDARD
06/29/98	PH, FIELD	1.0		7.500	STANDARD
06/29/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1276.000	UMHOS/CM
06/29/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1245.000	UMHOS/CM
06/29/98	TEMPERATURE, WATER	.3		27.900	DEG C
06/29/98	TEMPERATURE, WATER	1.0		27.900	DEG C

Mermentau River Basin
Intracoastal Waterway at Forked Island, Louisiana — Site No. 0857

Date	Parameter	Depth meters		ppm	Units
09/09/98	DISSOLVED OXYGEN	.3		6.600	MG/L
09/09/98	DISSOLVED OXYGEN	1.0		7.000	MG/L
09/09/98	DISSOLVED OXYGEN	3.5		7.000	MG/L
09/09/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.089	
09/09/98	PH, FIELD	.3		7.600	STANDARD
09/09/98	PH, FIELD	1.0		7.600	STANDARD
09/09/98	PH, FIELD	3.5		7.700	STANDARD
09/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		507.000	UMHOS/CM
09/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		508.000	UMHOS/CM
09/09/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		508.000	UMHOS/CM
09/09/98	TEMPERATURE, WATER	.3		29.000	DEG C
09/09/98	TEMPERATURE, WATER	1.0		29.000	DEG C
09/09/98	TEMPERATURE, WATER	3.5		29.000	DEG C

Mermentau River Basin
Intracoastal Waterway at Warren Canal — Site No. 0880

Date	Parameter	Depth meters		ppm	Units
07/07/99	DISSOLVED OXYGEN	.3		7.300	MG/L
07/07/99	DISSOLVED OXYGEN	1.0		6.900	MG/L
07/07/99	DISSOLVED OXYGEN	5.5		6.300	MG/L
07/07/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/07/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.049	
07/07/99	PH, FIELD	.3		7.400	STANDARD
07/07/99	PH, FIELD	1.0		7.400	STANDARD
07/07/99	PH, FIELD	5.5		7.300	STANDARD
07/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		438.000	UMHOS/CM
07/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		440.000	UMHOS/CM
07/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		443.000	UMHOS/CM
07/07/99	TEMPERATURE, WATER	.3		31.300	DEG C
07/07/99	TEMPERATURE, WATER	1.0		31.100	DEG C
07/07/99	TEMPERATURE, WATER	5.5		30.800	DEG C

Mermentau River Basin
Intracoastal Waterway, West of Vermilion Lock — Site No. 0753

Date	Parameter	Depth meters		ppm	Units
08/31/98	DISSOLVED OXYGEN	.3		5.100	MG/L
08/31/98	DISSOLVED OXYGEN	1.0		5.300	MG/L
08/31/98	DISSOLVED OXYGEN	4.0		5.500	MG/L
08/31/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/31/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.096	
08/31/98	PH, FIELD	.3		7.000	STANDARD
08/31/98	PH, FIELD	1.0		7.100	STANDARD
08/31/98	PH, FIELD	4.0		7.100	STANDARD
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1156.000	UMHOS/CM
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1151.000	UMHOS/CM
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		1160.000	UMHOS/CM

08/31/98	TEMPERATURE, WATER	.3		31.600	DEG C
08/31/98	TEMPERATURE, WATER	1.0		31.700	DEG C
08/31/98	TEMPERATURE, WATER	4.0		31.700	DEG C

Mermentau River Basin
Lacassine Pools southwest of Lake Arthur, Louisiana — Site No. 0591

Date	Parameter	Depth meters		ppm	Units
05/01/97	DISSOLVED OXYGEN	.3		8.300	MG/L
05/01/97	DISSOLVED OXYGEN	1.0		8.300	MG/L
05/01/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/01/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.026	
05/01/97	PH, FIELD	.3		5.500	STANDARD
05/01/97	PH, FIELD	1.0		5.800	STANDARD
05/01/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		39.000	UMHOS/CM
05/01/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		39.000	UMHOS/CM
05/01/97	TEMPERATURE, WATER	.3		23.000	DEG C
05/01/97	TEMPERATURE, WATER	1.0		22.700	DEG C

Mermentau River Basin
Lake Arthur — Site No. 0617

Date	Parameter	Depth meters		ppm	Units
06/23/97	DISSOLVED OXYGEN	.3		3.800	MG/L
06/23/97	DISSOLVED OXYGEN	1.0		3.500	MG/L
06/23/97	DISSOLVED OXYGEN	4.0		3.000	MG/L
06/23/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/23/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.019	
06/23/97	PH, FIELD	.3		6.400	STANDARD
06/23/97	PH, FIELD	1.0		6.500	STANDARD
06/23/97	PH, FIELD	4.0		6.400	STANDARD
06/23/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		135.000	UMHOS/CM
06/23/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		139.000	UMHOS/CM
06/23/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		135.000	UMHOS/CM
06/23/97	TEMPERATURE, WATER	.3		28.800	DEG C
06/23/97	TEMPERATURE, WATER	1.0		27.800	DEG C
06/23/97	TEMPERATURE, WATER	4.0		27.500	DEG C
03/08/99	DISSOLVED OXYGEN	.3		8.800	MG/L
03/08/99	DISSOLVED OXYGEN	1.0		8.400	MG/L
03/08/99	DISSOLVED OXYGEN	8.0		8.100	MG/L
03/08/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/08/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.106	
03/08/99	PH, FIELD	.3		6.800	STANDARD
03/08/99	PH, FIELD	1.0		6.900	STANDARD
03/08/99	PH, FIELD	8.0		7.100	STANDARD
03/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		134.000	UMHOS/CM
03/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		134.000	UMHOS/CM
03/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.0		133.000	UMHOS/CM
03/08/99	TEMPERATURE, WATER	.3		17.500	DEG C
03/08/99	TEMPERATURE, WATER	1.0		17.400	DEG C
03/08/99	TEMPERATURE, WATER	8.0		17.100	DEG C

Mermentau River Basin
Lake Misere near Bayou Misere — Site No. 0739

Date	Parameter	Depth meters		ppm	Units
06/29/98	DISSOLVED OXYGEN	.3		6.600	MG/L
06/29/98	DISSOLVED OXYGEN	1.0		6.600	MG/L
06/29/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/29/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.004	
06/29/98	PH, FIELD	.3		7.000	STANDARD
06/29/98	PH, FIELD	1.0		7.000	STANDARD
06/29/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		501.000	UMHOS/CM
06/29/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		498.000	UMHOS/CM
06/29/98	TEMPERATURE, WATER	.3		29.300	DEG C
06/29/98	TEMPERATURE, WATER	1.0		29.300	DEG C

Mermentau River Basin
Mermentau River at Mermentau, Louisiana — Site No. 0003

Date	Parameter	Depth meters		ppm	Units
08/12/94	DISSOLVED OXYGEN	.5		5.800	MG/L
08/12/94	DISSOLVED OXYGEN	1.3		2.000	MG/L
08/12/94	DISSOLVED OXYGEN	5.0		.200	MG/L
08/12/94	DISSOLVED OXYGEN	10.0		.080	MG/L
08/12/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/12/94	MERCURY, TOTAL	1.0		.050	UG/L AS HG
08/12/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.092	
08/12/94	PH, FIELD	.5		6.880	STANDARD
08/12/94	PH, FIELD	1.3		6.760	STANDARD
08/12/94	PH, FIELD	5.0		6.670	STANDARD
08/12/94	PH, FIELD	10.0		6.650	STANDARD
08/12/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		238.000	UMHOS/CM
08/12/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		234.000	UMHOS/CM
08/12/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		240.000	UMHOS/CM
08/12/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		230.000	UMHOS/CM
08/12/94	TEMPERATURE, WATER	.5		29.220	DEG C
08/12/94	TEMPERATURE, WATER	1.3		28.400	DEG C
08/12/94	TEMPERATURE, WATER	5.0		27.260	DEG C
08/12/94	TEMPERATURE, WATER	10.0		26.710	DEG C
11/04/98	DISSOLVED OXYGEN	.3		2.000	MG/L
11/04/98	DISSOLVED OXYGEN	1.0		1.800	MG/L
11/04/98	DISSOLVED OXYGEN	12.0		1.700	MG/L
11/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.167	
11/04/98	PH, FIELD	.3		7.100	STANDARD
11/04/98	PH, FIELD	1.0		7.000	STANDARD
11/04/98	PH, FIELD	12.0		6.900	STANDARD
11/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		183.000	UMHOS/CM
11/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		183.000	UMHOS/CM
11/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	12.0		180.000	UMHOS/CM
11/04/98	TEMPERATURE, WATER	.3		22.100	DEG C
11/04/98	TEMPERATURE, WATER	1.0		21.800	DEG C
11/04/98	TEMPERATURE, WATER	12.0		21.000	DEG C

Mermentau River Basin
Miller's Lake northwest of Ville Platte, Louisiana — Site No. 0515

Date	Parameter	Depth meters		ppm	Units
07/27/95	DISSOLVED OXYGEN	.1		6.520	MG/L
07/27/95	DISSOLVED OXYGEN	.5		4.910	MG/L
07/27/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/27/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
07/27/95	PH, FIELD	.1		6.600	STANDARD
07/27/95	PH, FIELD	.5		6.260	STANDARD
07/27/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		51.000	UMHOS/CM
07/27/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		52.000	UMHOS/CM
07/27/95	TEMPERATURE, WATER	.1		32.600	DEG C
07/27/95	TEMPERATURE, WATER	.5		31.900	DEG C
05/04/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
05/04/00	PH, FIELD	.3		6.100	UG/L AS HG
05/04/00	PH, FIELD	1.0		6.200	UG/L AS HG
05/04/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.053	

Mermentau River Basin
North Prong of Schooner Bayou — Site No. 0756

Date	Parameter	Depth meters		ppm	Units
08/31/98	DISSOLVED OXYGEN	.3		5.700	MG/L
08/31/98	DISSOLVED OXYGEN	1.0		5.300	MG/L
08/31/98	DISSOLVED OXYGEN	3.5		5.900	MG/L
08/31/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/31/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.138	
08/31/98	PH, FIELD	.3		7.000	STANDARD
08/31/98	PH, FIELD	1.0		6.900	STANDARD
08/31/98	PH, FIELD	3.5		6.900	STANDARD
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		2017.000	UMHOS/CM
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		2200.000	UMHOS/CM

08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		2240.000	UMHOS/CM
08/31/98	TEMPERATURE, WATER	.3		33.300	DEG C
08/31/98	TEMPERATURE, WATER	1.0		32.200	DEG C
08/31/98	TEMPERATURE, WATER	3.5		31.000	DEG C

Mermentau River Basin
Seventh Ward Canal South of Kaplan, Louisiana — Site No. 0757

Date	Parameter	Depth meters		ppm	Units
08/31/98	DISSOLVED OXYGEN	.3		4.800	MG/L
08/31/98	DISSOLVED OXYGEN	1.0		4.300	MG/L
08/31/98	DISSOLVED OXYGEN	1.5		4.000	MG/L
08/31/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/31/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.095	
08/31/98	PH, FIELD	.3		7.100	STANDARD
08/31/98	PH, FIELD	1.0		7.000	STANDARD
08/31/98	PH, FIELD	1.5		7.000	STANDARD
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		918.000	UMHOS/CM
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		930.000	UMHOS/CM
08/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		921.000	UMHOS/CM
08/31/98	TEMPERATURE, WATER	.3		31.700	DEG C
08/31/98	TEMPERATURE, WATER	1.0		31.200	DEG C
08/31/98	TEMPERATURE, WATER	1.5		30.900	DEG C
07/19/99	DISSOLVED OXYGEN	.3		2.100	MG/L
07/19/99	DISSOLVED OXYGEN	1.0		1.900	MG/L
07/19/99	DISSOLVED OXYGEN	2.0		1.800	MG/L
07/19/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.083	
07/19/99	PH, FIELD	.3		7.100	STANDARD
07/19/99	PH, FIELD	1.0		6.900	STANDARD
07/19/99	PH, FIELD	2.0		6.900	STANDARD
07/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		255.000	UMHOS/CM
07/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		255.000	UMHOS/CM
07/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		257.000	UMHOS/CM
07/19/99	TEMPERATURE, WATER	.3		27.600	DEG C
07/19/99	TEMPERATURE, WATER	1.0		27.600	DEG C
07/19/99	TEMPERATURE, WATER	2.0		27.600	DEG C
07/19/00	DISSOLVED OXYGEN	.3		4.200	MG/L
07/19/00	DISSOLVED OXYGEN	1.0		3.000	MG/L
07/19/00	DISSOLVED OXYGEN	2.0		.800	MG/L
07/19/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.090	
07/19/00	PH, FIELD	.3		6.400	STANDARD
07/19/00	PH, FIELD	1.0		6.600	STANDARD
07/19/00	PH, FIELD	2.0		6.600	STANDARD
07/19/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1659.000	UMHOS/CM
07/19/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1667.000	UMHOS/CM
07/19/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		1642.000	UMHOS/CM
07/19/00	TEMPERATURE, WATER	.3		32.200	DEG C
07/19/00	TEMPERATURE, WATER	1.0		32.100	DEG C
07/19/00	TEMPERATURE, WATER	2.0		32.100	DEG C

Mermentau River Basin
Seventh Ward Canal southwest of Abbeville, Louisiana — Site No. 0517

Date	Parameter	Depth meters		ppm	Units
07/26/95	DISSOLVED OXYGEN	.2		5.590	MG/L
07/26/95	DISSOLVED OXYGEN	1.1		5.590	MG/L
07/26/95	DISSOLVED OXYGEN	2.2		5.600	MG/L
07/26/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/26/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.390	
07/26/95	PH, FIELD	.2		6.980	STANDARD
07/26/95	PH, FIELD	1.1		6.980	STANDARD
07/26/95	PH, FIELD	2.2		6.980	STANDARD
07/26/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		679.000	UMHOS/CM
07/26/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.1		676.000	UMHOS/CM
07/26/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.2		676.000	UMHOS/CM
07/26/95	TEMPERATURE, WATER	.2		31.990	DEG C
07/26/95	TEMPERATURE, WATER	1.1		31.890	DEG C
07/26/95	TEMPERATURE, WATER	2.2		31.870	DEG C
06/19/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/19/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	

01/21/97	DISSOLVED OXYGEN	.3		10.200	MG/L
01/21/97	DISSOLVED OXYGEN	1.0		10.500	MG/L
01/21/97	DISSOLVED OXYGEN	2.0		11.000	MG/L
01/21/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/21/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.098	
01/21/97	PH, FIELD	.3		7.900	STANDARD
01/21/97	PH, FIELD	1.0		7.800	STANDARD
01/21/97	PH, FIELD	2.0		7.900	STANDARD
01/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		174.000	UMHOS/CM
01/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		175.000	UMHOS/CM
01/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		177.000	UMHOS/CM
01/21/97	TEMPERATURE, WATER	.3		10.900	DEG C
01/21/97	TEMPERATURE, WATER	1.0		10.500	DEG C
01/21/97	TEMPERATURE, WATER	2.0		10.400	DEG C

Mermentau River Basin
Vermilion River south of Abbeville, Louisiana — Site No. 0605

Date	Parameter	Depth meters		ppm	Units
02/13/97	DISSOLVED OXYGEN	.3		8.300	MG/L
02/13/97	DISSOLVED OXYGEN	3.0		8.300	MG/L
02/13/97	DISSOLVED OXYGEN	6.0		8.300	MG/L
02/13/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/13/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.635	
02/13/97	PH, FIELD	.3		6.900	STANDARD
02/13/97	PH, FIELD	3.0		6.900	STANDARD
02/13/97	PH, FIELD	6.0		7.000	STANDARD
02/13/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		87.000	UMHOS/CM
02/13/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		87.000	UMHOS/CM
02/13/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		86.000	UMHOS/CM
02/13/97	TEMPERATURE, WATER	.3		10.100	DEG C
02/13/97	TEMPERATURE, WATER	3.0		10.100	DEG C
02/13/97	TEMPERATURE, WATER	6.0		10.100	DEG C
08/26/97	DISSOLVED OXYGEN	.3		7.400	MG/L
08/26/97	DISSOLVED OXYGEN	1.0		6.200	MG/L
08/26/97	DISSOLVED OXYGEN	3.5		5.600	MG/L
08/26/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/26/97	PH, FIELD	.3		7.800	STANDARD
08/26/97	PH, FIELD	1.0		7.600	STANDARD
08/26/97	PH, FIELD	3.5		7.500	STANDARD
08/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		348.000	UMHOS/CM
08/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		351.000	UMHOS/CM
08/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		351.000	UMHOS/CM
08/26/97	TEMPERATURE, WATER	.3		31.400	DEG C
08/26/97	TEMPERATURE, WATER	1.0		30.700	DEG C
08/26/97	TEMPERATURE, WATER	3.5		30.300	DEG C

Mermentau River Basin
Warren Canal near Intracoastal Waterway — Site No. 0881

Date	Parameter	Depth meters		ppm	Units
07/07/99	DISSOLVED OXYGEN	.3		4.000	MG/L
07/07/99	DISSOLVED OXYGEN	1.0		2.800	MG/L
07/07/99	DISSOLVED OXYGEN	3.5		2.000	MG/L
07/07/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/07/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.084	
07/07/99	PH, FIELD	.3		7.300	STANDARD
07/07/99	PH, FIELD	1.0		7.100	STANDARD
07/07/99	PH, FIELD	3.5		6.900	STANDARD
07/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		280.000	UMHOS/CM
07/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		281.000	UMHOS/CM
07/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		280.000	UMHOS/CM
07/07/99	TEMPERATURE, WATER	.3		31.100	DEG C
07/07/99	TEMPERATURE, WATER	1.0		30.400	DEG C
07/07/99	TEMPERATURE, WATER	3.5		29.900	DEG C
07/17/00	DISSOLVED OXYGEN	.3		5.300	MG/L
07/17/00	DISSOLVED OXYGEN	1.0		3.300	MG/L
07/17/00	DISSOLVED OXYGEN	3.0		.700	MG/L
07/17/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/17/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.092	
07/17/00	PH, FIELD	.3		6.700	STANDARD
07/17/00	PH, FIELD	1.0		6.700	STANDARD

07/17/00	PH, FIELD	3.0		6.400	STANDARD
07/17/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		852.000	UMHOS/CM
07/17/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		889.000	UMHOS/CM
07/17/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		1868.000	UMHOS/CM
07/17/00	TEMPERATURE, WATER	.3		33.500	DEG C
07/17/00	TEMPERATURE, WATER	1.0		31.800	DEG C
07/17/00	TEMPERATURE, WATER	3.0		32.000	DEG C

Mermentau River Basin
White Lake southwest of Abbeville, Louisiana Site No. 0310

Date	Parameter	Depth meters		ppm	Units
04/02/98	DISSOLVED OXYGEN	.3		7.600	MG/L
04/02/98	DISSOLVED OXYGEN	1.0		7.700	MG/L
04/02/98	DISSOLVED OXYGEN	2.0		6.800	MG/L
04/02/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/02/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.018	
04/02/98	PH, FIELD	.3		6.800	STANDARD
04/02/98	PH, FIELD	1.0		6.900	STANDARD
04/02/98	PH, FIELD	2.0		6.800	STANDARD
04/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		978.000	UMHOS/CM
04/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		834.000	UMHOS/CM
04/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		1423.000	UMHOS/CM
04/02/98	TEMPERATURE, WATER	.3		21.800	DEG C
04/02/98	TEMPERATURE, WATER	1.0		21.600	DEG C
04/02/98	TEMPERATURE, WATER	2.0		21.500	DEG C

Mississippi River Basin
Bunchs Cutoff (Rock Pile) Site No. 0746

Date	Parameter	Depth meters		ppm	Units
08/11/98	DISSOLVED OXYGEN	.3		6.800	MG/L
08/11/98	DISSOLVED OXYGEN	1.0		4.700	MG/L
08/11/98	DISSOLVED OXYGEN	3.5		.400	MG/L
08/11/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/11/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.218	
08/11/98	PH, FIELD	.3		8.000	STANDARD
08/11/98	PH, FIELD	1.0		7.700	STANDARD
08/11/98	PH, FIELD	3.5		7.200	STANDARD
08/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		448.000	UMHOS/CM
08/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		453.000	UMHOS/CM
08/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		509.000	UMHOS/CM
08/11/98	TEMPERATURE, WATER	.3		29.600	DEG C
08/11/98	TEMPERATURE, WATER	1.0		29.400	DEG C
08/11/98	TEMPERATURE, WATER	3.5		27.400	DEG C

Mississippi River Basin
Capitol Lake at Baton Rouge, Louisiana Site No. 0583

Date	Parameter	Depth meters		ppm	Units
06/10/97	DISSOLVED OXYGEN	.3		7.400	MG/L
06/10/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/10/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.108	
06/10/97	PH, FIELD	.3		7.800	STANDARD
06/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		208.000	UMHOS/CM
06/10/97	TEMPERATURE, WATER	.3		27.800	DEG C

Mississippi River Basin
Eagle Lake near Peelers, Louisiana Site No. 1013

Date	Parameter	Depth meters		ppm	Units
06/13/00	DISSOLVED OXYGEN	.3		15.000	MG/L
06/13/00	DISSOLVED OXYGEN	1.0		15.700	MG/L
06/13/00	DISSOLVED OXYGEN	3.5		1.900	MG/L
06/13/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/13/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.112	
06/13/00	PH, FIELD	.3		8.600	STANDARD
06/13/00	PH, FIELD	1.0		8.700	STANDARD
06/13/00	PH, FIELD	3.5		7.500	STANDARD
06/13/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		255.000	UMHOS/CM
06/13/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		256.000	UMHOS/CM
06/13/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		313.000	UMHOS/CM
06/13/00	TEMPERATURE, WATER	.3		31.700	DEG C
06/13/00	TEMPERATURE, WATER	1.0		31.000	DEG C
06/13/00	TEMPERATURE, WATER	3.5		27.000	DEG C

Mississippi River Basin
Mississippi River Southwest of St. Francisville, Louisiana Site No. 0862

Date	Parameter	Depth meters		ppm	Units
10/05/98	DISSOLVED OXYGEN	.3		8.000	MG/L
10/05/98	DISSOLVED OXYGEN	1.0		8.000	MG/L
10/05/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/05/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.058	
10/05/98	PH, FIELD	.3		6.800	STANDARD
10/05/98	PH, FIELD	1.0		6.700	STANDARD
10/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		412.000	UMHOS/CM
10/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		411.000	UMHOS/CM
10/05/98	TEMPERATURE, WATER	.3		26.900	DEG C
10/05/98	TEMPERATURE, WATER	1.0		26.900	DEG C

Mississippi River Basin
Mississippi River at Marengo Bend Site No. 0863

Date	Parameter	Depth meters		ppm	Units
10/12/98	DISSOLVED OXYGEN	.3		16.000	MG/L

10/12/98	DISSOLVED OXYGEN	1.0		13.200	MG/L
10/12/98	DISSOLVED OXYGEN	3.0		5.400	MG/L
10/12/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/12/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.142	
10/12/98	PH, FIELD	.3		8.100	STANDARD
10/12/98	PH, FIELD	1.0		7.900	STANDARD
10/12/98	PH, FIELD	3.0		7.100	STANDARD
10/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		490.000	UMHOS/CM
10/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		504.000	UMHOS/CM
10/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		525.000	UMHOS/CM
10/12/98	TEMPERATURE, WATER	.3		26.300	DEG C
10/12/98	TEMPERATURE, WATER	1.0		25.400	DEG C
10/12/98	TEMPERATURE, WATER	3.0		24.100	DEG C

Mississippi River Basin
Old River north of Morganza, Louisiana — Site No. 0516

Date	Parameter	Depth meters		ppm	Units
08/01/95	DISSOLVED OXYGEN	.2		7.420	MG/L
08/01/95	DISSOLVED OXYGEN	3.0		6.900	MG/L
08/01/95	DISSOLVED OXYGEN	5.5		1.500	MG/L
08/01/95	MERCURY, DISSOLVED UG/L AS HG	1.0		.120	UG/L AS HG
08/01/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/01/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.438	
08/01/95	PH, FIELD	.2		7.490	STANDARD
08/01/95	PH, FIELD	3.0		7.360	STANDARD
08/01/95	PH, FIELD	5.5		7.150	STANDARD
08/01/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		395.000	UMHOS/CM
08/01/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		402.000	UMHOS/CM
08/01/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		403.000	UMHOS/CM
08/01/95	TEMPERATURE, WATER	.2		28.470	DEG C
08/01/95	TEMPERATURE, WATER	3.0		28.140	DEG C
08/01/95	TEMPERATURE, WATER	5.5		27.260	DEG C

Mississippi River Basin
Raccourci Old River, Louisiana — Site No. 0985

Date	Parameter	Depth meters		ppm	Units
11/09/99	DISSOLVED OXYGEN	.3		12.800	MG/L
11/09/99	DISSOLVED OXYGEN	1.0		10.700	MG/L
11/09/99	DISSOLVED OXYGEN	5.0		.500	MG/L
11/09/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/09/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.112	
11/09/99	PH, FIELD	.3		8.500	STANDARD
11/09/99	PH, FIELD	1.0		8.400	STANDARD
11/09/99	PH, FIELD	5.0		7.100	STANDARD
11/09/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		384.000	UMHOS/CM
11/09/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		386.000	UMHOS/CM
11/09/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		397.000	UMHOS/CM
11/09/99	TEMPERATURE, WATER	.3		20.600	DEG C
11/09/99	TEMPERATURE, WATER	1.0		19.800	DEG C
11/09/99	TEMPERATURE, WATER	5.0		18.800	DEG C

Ouachita River Basin
Bayou Bartholomew at Hwy. 425 Site No. 0911

Date	Parameter	Depth meters		ppm	Units
09/21/99	DISSOLVED OXYGEN	.3		8.800	MG/L
09/21/99	DISSOLVED OXYGEN	1.0		8.500	MG/L
09/21/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/21/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.047	
09/21/99	PH, FIELD	.3		7.400	STANDARD
09/21/99	PH, FIELD	1.0		7.400	STANDARD
09/21/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		260.000	UMHOS/CM
09/21/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		260.000	UMHOS/CM
09/21/99	TEMPERATURE, WATER	.3		23.700	DEG C
09/21/99	TEMPERATURE, WATER	1.0		23.700	DEG C
12/04/00	DISSOLVED OXYGEN	.3		9.100	MG/L
12/04/00	DISSOLVED OXYGEN	1.0		8.900	MG/L
12/04/00	DISSOLVED OXYGEN	2.0		8.800	MG/L
12/04/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/04/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.010	
12/04/00	PH, FIELD	.3		7.900	STANDARD
12/04/00	PH, FIELD	1.0		7.800	STANDARD
12/04/00	PH, FIELD	2.0		7.800	STANDARD
12/04/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		126.000	UMHOS/CM
12/04/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		126.000	UMHOS/CM
12/04/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		127.000	UMHOS/CM
12/04/00	TEMPERATURE, WATER	.3		8.300	DEG C
12/04/00	TEMPERATURE, WATER	1.0		8.300	DEG C
12/04/00	TEMPERATURE, WATER	2.0		8.300	DEG C

Ouachita River Basin
Bayou Bartholomew northeast of Bastrop, Louisiana Site No. 0458

Date	Parameter	Depth meters		ppm	Units
08/10/98	DISSOLVED OXYGEN	.3		7.000	MG/L
08/10/98	DISSOLVED OXYGEN	1.0		6.800	MG/L
08/10/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/10/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.206	
08/10/98	PH, FIELD	.3		7.400	STANDARD
08/10/98	PH, FIELD	1.0		7.300	STANDARD
08/10/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		289.000	UMHOS/CM
08/10/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		290.000	UMHOS/CM
08/10/98	TEMPERATURE, WATER	.3		29.500	DEG C
08/10/98	TEMPERATURE, WATER	1.0		29.500	DEG C

Ouachita River Basin
Bayou Bonne Idee East of Mer Rouge, Louisiana Site No. 0125

Date	Parameter	Depth meters		ppm	Units
02/09/00	DISSOLVED OXYGEN	.3		12.800	MG/L
02/09/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/09/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.213	
02/09/00	PH, FIELD	.3		6.000	STANDARD
02/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		100.000	UMHOS/CM
02/09/00	TEMPERATURE, WATER	.3		11.500	DEG C
08/29/00	DISSOLVED OXYGEN	.3		8.400	MG/L
08/29/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/29/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
08/29/00	PH, FIELD	.3		8.300	STANDARD
08/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		280.000	UMHOS/CM
08/29/00	TEMPERATURE, WATER	.3		34.200	DEG C

Ouachita River Basin
Bayou D'Arbonne Lake at Farmerville, Louisiana Site No. 0416

Date	Parameter	Depth meters		ppm	Units
07/11/00	DISSOLVED OXYGEN	.3		7.900	MG/L
07/11/00	DISSOLVED OXYGEN	1.0		7.600	MG/L
07/11/00	DISSOLVED OXYGEN	5.0		1.000	MG/L
07/11/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/11/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.220	

07/11/00	PH, FIELD	.3		6.800	STANDARD
07/11/00	PH, FIELD	1.0		6.800	STANDARD
07/11/00	PH, FIELD	5.0		6.200	STANDARD
07/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		88.000	UMHOS/CM
07/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		88.000	UMHOS/CM
07/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		102.000	UMHOS/CM
07/11/00	TEMPERATURE, WATER	.3		32.200	DEG C
07/11/00	TEMPERATURE, WATER	1.0		32.200	DEG C
07/11/00	TEMPERATURE, WATER	5.0		28.000	DEG C

Ouachita River Basin
Bayou D'Arbonne near Hollands Bluff, Louisiana — Site No. 0424

Date	Parameter	Depth meters		ppm	Units
07/11/00	DISSOLVED OXYGEN	.3		5.600	MG/L
07/11/00	DISSOLVED OXYGEN	1.0		5.500	MG/L
07/11/00	DISSOLVED OXYGEN	4.5		4.200	MG/L
07/11/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/11/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.051	
07/11/00	PH, FIELD	.3		5.900	STANDARD
07/11/00	PH, FIELD	1.0		5.900	STANDARD
07/11/00	PH, FIELD	4.5		5.700	STANDARD
07/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		93.000	UMHOS/CM
07/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		93.000	UMHOS/CM
07/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		98.000	UMHOS/CM
07/11/00	TEMPERATURE, WATER	.3		33.400	DEG C
07/11/00	TEMPERATURE, WATER	1.0		33.300	DEG C
07/11/00	TEMPERATURE, WATER	4.5		31.400	DEG C

Ouachita River Basin
Bayou Desiard Southeast of Sterlington, Louisiana — Site No. 0626

Date	Parameter	Depth meters		ppm	Units
12/09/97	DISSOLVED OXYGEN	.3		6.300	MG/L
12/09/97	DISSOLVED OXYGEN	1.0		6.200	MG/L
12/09/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/09/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.028	
12/09/97	PH, FIELD	.3		6.400	STANDARD
12/09/97	PH, FIELD	1.0		6.400	STANDARD
12/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		178.000	UMHOS/CM
12/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		177.000	UMHOS/CM
12/09/97	TEMPERATURE, WATER	.3		9.000	DEG C
12/09/97	TEMPERATURE, WATER	1.0		7.900	DEG C
08/19/98	DISSOLVED OXYGEN	.3		4.400	MG/L
08/19/98	DISSOLVED OXYGEN	1.0		2.200	MG/L
08/19/98	DISSOLVED OXYGEN	1.5		.500	MG/L
08/19/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/19/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.139	
08/19/98	PH, FIELD	.3		6.600	STANDARD
08/19/98	PH, FIELD	1.0		6.600	STANDARD
08/19/98	PH, FIELD	1.5		6.500	STANDARD
08/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		182.000	UMHOS/CM
08/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		184.000	UMHOS/CM
08/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		187.000	UMHOS/CM
08/19/98	TEMPERATURE, WATER	.3		27.500	DEG C
08/19/98	TEMPERATURE, WATER	1.0		27.500	DEG C
08/19/98	TEMPERATURE, WATER	1.5		27.200	DEG C

Ouachita River Basin
Bayou Desiard north of Monroe, Louisiana — Site No. 0353

Date	Parameter	Depth meters		ppm	Units
03/15/99	DISSOLVED OXYGEN	.3		5.600	MG/L
03/15/99	DISSOLVED OXYGEN	1.0		5.500	MG/L
03/15/99	DISSOLVED OXYGEN	3.0		5.000	MG/L
03/15/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/15/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.127	
03/15/99	PH, FIELD	.3		6.400	STANDARD
03/15/99	PH, FIELD	1.0		6.400	STANDARD
03/15/99	PH, FIELD	3.0		6.600	STANDARD
03/15/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		63.000	UMHOS/CM

03/15/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		63.000	UMHOS/CM
03/15/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		66.000	UMHOS/CM
03/15/99	TEMPERATURE, WATER	.3		12.600	DEG C
03/15/99	TEMPERATURE, WATER	1.0		11.400	DEG C
03/15/99	TEMPERATURE, WATER	3.0		11.000	DEG C

Ouachita River Basin
Bayou Macon near Delhi, Louisiana — Site No. 1024

Date	Parameter	Depth meters		ppm	Units
06/26/00	DISSOLVED OXYGEN	.3		18.400	MG/L
06/26/00	DISSOLVED OXYGEN	1.0		16.400	MG/L
06/26/00	DISSOLVED OXYGEN	2.5		6.500	MG/L
06/26/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/26/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.116	
06/26/00	PH, FIELD	.3		8.400	STANDARD
06/26/00	PH, FIELD	1.0		8.300	STANDARD
06/26/00	PH, FIELD	2.5		7.300	STANDARD
06/26/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		365.000	UMHOS/CM
06/26/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		379.000	UMHOS/CM
06/26/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		431.000	UMHOS/CM
06/26/00	TEMPERATURE, WATER	.3		32.600	DEG C
06/26/00	TEMPERATURE, WATER	1.0		31.400	DEG C
06/26/00	TEMPERATURE, WATER	2.5		29.800	DEG C

Ouachita River Basin
Bayou Tortue, Louisiana — Site No. 1030

Date	Parameter	Depth meters		ppm	Units
09/06/00	DISSOLVED OXYGEN	.3		5.300	MG/L
09/06/00	DISSOLVED OXYGEN	1.0		3.600	MG/L
09/06/00	DISSOLVED OXYGEN	1.5		3.600	MG/L
09/06/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/06/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.133	
09/06/00	PH, FIELD	.3		7.500	STANDARD
09/06/00	PH, FIELD	1.0		7.500	STANDARD
09/06/00	PH, FIELD	1.5		7.400	STANDARD
09/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		441.000	UMHOS/CM
09/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		443.000	UMHOS/CM
09/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		442.000	UMHOS/CM
09/06/00	TEMPERATURE, WATER	.3		29.600	DEG C
09/06/00	TEMPERATURE, WATER	1.0		29.500	DEG C
09/06/00	TEMPERATURE, WATER	1.5		29.500	DEG C

Ouachita River Basin
Black River at Jonesville, Louisiana — Site No. 0090

Date	Parameter	Depth meters		ppm	Units
09/19/95	DISSOLVED OXYGEN	.2		4.810	MG/L
09/19/95	DISSOLVED OXYGEN	1.0		4.410	MG/L
09/19/95	DISSOLVED OXYGEN	3.0		4.170	MG/L
09/19/95	DISSOLVED OXYGEN	7.0		4.260	MG/L
09/19/95	DISSOLVED OXYGEN	10.5		.840	MG/L
09/19/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/19/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.093	
09/19/95	PH, FIELD	.2		7.030	STANDARD
09/19/95	PH, FIELD	1.0		7.020	STANDARD
09/19/95	PH, FIELD	3.0		6.960	STANDARD
09/19/95	PH, FIELD	7.0		7.070	STANDARD
09/19/95	PH, FIELD	10.5		7.080	STANDARD
09/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		247.000	UMHOS/CM
09/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		246.000	UMHOS/CM
09/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		245.000	UMHOS/CM
09/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		245.000	UMHOS/CM
09/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.5		356.000	UMHOS/CM
09/19/95	TEMPERATURE, WATER	.2		29.940	DEG C
09/19/95	TEMPERATURE, WATER	1.0		29.560	DEG C
09/19/95	TEMPERATURE, WATER	3.0		29.400	DEG C
09/19/95	TEMPERATURE, WATER	7.0		29.330	DEG C
09/19/95	TEMPERATURE, WATER	10.5		29.030	DEG C

Ouachita River Basin
Black River near Jonesville, Louisiana — Site No. 1000

Date	Parameter	Depth meters		ppm	Units
06/06/00	DISSOLVED OXYGEN	.3		6.000	MG/L
06/06/00	DISSOLVED OXYGEN	1.0		5.400	MG/L
06/06/00	DISSOLVED OXYGEN	8.0		5.100	MG/L
06/06/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/06/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.055	
06/06/00	PH, FIELD	.3		6.100	STANDARD
06/06/00	PH, FIELD	1.0		6.300	STANDARD
06/06/00	PH, FIELD	8.0		6.300	STANDARD
06/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		144.000	UMHOS/CM
06/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		145.000	UMHOS/CM
06/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.0		144.000	UMHOS/CM
06/06/00	TEMPERATURE, WATER	.3		28.300	DEG C
06/06/00	TEMPERATURE, WATER	1.0		28.300	DEG C
06/06/00	TEMPERATURE, WATER	8.0		28.100	DEG C

Ouachita River Basin
Boeuf River West of Alto, Louisiana — Site No. 0735

Date	Parameter	Depth meters		ppm	Units
06/16/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/16/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	

Ouachita River Basin
Bushley Bayou South Southwest of Harrisonburg, Louisiana — Site No. 1001

Date	Parameter	Depth meters		ppm	Units
02/29/00	DISSOLVED OXYGEN	.3		11.600	MG/L
02/29/00	DISSOLVED OXYGEN	1.0		11.200	MG/L
02/29/00	DISSOLVED OXYGEN	10.0		1.800	MG/L
02/29/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/29/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.038	
02/29/00	PH, FIELD	.3		7.300	STANDARD
02/29/00	PH, FIELD	1.0		7.500	STANDARD
02/29/00	PH, FIELD	10.0		6.800	STANDARD
02/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		104.000	UMHOS/CM
02/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		104.000	UMHOS/CM
02/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		113.000	UMHOS/CM
02/29/00	TEMPERATURE, WATER	.3		18.000	DEG C
02/29/00	TEMPERATURE, WATER	1.0		17.400	DEG C
02/29/00	TEMPERATURE, WATER	10.0		13.900	DEG C
10/10/00	DISSOLVED OXYGEN	.3		6.300	MG/L
10/10/00	DISSOLVED OXYGEN	1.0		5.200	MG/L
10/10/00	DISSOLVED OXYGEN	6.1		2.800	MG/L
10/10/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
10/10/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.012	
10/10/00	PH, FIELD	.3		7.800	STANDARD
10/10/00	PH, FIELD	1.0		7.600	STANDARD
10/10/00	PH, FIELD	6.1		7.500	STANDARD
10/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		122.000	UMHOS/CM
10/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		123.000	UMHOS/CM
10/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.1		129.000	UMHOS/CM
10/10/00	TEMPERATURE, WATER	.3		22.300	DEG C
10/10/00	TEMPERATURE, WATER	1.0		21.400	DEG C
10/10/00	TEMPERATURE, WATER	6.1		20.100	DEG C

Ouachita River Basin
Bussey Brake Southwest of Wardville, Louisiana — Site No. 1002

Date	Parameter	Depth meters		ppm	Units
04/10/00	DISSOLVED OXYGEN	.3		9.300	MG/L
04/10/00	DISSOLVED OXYGEN	1.0		9.100	MG/L
04/10/00	DISSOLVED OXYGEN	2.1		8.300	MG/L
04/10/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
04/10/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.111	
04/10/00	PH, FIELD	.3		6.100	STANDARD
04/10/00	PH, FIELD	1.0		6.200	STANDARD

04/10/00	PH, FIELD	2.1		6.100	STANDARD
04/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		63.000	UMHOS/CM
04/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		64.000	UMHOS/CM
04/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.1		64.000	UMHOS/CM
04/10/00	TEMPERATURE, WATER	.3		18.700	DEG C
04/10/00	TEMPERATURE, WATER	1.0		18.500	DEG C
04/10/00	TEMPERATURE, WATER	2.1		17.800	DEG C

Ouachita River Basin
Chatham Lake near Chatham, Louisiana — Site No. 0736

Date	Parameter	Depth meters		ppm	Units
06/15/98	DISSOLVED OXYGEN	.3		8.700	MG/L
06/15/98	DISSOLVED OXYGEN	1.0		7.200	MG/L
06/15/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/15/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.009	
06/15/98	PH, FIELD	.3		7.400	STANDARD
06/15/98	PH, FIELD	1.0		7.100	STANDARD
06/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		74.000	UMHOS/CM
06/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		75.000	UMHOS/CM
06/15/98	TEMPERATURE, WATER	.3		32.500	DEG C
06/15/98	TEMPERATURE, WATER	1.0		31.000	DEG C

Ouachita River Basin
Cheneire Brake west of Monroe, Louisiana — Site No. 0473

Date	Parameter	Depth meters		ppm	Units
09/21/94	DISSOLVED OXYGEN	1.0		4.060	MG/L
09/21/94	DISSOLVED OXYGEN	3.0		4.000	MG/L
09/21/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/21/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
09/21/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
09/21/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.082	
09/21/94	PH, FIELD	1.0		6.200	STANDARD
09/21/94	PH, FIELD	3.0		6.370	STANDARD
09/21/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		62.000	UMHOS/CM
09/21/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		63.000	UMHOS/CM
09/21/94	TEMPERATURE, WATER	1.0		25.390	DEG C
09/21/94	TEMPERATURE, WATER	3.0		25.170	DEG C
02/08/00	DISSOLVED OXYGEN	.3		10.300	MG/L
02/08/00	DISSOLVED OXYGEN	1.0		9.600	MG/L
02/08/00	DISSOLVED OXYGEN	1.5		8.900	MG/L
02/08/00	PH, FIELD	.3		5.200	STANDARD
02/08/00	PH, FIELD	1.0		5.100	STANDARD
02/08/00	PH, FIELD	1.5		5.000	STANDARD
02/08/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		54.000	UMHOS/CM
02/08/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		49.000	UMHOS/CM
02/08/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		48.000	UMHOS/CM
02/08/00	TEMPERATURE, WATER	.3		9.100	DEG C
02/08/00	TEMPERATURE, WATER	1.0		8.300	DEG C
02/08/00	TEMPERATURE, WATER	1.5		8.000	DEG C

Ouachita River Basin
Cheniere Brake Lake south of West Monroe, Louisiana — Site No. 0788

Date	Parameter	Depth meters		ppm	Units
07/27/99	DISSOLVED OXYGEN	.3		7.900	MG/L
07/27/99	DISSOLVED OXYGEN	1.0		7.800	MG/L
07/27/99	DISSOLVED OXYGEN	3.3		.300	MG/L
07/27/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/27/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.148	
07/27/99	PH, FIELD	.3		6.200	STANDARD
07/27/99	PH, FIELD	1.0		6.300	STANDARD
07/27/99	PH, FIELD	3.3		6.400	STANDARD
07/27/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		55.000	UMHOS/CM
07/27/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		56.000	UMHOS/CM
07/27/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.3		261.000	UMHOS/CM
07/27/99	TEMPERATURE, WATER	.3		34.200	DEG C
07/27/99	TEMPERATURE, WATER	1.0		32.200	DEG C
07/27/99	TEMPERATURE, WATER	3.3		20.300	DEG C
02/08/00	DISSOLVED OXYGEN	.3		9.300	MG/L

02/08/00	DISSOLVED OXYGEN	1.0		8.900	MG/L
02/08/00	DISSOLVED OXYGEN	1.5		9.900	MG/L
02/08/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
02/08/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.319	
02/08/00	PH, FIELD	.3		5.500	STANDARD
02/08/00	PH, FIELD	1.0		5.400	STANDARD
02/08/00	PH, FIELD	1.5		5.400	STANDARD
02/08/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		58.000	UMHOS/CM
02/08/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		58.000	UMHOS/CM
02/08/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		58.000	UMHOS/CM
02/08/00	TEMPERATURE, WATER	.3		9.700	DEG C
02/08/00	TEMPERATURE, WATER	1.0		8.500	DEG C
02/08/00	TEMPERATURE, WATER	1.5		8.400	DEG C
08/28/00	DISSOLVED OXYGEN	.3		6.500	MG/L
08/28/00	DISSOLVED OXYGEN	1.0		6.800	MG/L
08/28/00	DISSOLVED OXYGEN	2.0		1.000	MG/L
08/28/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/28/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.102	
08/28/00	PH, FIELD	.3		7.500	STANDARD
08/28/00	PH, FIELD	1.0		7.400	STANDARD
08/28/00	PH, FIELD	2.0		7.100	STANDARD
08/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		71.000	UMHOS/CM
08/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		73.000	UMHOS/CM
08/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		87.000	UMHOS/CM
08/28/00	TEMPERATURE, WATER	.3		33.400	DEG C
08/28/00	TEMPERATURE, WATER	1.0		30.600	DEG C
08/28/00	TEMPERATURE, WATER	2.0		28.900	DEG C

Ouachita River Basin
Corney Lake at Spillway Site No. 0783

Date	Parameter	Depth meters		ppm	Units
07/13/99	DISSOLVED OXYGEN	.3		5.800	MG/L
07/13/99	DISSOLVED OXYGEN	1.0		5.400	MG/L
07/13/99	DISSOLVED OXYGEN	3.5		.400	MG/L
07/13/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/13/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.232	
07/13/99	PH, FIELD	.3		6.300	STANDARD
07/13/99	PH, FIELD	1.0		6.200	STANDARD
07/13/99	PH, FIELD	3.5		6.200	STANDARD
07/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		110.000	UMHOS/CM
07/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		110.000	UMHOS/CM
07/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		190.000	UMHOS/CM
07/13/99	TEMPERATURE, WATER	.3		29.500	DEG C
07/13/99	TEMPERATURE, WATER	1.0		29.200	DEG C
07/13/99	TEMPERATURE, WATER	3.5		25.300	DEG C
07/10/00	DISSOLVED OXYGEN	.3		7.400	MG/L
07/10/00	DISSOLVED OXYGEN	1.0		6.700	MG/L
07/10/00	DISSOLVED OXYGEN	2.5		1.200	MG/L
07/10/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/10/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.243	
07/10/00	PH, FIELD	.3		6.100	STANDARD
07/10/00	PH, FIELD	1.0		5.900	STANDARD
07/10/00	PH, FIELD	2.5		5.400	STANDARD
07/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		293.000	UMHOS/CM
07/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		294.000	UMHOS/CM
07/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		625.000	UMHOS/CM
07/10/00	TEMPERATURE, WATER	.3		32.600	DEG C
07/10/00	TEMPERATURE, WATER	1.0		32.500	DEG C
07/10/00	TEMPERATURE, WATER	2.5		27.500	DEG C

Ouachita River Basin
Finch Lake West of Ouachita River Site No. 0997

Date	Parameter	Depth meters		ppm	Units
02/07/00	DISSOLVED OXYGEN	.3		13.100	MG/L
02/07/00	DISSOLVED OXYGEN	1.0		13.100	MG/L
02/07/00	DISSOLVED OXYGEN	2.0		11.100	MG/L
02/07/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/07/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.328	
02/07/00	PH, FIELD	.3		5.900	STANDARD
02/07/00	PH, FIELD	1.0		5.900	STANDARD

02/07/00	PH, FIELD	2.0		5.700	STANDARD
02/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		150.000	UMHOS/CM
02/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		150.000	UMHOS/CM
02/07/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		151.000	UMHOS/CM
02/07/00	TEMPERATURE, WATER	.3		8.100	DEG C
02/07/00	TEMPERATURE, WATER	1.0		8.100	DEG C
02/07/00	TEMPERATURE, WATER	2.0		8.700	DEG C
08/29/00	DISSOLVED OXYGEN	.3		6.200	MG/L
08/29/00	DISSOLVED OXYGEN	1.5		4.900	MG/L
08/29/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/29/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.182	
08/29/00	PH, FIELD	.3		7.400	STANDARD
08/29/00	PH, FIELD	1.5		7.300	STANDARD
08/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		146.000	UMHOS/CM
08/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		146.000	UMHOS/CM
08/29/00	TEMPERATURE, WATER	.3		31.100	DEG C
08/29/00	TEMPERATURE, WATER	1.5		30.600	DEG C

Ouachita River Basin
Hilliards Coupe South Southeast of Hebert, Louisiana — Site No. 1003

Date	Parameter	Depth meters		ppm	Units
04/11/00	DISSOLVED OXYGEN	.3		10.500	MG/L
04/11/00	DISSOLVED OXYGEN	1.0		10.000	MG/L
04/11/00	DISSOLVED OXYGEN	3.0		3.200	MG/L
04/11/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
04/11/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.174	
04/11/00	PH, FIELD	.3		7.800	STANDARD
04/11/00	PH, FIELD	1.0		7.800	STANDARD
04/11/00	PH, FIELD	3.0		6.800	STANDARD
04/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		60.000	UMHOS/CM
04/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		60.000	UMHOS/CM
04/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		59.000	UMHOS/CM
04/11/00	TEMPERATURE, WATER	.3		21.700	DEG C
04/11/00	TEMPERATURE, WATER	1.0		21.100	DEG C
04/11/00	TEMPERATURE, WATER	3.0		19.800	DEG C

Ouachita River Basin
Horseshoe Lake near Lamkin, Louisiana — Site No. 0879

Date	Parameter	Depth meters		ppm	Units
07/26/99	DISSOLVED OXYGEN	.3		9.600	MG/L
07/26/99	DISSOLVED OXYGEN	1.0		9.900	MG/L
07/26/99	DISSOLVED OXYGEN	3.0		.300	MG/L
07/26/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/26/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.175	
07/26/99	PH, FIELD	.3		7.600	STANDARD
07/26/99	PH, FIELD	1.0		7.900	STANDARD
07/26/99	PH, FIELD	3.0		6.900	STANDARD
07/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		93.000	UMHOS/CM
07/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		93.000	UMHOS/CM
07/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		138.000	UMHOS/CM
07/26/99	TEMPERATURE, WATER	.3		35.700	DEG C
07/26/99	TEMPERATURE, WATER	1.0		35.700	DEG C
07/26/99	TEMPERATURE, WATER	3.0		30.000	DEG C

Ouachita River Basin
Lac Des Allemands, Louisiana — Site No. 1028

Date	Parameter	Depth meters		ppm	Units
08/02/00	DISSOLVED OXYGEN	.3		13.700	MG/L
08/02/00	DISSOLVED OXYGEN	1.0		9.600	MG/L
08/02/00	DISSOLVED OXYGEN	2.5		3.000	MG/L
08/02/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/02/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.101	
08/02/00	PH, FIELD	.3		9.000	STANDARD
08/02/00	PH, FIELD	1.0		8.900	STANDARD
08/02/00	PH, FIELD	2.5		8.200	STANDARD
08/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		4354.000	UMHOS/CM
08/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		4185.000	UMHOS/CM
08/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		5174.000	UMHOS/CM

08/02/00	TEMPERATURE, WATER	.3		31.000	DEG C
08/02/00	TEMPERATURE, WATER	1.0		29.900	DEG C
08/02/00	TEMPERATURE, WATER	2.5		29.000	DEG C

Ouachita River Basin
Lake Bartholomew East of Sterlington — Site No. 0754

Date	Parameter	Depth meters		ppm	Units
08/12/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/17/98	DISSOLVED OXYGEN	.3		8.900	MG/L
08/17/98	DISSOLVED OXYGEN	1.0		10.000	MG/L
08/17/98	DISSOLVED OXYGEN	4.3		1.100	MG/L
08/17/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.090	
08/17/98	PH, FIELD	.3		7.300	STANDARD
08/17/98	PH, FIELD	1.0		7.500	STANDARD
08/17/98	PH, FIELD	4.3		6.900	STANDARD
08/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		209.000	UMHOS/CM
08/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		211.000	UMHOS/CM
08/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.3		224.000	UMHOS/CM
08/17/98	TEMPERATURE, WATER	.3		31.900	DEG C
08/17/98	TEMPERATURE, WATER	1.0		29.600	DEG C
08/17/98	TEMPERATURE, WATER	4.3		27.800	DEG C

Ouachita River Basin
Lake Bruin at Lake Bruin State Park, near St. Joseph, Louisiana — Site No. 0141

Date	Parameter	Depth meters		ppm	Units
03/16/99	DISSOLVED OXYGEN	.3		11.300	MG/L
03/16/99	DISSOLVED OXYGEN	1.0		11.000	MG/L
03/16/99	DISSOLVED OXYGEN	6.5		9.200	MG/L
03/16/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/16/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.029	
03/16/99	PH, FIELD	.3		8.200	STANDARD
03/16/99	PH, FIELD	1.0		8.200	STANDARD
03/16/99	PH, FIELD	6.5		7.900	STANDARD
03/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		176.000	UMHOS/CM
03/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		176.000	UMHOS/CM
03/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.5		177.000	UMHOS/CM
03/16/99	TEMPERATURE, WATER	.3		16.100	DEG C
03/16/99	TEMPERATURE, WATER	1.0		16.100	DEG C
03/16/99	TEMPERATURE, WATER	6.5		14.300	DEG C

Ouachita River Basin
Lake Claiborne southwest of Lisbon, Louisiana — Site No. 0882

Date	Parameter	Depth meters		ppm	Units
07/13/99	DISSOLVED OXYGEN	.3		7.500	MG/L
07/13/99	DISSOLVED OXYGEN	1.0		7.500	MG/L
07/13/99	DISSOLVED OXYGEN	6.5		.600	MG/L
07/13/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/13/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.063	
07/13/99	PH, FIELD	.3		7.200	STANDARD
07/13/99	PH, FIELD	1.0		7.300	STANDARD
07/13/99	PH, FIELD	6.5		6.500	STANDARD
07/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		49.000	UMHOS/CM
07/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		48.000	UMHOS/CM
07/13/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.5		76.000	UMHOS/CM
07/13/99	TEMPERATURE, WATER	.3		31.100	DEG C
07/13/99	TEMPERATURE, WATER	1.0		30.800	DEG C
07/13/99	TEMPERATURE, WATER	6.5		22.600	DEG C

Ouachita River Basin
Lake D'Arbonne at Farmerville, Louisiana — Site No. 0326

Date	Parameter	Depth meters		ppm	Units
09/20/94	DISSOLVED OXYGEN	1.0		7.170	MG/L
09/20/94	DISSOLVED OXYGEN	5.0		5.700	MG/L
09/20/94	DISSOLVED OXYGEN	10.0		5.790	MG/L
09/20/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
09/20/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG

09/20/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.157	
09/20/94	PH, FIELD	1.0		6.670	STANDARD
09/20/94	PH, FIELD	5.0		6.640	STANDARD
09/20/94	PH, FIELD	10.0		6.670	STANDARD
09/20/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		126.000	UMHOS/CM
09/20/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		121.000	UMHOS/CM
09/20/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		124.000	UMHOS/CM
09/20/94	TEMPERATURE, WATER	1.0		26.720	DEG C
09/20/94	TEMPERATURE, WATER	5.0		26.310	DEG C
09/20/94	TEMPERATURE, WATER	10.0		26.180	DEG C
07/12/99	DISSOLVED OXYGEN	.3		8.000	MG/L
07/12/99	DISSOLVED OXYGEN	1.0		7.700	MG/L
07/12/99	DISSOLVED OXYGEN	3.0		4.600	MG/L
07/12/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/12/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.136	
07/12/99	PH, FIELD	.3		7.000	STANDARD
07/12/99	PH, FIELD	1.0		6.900	STANDARD
07/12/99	PH, FIELD	3.0		6.700	STANDARD
07/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		89.000	UMHOS/CM
07/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		89.000	UMHOS/CM
07/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		91.000	UMHOS/CM
07/12/99	TEMPERATURE, WATER	.3		30.900	DEG C
07/12/99	TEMPERATURE, WATER	1.0		30.800	DEG C
07/12/99	TEMPERATURE, WATER	3.0		29.300	DEG C

Ouachita River Basin
Lake Lafourche North of Rayville, Louisiana — Site No. 0738

Date	Parameter	Depth meters		ppm	Units
06/16/98	DISSOLVED OXYGEN	.3		7.500	MG/L
06/16/98	DISSOLVED OXYGEN	1.0		6.400	MG/L
06/16/98	DISSOLVED OXYGEN	4.5		.400	MG/L
06/16/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/16/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
06/16/98	PH, FIELD	.3		8.300	STANDARD
06/16/98	PH, FIELD	1.0		8.000	STANDARD
06/16/98	PH, FIELD	4.5		7.100	STANDARD
06/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		328.000	UMHOS/CM
06/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		327.000	UMHOS/CM
06/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		390.000	UMHOS/CM
06/16/98	TEMPERATURE, WATER	.3		31.200	DEG C
06/16/98	TEMPERATURE, WATER	1.0		30.400	DEG C
06/16/98	TEMPERATURE, WATER	4.5		26.100	DEG C

Ouachita River Basin
Lake Louis West of Sicily Island, Louisiana — Site No. 0774

Date	Parameter	Depth meters		ppm	Units
10/13/98	DISSOLVED OXYGEN	.3		10.200	MG/L
10/13/98	DISSOLVED OXYGEN	1.0		9.700	MG/L
10/13/98	DISSOLVED OXYGEN	10.0		.500	MG/L
10/13/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/13/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.057	
10/13/98	PH, FIELD	.3		8.500	STANDARD
10/13/98	PH, FIELD	1.0		7.900	STANDARD
10/13/98	PH, FIELD	10.0		5.100	STANDARD
10/13/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		207.000	UMHOS/CM
10/13/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		207.000	UMHOS/CM
10/13/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		2570.000	UMHOS/CM
10/13/98	TEMPERATURE, WATER	.3		25.900	DEG C
10/13/98	TEMPERATURE, WATER	1.0		25.800	DEG C
10/13/98	TEMPERATURE, WATER	10.0		16.800	DEG C

Ouachita River Basin
Lake Providence at mid lake near Lake Providence, Louisiana — Site No. 0134

Date	Parameter	Depth meters		ppm	Units
08/11/98	DISSOLVED OXYGEN	.3		11.100	MG/L
08/11/98	DISSOLVED OXYGEN	1.0		11.400	MG/L
08/11/98	DISSOLVED OXYGEN	6.0		1.500	MG/L
08/11/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG

08/11/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.132	
08/11/98	PH, FIELD	.3		9.600	STANDARD
08/11/98	PH, FIELD	1.0		9.500	STANDARD
08/11/98	PH, FIELD	6.0		7.800	STANDARD
08/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		169.000	UMHOS/CM
08/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		170.000	UMHOS/CM
08/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		174.000	UMHOS/CM
08/11/98	TEMPERATURE, WATER	.3		31.800	DEG C
08/11/98	TEMPERATURE, WATER	1.0		31.700	DEG C
08/11/98	TEMPERATURE, WATER	6.0		30.200	DEG C

Ouachita River Basin
Lake Saint Joseph southeast of Newellton, Louisiana — Site No. 0361

Date	Parameter	Depth meters		ppm	Units
03/16/99	DISSOLVED OXYGEN	.3		10.900	MG/L
03/16/99	DISSOLVED OXYGEN	1.0		10.800	MG/L
03/16/99	DISSOLVED OXYGEN	1.5		7.800	MG/L
03/16/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/16/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.049	
03/16/99	PH, FIELD	.3		7.700	STANDARD
03/16/99	PH, FIELD	1.0		7.700	STANDARD
03/16/99	PH, FIELD	1.5		7.300	STANDARD
03/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		115.000	UMHOS/CM
03/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		113.000	UMHOS/CM
03/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		114.000	UMHOS/CM
03/16/99	TEMPERATURE, WATER	.3		14.500	DEG C
03/16/99	TEMPERATURE, WATER	1.0		12.200	DEG C
03/16/99	TEMPERATURE, WATER	1.5		11.400	DEG C

Ouachita River Basin
Little River near Archie - Upstream of Weir — Site No. 1011

Date	Parameter	Depth meters		ppm	Units
05/30/00	DISSOLVED OXYGEN	.3		8.500	MG/L
05/30/00	DISSOLVED OXYGEN	1.0		6.200	MG/L
05/30/00	DISSOLVED OXYGEN	5.0		.600	MG/L
05/30/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.500	UG/L AS HG
05/30/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.060	
05/30/00	PH, FIELD	.3		6.000	STANDARD
05/30/00	PH, FIELD	1.0		6.000	STANDARD
05/30/00	PH, FIELD	5.0		5.800	STANDARD
05/30/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		119.000	UMHOS/CM
05/30/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		118.000	UMHOS/CM
05/30/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		146.000	UMHOS/CM
05/30/00	TEMPERATURE, WATER	.3		30.600	DEG C
05/30/00	TEMPERATURE, WATER	1.0		28.900	DEG C
05/30/00	TEMPERATURE, WATER	5.0		25.400	DEG C

Ouachita River Basin
Little River near Jonesville, Louisiana — Site No. 1010

Date	Parameter	Depth meters		ppm	Units
06/01/00	DISSOLVED OXYGEN	.3		9.900	MG/L
06/01/00	DISSOLVED OXYGEN	1.0		9.800	MG/L
06/01/00	DISSOLVED OXYGEN	5.5		2.500	MG/L
06/01/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.080	UG/L AS HG
06/01/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.065	
06/01/00	PH, FIELD	.3		7.900	STANDARD
06/01/00	PH, FIELD	1.0		7.900	STANDARD
06/01/00	PH, FIELD	5.5		6.800	STANDARD
06/01/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		160.000	UMHOS/CM
06/01/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		158.000	UMHOS/CM
06/01/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		183.000	UMHOS/CM
06/01/00	TEMPERATURE, WATER	.3		34.400	DEG C
06/01/00	TEMPERATURE, WATER	1.0		30.500	DEG C
06/01/00	TEMPERATURE, WATER	5.5		24.000	DEG C

Ouachita River Basin
Little River southwest of Jena, Louisiana — Site No. 0089

Date	Parameter	Depth meters		ppm	Units
10/08/96	DISSOLVED OXYGEN	.3		7.100	MG/L
10/08/96	DISSOLVED OXYGEN	1.5		7.200	MG/L
10/08/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/08/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.153	
10/08/96	PH, FIELD	.3		7.500	STANDARD
10/08/96	PH, FIELD	1.5		7.500	STANDARD
10/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		344.000	UMHOS/CM
10/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		346.000	UMHOS/CM
10/08/96	TEMPERATURE, WATER	.3		21.500	DEG C
10/08/96	TEMPERATURE, WATER	1.5		21.400	DEG C
05/16/00	DISSOLVED OXYGEN	.3		5.800	MG/L
05/16/00	DISSOLVED OXYGEN	1.0		5.600	MG/L
05/16/00	DISSOLVED OXYGEN	6.5		5.100	MG/L
05/16/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/16/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.024	
05/16/00	PH, FIELD	.3		6.000	STANDARD
05/16/00	PH, FIELD	1.0		6.100	STANDARD
05/16/00	PH, FIELD	6.5		6.100	STANDARD
05/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		132.000	UMHOS/CM
05/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		132.000	UMHOS/CM
05/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.5		131.000	UMHOS/CM
05/16/00	TEMPERATURE, WATER	.3		26.600	DEG C
05/16/00	TEMPERATURE, WATER	1.0		25.600	DEG C
05/16/00	TEMPERATURE, WATER	6.5		24.200	DEG C

Ouachita River Basin
Moon Lake, Louisiana — Site No. 1025

Date	Parameter	Depth meters		ppm	Units
06/27/00	DISSOLVED OXYGEN	.3		7.500	MG/L
06/27/00	DISSOLVED OXYGEN	1.0		5.300	MG/L
06/27/00	DISSOLVED OXYGEN	2.0		.800	MG/L
06/27/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/27/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.107	
06/27/00	PH, FIELD	.3		6.500	STANDARD
06/27/00	PH, FIELD	1.0		6.200	STANDARD
06/27/00	PH, FIELD	2.0		6.400	STANDARD
06/27/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		80.000	UMHOS/CM
06/27/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		79.000	UMHOS/CM
06/27/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		89.000	UMHOS/CM
06/27/00	TEMPERATURE, WATER	.3		29.100	DEG C
06/27/00	TEMPERATURE, WATER	1.0		28.100	DEG C
06/27/00	TEMPERATURE, WATER	2.0		27.100	DEG C

Ouachita River Basin
Morengo Lake Northwest of Mason, Louisiana — Site No. 1004

Date	Parameter	Depth meters		ppm	Units
04/11/00	DISSOLVED OXYGEN	.3		9.900	MG/L
04/11/00	DISSOLVED OXYGEN	1.0		9.500	MG/L
04/11/00	DISSOLVED OXYGEN	3.5		3.500	MG/L
04/11/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
04/11/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.237	
04/11/00	PH, FIELD	.3		6.400	STANDARD
04/11/00	PH, FIELD	1.0		6.500	STANDARD
04/11/00	PH, FIELD	3.5		6.200	STANDARD
04/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		57.000	UMHOS/CM
04/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		57.000	UMHOS/CM
04/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		75.000	UMHOS/CM
04/11/00	TEMPERATURE, WATER	.3		20.100	DEG C
04/11/00	TEMPERATURE, WATER	1.0		20.000	DEG C
04/11/00	TEMPERATURE, WATER	3.5		19.500	DEG C

Ouachita River Basin
Ouachita River at Columbia Lock and Dam near Riverton, Louisiana — Site No. 0770

Date	Parameter	Depth meters		ppm	Units
06/14/00	DISSOLVED OXYGEN	.3		7.000	MG/L
06/14/00	DISSOLVED OXYGEN	1.0		6.000	MG/L
06/14/00	DISSOLVED OXYGEN	7.0		4.900	MG/L
06/14/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/14/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.064	
06/14/00	PH, FIELD	.3		6.700	STANDARD
06/14/00	PH, FIELD	1.0		6.500	STANDARD
06/14/00	PH, FIELD	7.0		6.300	STANDARD
06/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		136.000	UMHOS/CM
06/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		136.000	UMHOS/CM
06/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		135.000	UMHOS/CM
06/14/00	TEMPERATURE, WATER	.3		29.300	DEG C
06/14/00	TEMPERATURE, WATER	1.0		29.100	DEG C
06/14/00	TEMPERATURE, WATER	7.0		28.200	DEG C

Ouachita River Basin
Ouachita River at Sterlington, Louisiana — Site No. 0013

Date	Parameter	Depth meters		ppm	Units
08/18/98	DISSOLVED OXYGEN	.3		6.000	MG/L
08/18/98	DISSOLVED OXYGEN	1.0		6.000	MG/L
08/18/98	DISSOLVED OXYGEN	5.5		4.600	MG/L
08/18/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/18/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.259	
08/18/98	PH, FIELD	.3		6.600	STANDARD
08/18/98	PH, FIELD	1.0		6.600	STANDARD
08/18/98	PH, FIELD	5.5		6.800	STANDARD
08/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		169.000	UMHOS/CM
08/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		169.000	UMHOS/CM
08/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		163.000	UMHOS/CM
08/18/98	TEMPERATURE, WATER	.3		30.700	DEG C
08/18/98	TEMPERATURE, WATER	1.0		30.700	DEG C
08/18/98	TEMPERATURE, WATER	5.5		30.200	DEG C

Ouachita River Basin
Ouachita River near Columbia, Louisiana — Site No. 0543

Date	Parameter	Depth meters		ppm	Units
08/23/96	DISSOLVED OXYGEN	.2		5.030	MG/L
08/23/96	DISSOLVED OXYGEN	3.5		4.790	MG/L
08/23/96	DISSOLVED OXYGEN	7.0		4.850	MG/L
08/23/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/23/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/23/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
08/23/96	PH, FIELD	.2		6.420	STANDARD
08/23/96	PH, FIELD	3.5		6.250	STANDARD
08/23/96	PH, FIELD	7.0		6.220	STANDARD
08/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		141.000	UMHOS/CM
08/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		141.000	UMHOS/CM
08/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		141.000	UMHOS/CM
08/23/96	TEMPERATURE, WATER	.2		29.680	DEG C
08/23/96	TEMPERATURE, WATER	3.5		29.360	DEG C
08/23/96	TEMPERATURE, WATER	7.0		29.360	DEG C

Ouachita River Basin
Ouachita River near State Line — Site No. 0544

Date	Parameter	Depth meters		ppm	Units
08/22/96	DISSOLVED OXYGEN	.2		5.450	MG/L
08/22/96	DISSOLVED OXYGEN	2.1		5.300	MG/L
08/22/96	DISSOLVED OXYGEN	4.2		5.380	MG/L
08/22/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/22/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/22/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
08/22/96	PH, FIELD	.2		6.340	STANDARD
08/22/96	PH, FIELD	2.1		6.140	STANDARD

08/22/96	PH, FIELD	4.2		6.040	STANDARD
08/22/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		179.000	UMHOS/CM
08/22/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.1		179.000	UMHOS/CM
08/22/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.2		179.000	UMHOS/CM
08/22/96	TEMPERATURE, WATER	.2		29.570	DEG C
08/22/96	TEMPERATURE, WATER	2.1		29.480	DEG C
08/22/96	TEMPERATURE, WATER	4.2		29.460	DEG C

Ouachita River Basin
Phillips Lake northeast of Crossroads, Louisiana — Site No. 0883

Date	Parameter	Depth meters		ppm	Units
07/27/99	DISSOLVED OXYGEN	.3		4.500	MG/L
07/27/99	DISSOLVED OXYGEN	1.0		2.500	MG/L
07/27/99	DISSOLVED OXYGEN	2.5		.300	MG/L
07/27/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/27/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.062	
07/27/99	PH, FIELD	.3		6.300	STANDARD
07/27/99	PH, FIELD	1.0		6.400	STANDARD
07/27/99	PH, FIELD	2.5		6.400	STANDARD
07/27/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		250.000	UMHOS/CM
07/27/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		252.000	UMHOS/CM
07/27/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		254.000	UMHOS/CM
07/27/99	TEMPERATURE, WATER	.3		31.400	DEG C
07/27/99	TEMPERATURE, WATER	1.0		30.800	DEG C
07/27/99	TEMPERATURE, WATER	2.5		27.900	DEG C
09/20/99	DISSOLVED OXYGEN	.3		8.200	MG/L
09/20/99	DISSOLVED OXYGEN	1.0		7.700	MG/L
09/20/99	DISSOLVED OXYGEN	3.0		1.300	MG/L
09/20/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/20/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.125	
09/20/99	PH, FIELD	.3		5.300	STANDARD
09/20/99	PH, FIELD	1.0		5.200	STANDARD
09/20/99	PH, FIELD	3.0		5.500	STANDARD
09/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		669.000	UMHOS/CM
09/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		660.000	UMHOS/CM
09/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		667.000	UMHOS/CM
09/20/99	TEMPERATURE, WATER	.3		27.000	DEG C
09/20/99	TEMPERATURE, WATER	1.0		26.600	DEG C
09/20/99	TEMPERATURE, WATER	3.0		24.300	DEG C
12/05/00	DISSOLVED OXYGEN	.3		7.700	MG/L
12/05/00	DISSOLVED OXYGEN	1.0		7.600	MG/L
12/05/00	DISSOLVED OXYGEN	2.5		7.400	MG/L
12/05/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/05/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.261	
12/05/00	PH, FIELD	.3		7.100	STANDARD
12/05/00	PH, FIELD	1.0		6.900	STANDARD
12/05/00	PH, FIELD	2.5		6.400	STANDARD
12/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		244.000	UMHOS/CM
12/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		243.000	UMHOS/CM
12/05/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		244.000	UMHOS/CM
12/05/00	TEMPERATURE, WATER	.3		7.300	DEG C
12/05/00	TEMPERATURE, WATER	1.0		7.300	DEG C
12/05/00	TEMPERATURE, WATER	2.5		7.300	DEG C

Ouachita River Basin
Tensas River at Cooter Point — Site No. 0540

Date	Parameter	Depth meters		ppm	Units
08/15/96	DISSOLVED OXYGEN	.5		8.840	MG/L
08/15/96	DISSOLVED OXYGEN	2.1		4.920	MG/L
08/15/96	DISSOLVED OXYGEN	3.5		3.530	MG/L
08/15/96	DISSOLVED OXYGEN	5.7		.120	MG/L
08/15/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/15/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.394	
08/15/96	PH, FIELD	.5		8.090	STANDARD
08/15/96	PH, FIELD	2.1		7.470	STANDARD
08/15/96	PH, FIELD	3.5		7.310	STANDARD
08/15/96	PH, FIELD	5.7		6.570	STANDARD
08/15/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		363.000	UMHOS/CM
08/15/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.1		357.000	UMHOS/CM
08/15/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		352.000	UMHOS/CM

08/15/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.7		364.000	UMHOS/CM
08/15/96	TEMPERATURE, WATER	.5		32.030	DEG C
08/15/96	TEMPERATURE, WATER	2.1		28.810	DEG C
08/15/96	TEMPERATURE, WATER	3.5		28.630	DEG C
08/15/96	TEMPERATURE, WATER	5.7		27.330	DEG C
12/10/97	DISSOLVED OXYGEN	.3		7.500	MG/L
12/10/97	DISSOLVED OXYGEN	1.0		7.400	MG/L
12/10/97	DISSOLVED OXYGEN	4.0		7.400	MG/L
12/10/97	DISSOLVED OXYGEN	11.0		.400	MG/L
12/10/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/10/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.002	
12/10/97	PH, FIELD	.3		6.800	STANDARD
12/10/97	PH, FIELD	1.0		6.900	STANDARD
12/10/97	PH, FIELD	4.0		6.900	STANDARD
12/10/97	PH, FIELD	11.0		6.300	STANDARD
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		180.000	UMHOS/CM
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		178.000	UMHOS/CM
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		175.000	UMHOS/CM
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	11.0		1375.000	UMHOS/CM
12/10/97	TEMPERATURE, WATER	.3		10.400	DEG C
12/10/97	TEMPERATURE, WATER	1.0		10.400	DEG C
12/10/97	TEMPERATURE, WATER	4.0		10.200	DEG C
12/10/97	TEMPERATURE, WATER	11.0		19.400	DEG C

Ouachita River Basin
Tew Lake near Wallace Ridge, Louisiana — Site No. 1005

Date	Parameter	Depth meters		ppm	Units
02/29/00	DISSOLVED OXYGEN	.3		11.000	MG/L
02/29/00	DISSOLVED OXYGEN	1.0		10.400	MG/L
02/29/00	DISSOLVED OXYGEN	3.5		7.900	MG/L
02/29/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/29/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.170	
02/29/00	PH, FIELD	.3		7.100	STANDARD
02/29/00	PH, FIELD	1.0		7.100	STANDARD
02/29/00	PH, FIELD	3.5		6.700	STANDARD
02/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		48.000	UMHOS/CM
02/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		47.000	UMHOS/CM
02/29/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		48.000	UMHOS/CM
02/29/00	TEMPERATURE, WATER	.3		19.100	DEG C
02/29/00	TEMPERATURE, WATER	1.0		18.700	DEG C
02/29/00	TEMPERATURE, WATER	3.5		17.200	DEG C
10/11/00	DISSOLVED OXYGEN	.3		8.600	MG/L
10/11/00	DISSOLVED OXYGEN	1.0		8.600	MG/L
10/11/00	DISSOLVED OXYGEN	3.1		6.100	MG/L
10/11/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
10/11/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.079	
10/11/00	PH, FIELD	.3		7.900	STANDARD
10/11/00	PH, FIELD	1.0		7.800	STANDARD
10/11/00	PH, FIELD	3.1		7.700	STANDARD
10/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		81.000	UMHOS/CM
10/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		83.000	UMHOS/CM
10/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.1		83.000	UMHOS/CM
10/11/00	TEMPERATURE, WATER	.3		18.900	DEG C
10/11/00	TEMPERATURE, WATER	1.0		19.000	DEG C
10/11/00	TEMPERATURE, WATER	3.1		17.800	DEG C

Ouachita River Basin
Turkey Creek Lake south of Winnsboro, Louisiana — Site No. 0372

Date	Parameter	Depth meters		ppm	Units
12/10/97	DISSOLVED OXYGEN	.3		8.600	MG/L
12/10/97	DISSOLVED OXYGEN	1.0		8.500	MG/L
12/10/97	DISSOLVED OXYGEN	4.0		8.400	MG/L
12/10/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/10/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.004	
12/10/97	PH, FIELD	.3		6.700	STANDARD
12/10/97	PH, FIELD	1.0		6.800	STANDARD
12/10/97	PH, FIELD	4.0		6.800	STANDARD
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		221.000	UMHOS/CM
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		222.000	UMHOS/CM
12/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		222.000	UMHOS/CM

12/10/97	TEMPERATURE, WATER	.3		11.700	DEG C
12/10/97	TEMPERATURE, WATER	1.0		11.700	DEG C
12/10/97	TEMPERATURE, WATER	4.0		11.800	DEG C

Ouachita River Basin
Wall Lake, Louisiana — Site No. 1026

Date	Parameter	Depth meters		ppm	Units
06/27/00	DISSOLVED OXYGEN	.3		9.600	MG/L
06/27/00	DISSOLVED OXYGEN	1.0		7.600	MG/L
06/27/00	DISSOLVED OXYGEN	3.0		1.800	MG/L
06/27/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/27/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.174	
06/27/00	PH, FIELD	.3		7.000	STANDARD
06/27/00	PH, FIELD	1.0		6.800	STANDARD
06/27/00	PH, FIELD	3.0		6.600	STANDARD
06/27/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		116.000	UMHOS/CM
06/27/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		116.000	UMHOS/CM
06/27/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		1.300	UMHOS/CM
06/27/00	TEMPERATURE, WATER	.3		30.900	DEG C
06/27/00	TEMPERATURE, WATER	1.0		29.800	DEG C
06/27/00	TEMPERATURE, WATER	3.0		28.300	DEG C

Ouachita River Basin
Wallace Lake near Quaid, Louisiana — Site No. 1007

Date	Parameter	Depth meters		ppm	Units
03/28/00	DISSOLVED OXYGEN	.3		9.900	MG/L
03/28/00	DISSOLVED OXYGEN	1.0		7.900	MG/L
03/28/00	DISSOLVED OXYGEN	5.0		1.100	MG/L
03/28/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/28/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.100	
03/28/00	PH, FIELD	.3		5.300	STANDARD
03/28/00	PH, FIELD	1.0		5.400	STANDARD
03/28/00	PH, FIELD	5.0		5.300	STANDARD
03/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		60.000	UMHOS/CM
03/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		59.000	UMHOS/CM
03/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		61.000	UMHOS/CM
03/28/00	TEMPERATURE, WATER	.3		23.200	DEG C
03/28/00	TEMPERATURE, WATER	1.0		20.800	DEG C
03/28/00	TEMPERATURE, WATER	5.0		17.100	DEG C
10/09/00	DISSOLVED OXYGEN	.3		8.700	MG/L
10/09/00	DISSOLVED OXYGEN	1.0		8.500	MG/L
10/09/00	DISSOLVED OXYGEN	4.0		6.800	MG/L
10/09/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/09/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.074	
10/09/00	PH, FIELD	.3		8.200	STANDARD
10/09/00	PH, FIELD	1.0		8.200	STANDARD
10/09/00	PH, FIELD	4.0		7.900	STANDARD
10/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		87.000	UMHOS/CM
10/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		87.000	UMHOS/CM
10/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		88.000	UMHOS/CM
10/09/00	TEMPERATURE, WATER	.3		20.000	DEG C
10/09/00	TEMPERATURE, WATER	1.0		20.000	DEG C
10/09/00	TEMPERATURE, WATER	4.0		19.700	DEG C

Ouachita River Basin
Woolen Lake — Site No. 0742

Date	Parameter	Depth meters		ppm	Units
06/17/98	DISSOLVED OXYGEN	.3		10.700	MG/L
06/17/98	DISSOLVED OXYGEN	1.0		10.100	MG/L
06/17/98	DISSOLVED OXYGEN	3.0		2.000	MG/L
06/17/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/17/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
06/17/98	PH, FIELD	.3		9.900	STANDARD
06/17/98	PH, FIELD	1.0		9.800	STANDARD
06/17/98	PH, FIELD	3.0		6.900	STANDARD
06/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		71.000	UMHOS/CM
06/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		70.000	UMHOS/CM
06/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		69.000	UMHOS/CM

06/17/98	TEMPERATURE, WATER	.3	32.000	DEG C
06/17/98	TEMPERATURE, WATER	1.0	31.800	DEG C
06/17/98	TEMPERATURE, WATER	3.0	30.100	DEG C

Pearl River Basin
Bogue Chitto River near Bush, Louisiana — Site No. 0064

Date	Parameter	Depth meters		ppm	Units
08/31/94	DISSOLVED OXYGEN	2.5		6.800	MG/L
08/31/94	DISSOLVED OXYGEN	.0		7.230	MG/L
08/31/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/31/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/31/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.045	
08/31/94	PH, FIELD	2.5		6.060	STANDARD
08/31/94	PH, FIELD	.0		6.120	STANDARD
08/31/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		46.000	UMHOS/CM
08/31/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		44.000	UMHOS/CM
08/31/94	TEMPERATURE, WATER	2.5		28.000	DEG C
08/31/94	TEMPERATURE, WATER	.0		27.970	DEG C
05/25/95	DISSOLVED OXYGEN	.2		7.570	MG/L
05/25/95	DISSOLVED OXYGEN	1.2		7.500	MG/L
05/25/95	DISSOLVED OXYGEN	2.5		7.500	MG/L
05/25/95	PH, FIELD	.2		6.380	STANDARD
05/25/95	PH, FIELD	1.2		6.380	STANDARD
05/25/95	PH, FIELD	2.5		6.370	STANDARD
05/25/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		39.400	UMHOS/CM
05/25/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.2		39.600	UMHOS/CM
05/25/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		39.700	UMHOS/CM
05/25/95	TEMPERATURE, WATER	.2		26.100	DEG C
05/25/95	TEMPERATURE, WATER	1.2		26.020	DEG C
05/25/95	TEMPERATURE, WATER	2.5		26.050	DEG C
05/08/96	DISSOLVED OXYGEN	.2		7.440	MG/L
05/08/96	DISSOLVED OXYGEN	2.5		7.340	MG/L
05/08/96	PH, FIELD	.2		6.430	STANDARD
05/08/96	PH, FIELD	2.5		6.400	STANDARD
05/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		41.300	UMHOS/CM
05/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		41.500	UMHOS/CM
05/08/96	TEMPERATURE, WATER	.2		25.740	DEG C
05/08/96	TEMPERATURE, WATER	2.5		25.740	DEG C
05/18/99	DISSOLVED OXYGEN	.3		8.900	MG/L
05/18/99	DISSOLVED OXYGEN	1.0		8.800	MG/L
05/18/99	DISSOLVED OXYGEN	2.0		8.700	MG/L
05/18/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.002	
05/18/99	PH, FIELD	.3		7.500	STANDARD
05/18/99	PH, FIELD	1.0		7.400	STANDARD
05/18/99	PH, FIELD	2.0		7.300	STANDARD
05/18/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		44.000	UMHOS/CM
05/18/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		44.000	UMHOS/CM
05/18/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		44.000	UMHOS/CM
05/18/99	TEMPERATURE, WATER	.3		27.900	DEG C
05/18/99	TEMPERATURE, WATER	1.0		27.900	DEG C
05/18/99	TEMPERATURE, WATER	2.0		27.900	DEG C
05/23/00	DISSOLVED OXYGEN	.3		8.000	MG/L
05/23/00	DISSOLVED OXYGEN	1.0		7.900	MG/L
05/23/00	DISSOLVED OXYGEN	2.0		7.800	MG/L
05/23/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
05/23/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.021	
05/23/00	PH, FIELD	.3		6.000	STANDARD
05/23/00	PH, FIELD	1.0		6.000	STANDARD
05/23/00	PH, FIELD	2.0		6.100	STANDARD
05/23/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		46.000	UMHOS/CM
05/23/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		46.000	UMHOS/CM
05/23/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		46.000	UMHOS/CM
05/23/00	TEMPERATURE, WATER	.3		29.400	DEG C
05/23/00	TEMPERATURE, WATER	1.0		29.400	DEG C
05/23/00	TEMPERATURE, WATER	2.0		29.400	DEG C

Pearl River Basin
Bogue Chitto River southeast of Sun, Louisiana — Site No. 0582

Date	Parameter	Depth meters		ppm	Units
04/17/97	DISSOLVED OXYGEN	.3		7.700	MG/L
04/17/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/17/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		1.052	
04/17/97	PH, FIELD	.3		5.500	STANDARD
04/17/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		51.000	UMHOS/CM

04/17/97	TEMPERATURE, WATER	.3		17.400	DEG C

Pearl River Basin
Bogue Chitto near Clifton, Louisiana — Site No. 0507

Date	Parameter	Depth meters		ppm	Units
05/26/95	DISSOLVED OXYGEN	1.0		8.950	MG/L
05/26/95	PH, FIELD	1.0		6.470	STANDARD
05/26/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		40.600	UMHOS/CM
05/26/95	TEMPERATURE, WATER	1.0		26.800	DEG C
10/19/95	DISSOLVED OXYGEN	.2		8.720	MG/L
10/19/95	DISSOLVED OXYGEN	.5		8.700	MG/L
10/19/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/19/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/19/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
10/19/95	PH, FIELD	.2		6.690	STANDARD
10/19/95	PH, FIELD	.5		6.610	STANDARD
10/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		39.800	UMHOS/CM
10/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		39.800	UMHOS/CM
10/19/95	TEMPERATURE, WATER	.2		19.610	DEG C
10/19/95	TEMPERATURE, WATER	.5		19.620	DEG C
05/09/96	DISSOLVED OXYGEN	.1		8.320	MG/L
05/09/96	DISSOLVED OXYGEN	.9		8.200	MG/L
05/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/09/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
05/09/96	PH, FIELD	.1		6.440	STANDARD
05/09/96	PH, FIELD	.9		6.370	STANDARD
05/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		41.800	UMHOS/CM
05/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.9		41.700	UMHOS/CM
05/09/96	TEMPERATURE, WATER	.1		24.060	DEG C
05/09/96	TEMPERATURE, WATER	.9		24.060	DEG C

Pearl River Basin
Pearl River (West) east of Slidell, Louisiana — Site No. 0468

Date	Parameter	Depth meters		ppm	Units
09/01/94	DISSOLVED OXYGEN	7.0		6.540	MG/L
09/01/94	DISSOLVED OXYGEN	3.0		6.540	MG/L
09/01/94	DISSOLVED OXYGEN	.0		6.340	MG/L
09/01/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/01/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
09/01/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
09/01/94	PH, FIELD	7.0		6.410	STANDARD
09/01/94	PH, FIELD	3.0		6.500	STANDARD
09/01/94	PH, FIELD	.0		6.520	STANDARD
09/01/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		96.000	UMHOS/CM
09/01/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		101.000	UMHOS/CM
09/01/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		105.000	UMHOS/CM
09/01/94	TEMPERATURE, WATER	7.0		29.500	DEG C
09/01/94	TEMPERATURE, WATER	3.0		29.590	DEG C
09/01/94	TEMPERATURE, WATER	.0		29.610	DEG C
07/19/96	DISSOLVED OXYGEN	.2		6.450	MG/L
07/19/96	DISSOLVED OXYGEN	1.0		6.360	MG/L
07/19/96	DISSOLVED OXYGEN	1.8		6.370	MG/L
07/19/96	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
07/19/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.153	
07/19/96	PH, FIELD	.2		6.840	STANDARD
07/19/96	PH, FIELD	1.0		6.990	STANDARD
07/19/96	PH, FIELD	1.8		6.950	STANDARD
07/19/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		91.000	UMHOS/CM
07/19/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		91.000	UMHOS/CM
07/19/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		52.000	UMHOS/CM
07/19/96	TEMPERATURE, WATER	.2		30.030	DEG C
07/19/96	TEMPERATURE, WATER	1.0		30.040	DEG C
07/19/96	TEMPERATURE, WATER	1.8		30.020	DEG C

Pearl River Basin
Pearl River Diversion Canal — Site No. 0545

Date	Parameter	Depth meters		ppm	Units
08/08/96	DISSOLVED OXYGEN	2.8		.550	MG/L
08/08/96	DISSOLVED OXYGEN	1.4		3.940	MG/L
08/08/96	DISSOLVED OXYGEN	.2		6.520	MG/L
08/08/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/08/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/08/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
08/08/96	PH, FIELD	2.8		5.780	STANDARD
08/08/96	PH, FIELD	1.4		5.920	STANDARD
08/08/96	PH, FIELD	.2		6.340	STANDARD
08/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.8		52.000	UMHOS/CM
08/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.4		35.000	UMHOS/CM
08/08/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		38.000	UMHOS/CM
08/08/96	TEMPERATURE, WATER	2.8		26.000	DEG C
08/08/96	TEMPERATURE, WATER	1.4		27.510	DEG C
08/08/96	TEMPERATURE, WATER	.2		28.900	DEG C

Pearl River Basin
Pearl River at Pools Bluff, Louisiana — Site No. 0062

Date	Parameter	Depth meters		ppm	Units
05/24/00	DISSOLVED OXYGEN	.3		6.600	MG/L
05/24/00	DISSOLVED OXYGEN	1.0		6.800	MG/L
05/24/00	DISSOLVED OXYGEN	4.0		6.600	MG/L
05/24/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/24/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/24/00	PH, FIELD	.3		6.700	STANDARD
05/24/00	PH, FIELD	1.0		6.500	STANDARD
05/24/00	PH, FIELD	4.0		6.500	STANDARD
05/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		146.000	UMHOS/CM
05/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		146.000	UMHOS/CM
05/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		146.000	UMHOS/CM
05/24/00	TEMPERATURE, WATER	.3		29.100	DEG C
05/24/00	TEMPERATURE, WATER	1.0		29.100	DEG C
05/24/00	TEMPERATURE, WATER	4.0		29.100	DEG C

Pearl River Basin
Pearl River near Bogalusa, Louisiana — Site No. 0377

Date	Parameter	Depth meters		ppm	Units
08/31/94	DISSOLVED OXYGEN	.8		6.120	MG/L
08/31/94	DISSOLVED OXYGEN	3.5		6.120	MG/L
08/31/94	DISSOLVED OXYGEN	6.6		6.130	MG/L
08/31/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/31/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/31/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.214	
08/31/94	PH, FIELD	.8		7.080	STANDARD
08/31/94	PH, FIELD	3.5		7.100	STANDARD
08/31/94	PH, FIELD	6.6		7.120	STANDARD
08/31/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		122.800	UMHOS/CM
08/31/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		133.400	UMHOS/CM
08/31/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.6		133.000	UMHOS/CM
08/31/94	TEMPERATURE, WATER	.8		29.530	DEG C
08/31/94	TEMPERATURE, WATER	3.5		29.540	DEG C
08/31/94	TEMPERATURE, WATER	6.6		29.590	DEG C
05/19/99	DISSOLVED OXYGEN	.3		7.400	MG/L
05/19/99	DISSOLVED OXYGEN	1.0		7.200	MG/L
05/19/99	DISSOLVED OXYGEN	3.5		7.000	MG/L
05/19/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.000	
05/19/99	PH, FIELD	.3		7.300	STANDARD
05/19/99	PH, FIELD	1.0		7.300	STANDARD
05/19/99	PH, FIELD	3.5		7.200	STANDARD
05/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		128.000	UMHOS/CM
05/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		128.000	UMHOS/CM
05/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		128.000	UMHOS/CM
05/19/99	TEMPERATURE, WATER	.3		26.800	DEG C
05/19/99	TEMPERATURE, WATER	1.0		26.700	DEG C
05/19/99	TEMPERATURE, WATER	3.5		26.700	DEG C

07/25/96	DISSOLVED OXYGEN	.2		5.380	MG/L
07/25/96	DISSOLVED OXYGEN	.9		5.310	MG/L
07/25/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/25/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.288	
07/25/96	PH, FIELD	.2		7.270	STANDARD
07/25/96	PH, FIELD	.9		7.170	STANDARD
07/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		98.000	UMHOS/CM
07/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.9		98.000	UMHOS/CM
07/25/96	TEMPERATURE, WATER	.2		29.470	DEG C
07/25/96	TEMPERATURE, WATER	.9		29.480	DEG C

Red River Basin
Big Saline Bayou East of Deville, Louisiana — Site No. 0700

Date	Parameter	Depth meters		ppm	Units
05/05/98	DISSOLVED OXYGEN	.3		7.400	MG/L
05/05/98	DISSOLVED OXYGEN	1.0		6.900	MG/L
05/05/98	DISSOLVED OXYGEN	3.0		.600	MG/L
05/05/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/05/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/05/98	PH, FIELD	.3		6.200	STANDARD
05/05/98	PH, FIELD	1.0		6.200	STANDARD
05/05/98	PH, FIELD	3.0		5.700	STANDARD
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		54.000	UMHOS/CM
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		55.000	UMHOS/CM
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		54.000	UMHOS/CM
05/05/98	TEMPERATURE, WATER	.3		25.400	DEG C
05/05/98	TEMPERATURE, WATER	1.0		25.000	DEG C
05/05/98	TEMPERATURE, WATER	3.0		20.900	DEG C
02/16/00	DISSOLVED OXYGEN	.3		11.200	MG/L
02/16/00	DISSOLVED OXYGEN	1.0		10.400	MG/L
02/16/00	DISSOLVED OXYGEN	2.5		7.700	MG/L
02/16/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
02/16/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.174	
02/16/00	PH, FIELD	.3		6.100	STANDARD
02/16/00	PH, FIELD	1.0		6.100	STANDARD
02/16/00	PH, FIELD	2.5		5.700	STANDARD
02/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		101.000	UMHOS/CM
02/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		104.000	UMHOS/CM
02/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		107.000	UMHOS/CM
02/16/00	TEMPERATURE, WATER	.3		17.600	DEG C
02/16/00	TEMPERATURE, WATER	1.0		16.800	DEG C
02/16/00	TEMPERATURE, WATER	2.5		15.100	DEG C
08/22/00	DISSOLVED OXYGEN	.3		7.500	MG/L
08/22/00	DISSOLVED OXYGEN	1.0		7.400	MG/L
08/22/00	DISSOLVED OXYGEN	2.5		3.100	MG/L
08/22/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/22/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.233	
08/22/00	PH, FIELD	.3		7.100	STANDARD
08/22/00	PH, FIELD	1.0		6.100	STANDARD
08/22/00	PH, FIELD	2.5		7.000	STANDARD
08/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		63.000	UMHOS/CM
08/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		64.000	UMHOS/CM
08/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		65.000	UMHOS/CM
08/22/00	TEMPERATURE, WATER	.3		33.000	DEG C
08/22/00	TEMPERATURE, WATER	1.0		31.100	DEG C
08/22/00	TEMPERATURE, WATER	2.5		30.700	DEG C

Red River Basin
Black Bayou Lake at Hosston, Louisiana — Site No. 0581

Date	Parameter	Depth meters		ppm	Units
06/03/97	DISSOLVED OXYGEN	.3		7.700	MG/L
06/03/97	DISSOLVED OXYGEN	1.0		8.000	MG/L
06/03/97	DISSOLVED OXYGEN	2.0		7.500	MG/L
06/03/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/03/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.174	
06/03/97	PH, FIELD	.3		6.200	STANDARD
06/03/97	PH, FIELD	1.0		6.200	STANDARD
06/03/97	PH, FIELD	2.0		6.000	STANDARD
06/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		96.000	UMHOS/CM
06/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		83.000	UMHOS/CM
06/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		80.000	UMHOS/CM
06/03/97	TEMPERATURE, WATER	.3		27.800	DEG C
06/03/97	TEMPERATURE, WATER	1.0		26.200	DEG C
06/03/97	TEMPERATURE, WATER	2.0		25.700	DEG C

Red River Basin
Black Bayou Reservoir near Benton, Louisiana Site No. 0612

Date	Parameter	Depth meters		ppm	Units
06/04/97	DISSOLVED OXYGEN	.3		8.700	MG/L
06/04/97	DISSOLVED OXYGEN	1.0		8.400	MG/L
06/04/97	DISSOLVED OXYGEN	1.5		7.500	MG/L
06/04/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/04/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.057	
06/04/97	PH, FIELD	.3		6.200	STANDARD
06/04/97	PH, FIELD	1.0		6.400	STANDARD
06/04/97	PH, FIELD	1.5		6.200	STANDARD
06/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		49.000	UMHOS/CM
06/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		50.000	UMHOS/CM
06/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		50.000	UMHOS/CM
06/04/97	TEMPERATURE, WATER	.3		28.200	DEG C
06/04/97	TEMPERATURE, WATER	1.0		27.200	DEG C
06/04/97	TEMPERATURE, WATER	1.5		26.500	DEG C

Red River Basin
Black Lake north of Natchitoches, Louisiana Site No. 0366

Date	Parameter	Depth meters		ppm	Units
07/26/94	DISSOLVED OXYGEN	.2		7.580	MG/L
07/26/94	DISSOLVED OXYGEN	2.1		5.310	MG/L
07/26/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
07/26/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/26/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
07/26/94	MERCURY, TOTAL	1.0		.050	UG/L AS HG
07/26/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.075	
07/26/94	PH, FIELD	.2		6.690	STANDARD
07/26/94	PH, FIELD	2.1		6.640	STANDARD
07/26/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		76.000	UMHOS/CM
07/26/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.1		77.000	UMHOS/CM
07/26/94	TEMPERATURE, WATER	.2		32.250	DEG C
07/26/94	TEMPERATURE, WATER	2.1		31.290	DEG C
09/15/95	DISSOLVED OXYGEN	.2		6.440	MG/L
09/15/95	DISSOLVED OXYGEN	1.2		5.610	MG/L
09/15/95	DISSOLVED OXYGEN	2.5		2.040	MG/L
09/15/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/15/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/15/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.213	
09/15/95	PH, FIELD	.2		6.540	STANDARD
09/15/95	PH, FIELD	1.2		6.410	STANDARD
09/15/95	PH, FIELD	2.5		6.230	STANDARD
09/15/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		97.200	UMHOS/CM
09/15/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.2		97.500	UMHOS/CM
09/15/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		99.600	UMHOS/CM
09/15/95	TEMPERATURE, WATER	.2		28.570	DEG C
09/15/95	TEMPERATURE, WATER	1.2		28.100	DEG C
09/15/95	TEMPERATURE, WATER	2.5		27.640	DEG C
05/02/96	DISSOLVED OXYGEN	3.0		5.650	MG/L
05/02/96	DISSOLVED OXYGEN	1.5		7.590	MG/L
05/02/96	DISSOLVED OXYGEN	.0		7.720	MG/L
05/02/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/02/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/02/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.236	
05/02/96	PH, FIELD	3.0		5.840	STANDARD
05/02/96	PH, FIELD	1.5		6.030	STANDARD
05/02/96	PH, FIELD	.0		6.120	STANDARD
05/02/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		103.500	UMHOS/CM
05/02/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		104.000	UMHOS/CM
05/02/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		105.000	UMHOS/CM
05/02/96	TEMPERATURE, WATER	3.0		21.800	DEG C
05/02/96	TEMPERATURE, WATER	1.5		22.500	DEG C
05/02/96	TEMPERATURE, WATER	.0		23.800	DEG C
03/23/99	DISSOLVED OXYGEN	.3		9.200	MG/L
03/23/99	DISSOLVED OXYGEN	1.0		8.400	MG/L
03/23/99	DISSOLVED OXYGEN	1.5		7.800	MG/L
03/23/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/23/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.213	
03/23/99	PH, FIELD	.3		6.600	STANDARD

03/23/99	PH, FIELD	1.0		6.400	STANDARD
03/23/99	PH, FIELD	1.5		6.300	STANDARD
03/23/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		53.000	UMHOS/CM
03/23/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		53.000	UMHOS/CM
03/23/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		53.000	UMHOS/CM
03/23/99	TEMPERATURE, WATER	.3		18.400	DEG C
03/23/99	TEMPERATURE, WATER	1.0		17.400	DEG C
03/23/99	TEMPERATURE, WATER	1.5		17.200	DEG C
03/21/00	DISSOLVED OXYGEN	.3		9.200	MG/L
03/21/00	DISSOLVED OXYGEN	1.0		9.100	MG/L
03/21/00	DISSOLVED OXYGEN	4.0		7.300	MG/L
03/21/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/21/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.292	
03/21/00	PH, FIELD	.3		6.900	STANDARD
03/21/00	PH, FIELD	1.0		6.900	STANDARD
03/21/00	PH, FIELD	4.0		6.700	STANDARD
03/21/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		94.000	UMHOS/CM
03/21/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		94.000	UMHOS/CM
03/21/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		94.000	UMHOS/CM
03/21/00	TEMPERATURE, WATER	.3		17.500	DEG C
03/21/00	TEMPERATURE, WATER	1.0		17.500	DEG C
03/21/00	TEMPERATURE, WATER	4.0		17.500	DEG C

Red River Basin
Caddo Lake at Mooringsport, Louisiana Site No. 0560

Date	Parameter	Depth meters		ppm	Units
09/25/96	DISSOLVED OXYGEN	.3		8.400	MG/L
09/25/96	DISSOLVED OXYGEN	2.0		7.300	MG/L
09/25/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/25/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.077	
09/25/96	PH, FIELD	.3		9.000	STANDARD
09/25/96	PH, FIELD	2.0		8.200	STANDARD
09/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		131.000	UMHOS/CM
09/25/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		131.000	UMHOS/CM
09/25/96	TEMPERATURE, WATER	.3		25.300	DEG C
09/25/96	TEMPERATURE, WATER	2.0		24.000	DEG C
09/07/99	DISSOLVED OXYGEN	.3		4.600	MG/L
09/07/99	DISSOLVED OXYGEN	1.0		3.700	MG/L
09/07/99	DISSOLVED OXYGEN	2.3		4.100	MG/L
09/07/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/07/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.077	
09/07/99	PH, FIELD	.3		7.000	STANDARD
09/07/99	PH, FIELD	1.0		7.000	STANDARD
09/07/99	PH, FIELD	2.3		6.800	STANDARD
09/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		123.000	UMHOS/CM
09/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		124.000	UMHOS/CM
09/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.3		123.000	UMHOS/CM
09/07/99	TEMPERATURE, WATER	.3		30.300	DEG C
09/07/99	TEMPERATURE, WATER	1.0		30.300	DEG C
09/07/99	TEMPERATURE, WATER	2.3		29.600	DEG C

Red River Basin
Caddo Lake south of Oil City, Louisiana Site No. 0479

Date	Parameter	Depth meters		ppm	Units
09/24/96	DISSOLVED OXYGEN	.3		9.000	MG/L
09/24/96	DISSOLVED OXYGEN	2.7		8.200	MG/L
09/24/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/24/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
09/24/96	PH, FIELD	.3		9.100	STANDARD
09/24/96	PH, FIELD	2.7		9.000	STANDARD
09/24/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		131.000	UMHOS/CM
09/24/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.7		133.000	UMHOS/CM
09/24/96	TEMPERATURE, WATER	.3		25.400	DEG C
09/24/96	TEMPERATURE, WATER	2.7		25.400	DEG C

Red River Basin
Caddo Lake west-southwest of Oil City, Louisiana — Site No. 0480

Date	Parameter	Depth meters		ppm	Units
09/07/99	DISSOLVED OXYGEN	.3		7.800	MG/L
09/07/99	DISSOLVED OXYGEN	1.0		6.200	MG/L
09/07/99	DISSOLVED OXYGEN	1.5		5.500	MG/L
09/07/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/07/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.073	
09/07/99	PH, FIELD	.3		8.000	STANDARD
09/07/99	PH, FIELD	1.0		7.500	STANDARD
09/07/99	PH, FIELD	1.5		7.200	STANDARD
09/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		118.000	UMHOS/CM
09/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		118.000	UMHOS/CM
09/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		117.000	UMHOS/CM
09/07/99	TEMPERATURE, WATER	.3		29.500	DEG C
09/07/99	TEMPERATURE, WATER	1.0		29.000	DEG C
09/07/99	TEMPERATURE, WATER	1.5		28.700	DEG C

Red River Basin
Cane River at Natchitoches, Louisiana — Site No. 0333

Date	Parameter	Depth meters		ppm	Units
07/26/94	DISSOLVED OXYGEN	1.5		3.330	MG/L
07/26/94	DISSOLVED OXYGEN	.8		6.000	MG/L
07/26/94	DISSOLVED OXYGEN	.2		6.220	MG/L
07/26/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
07/26/94	MERCURY, TOTAL	1.0		.050	UG/L AS HG
07/26/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
07/26/94	PH, FIELD	1.5		7.300	STANDARD
07/26/94	PH, FIELD	.8		7.560	STANDARD
07/26/94	PH, FIELD	.2		7.670	STANDARD
07/26/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		495.000	UMHOS/CM
07/26/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		495.000	UMHOS/CM
07/26/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		495.000	UMHOS/CM
07/26/94	TEMPERATURE, WATER	1.5		31.350	DEG C
07/26/94	TEMPERATURE, WATER	.8		32.040	DEG C
07/26/94	TEMPERATURE, WATER	.2		32.500	DEG C
03/23/99	DISSOLVED OXYGEN	.3		9.100	MG/L
03/23/99	DISSOLVED OXYGEN	1.0		9.100	MG/L
03/23/99	DISSOLVED OXYGEN	2.5		6.800	MG/L
03/23/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/23/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.048	
03/23/99	PH, FIELD	.3		7.600	STANDARD
03/23/99	PH, FIELD	1.0		7.500	STANDARD
03/23/99	PH, FIELD	2.5		7.400	STANDARD
03/23/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		342.000	UMHOS/CM
03/23/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		344.000	UMHOS/CM
03/23/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		362.000	UMHOS/CM
03/23/99	TEMPERATURE, WATER	.3		19.300	DEG C
03/23/99	TEMPERATURE, WATER	1.0		19.100	DEG C
03/23/99	TEMPERATURE, WATER	2.5		18.600	DEG C

Red River Basin
Cane River near Melrose, Louisiana — Site No. 0963

Date	Parameter	Depth meters		ppm	Units
10/12/99	DISSOLVED OXYGEN	.3		9.100	MG/L
10/12/99	DISSOLVED OXYGEN	1.0		8.900	MG/L
10/12/99	DISSOLVED OXYGEN	3.0		.500	MG/L
10/12/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/12/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.070	
10/12/99	PH, FIELD	.3		8.400	STANDARD
10/12/99	PH, FIELD	1.0		8.400	STANDARD
10/12/99	PH, FIELD	3.0		7.500	STANDARD
10/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		348.000	UMHOS/CM
10/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		349.000	UMHOS/CM
10/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		363.000	UMHOS/CM
10/12/99	TEMPERATURE, WATER	.3		24.700	DEG C
10/12/99	TEMPERATURE, WATER	1.0		24.600	DEG C
10/12/99	TEMPERATURE, WATER	3.0		23.200	DEG C

Red River Basin
Caney Lake North of Minden, Louisiana — Site No. 0855

Date	Parameter	Depth meters		ppm	Units
09/14/98	DISSOLVED OXYGEN	.3		3.900	MG/L
09/14/98	DISSOLVED OXYGEN	1.0		3.600	MG/L
09/14/98	DISSOLVED OXYGEN	3.5		3.500	MG/L
09/14/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/14/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.111	
09/14/98	PH, FIELD	.3		6.600	STANDARD
09/14/98	PH, FIELD	1.0		6.500	STANDARD
09/14/98	PH, FIELD	3.5		6.500	STANDARD
09/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		70.000	UMHOS/CM
09/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		71.000	UMHOS/CM
09/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		70.000	UMHOS/CM
09/14/98	TEMPERATURE, WATER	.3		25.600	DEG C
09/14/98	TEMPERATURE, WATER	1.0		25.500	DEG C
09/14/98	TEMPERATURE, WATER	3.5		25.100	DEG C
03/17/99	DISSOLVED OXYGEN	.3		10.500	MG/L
03/17/99	DISSOLVED OXYGEN	1.0		10.400	MG/L
03/17/99	DISSOLVED OXYGEN	7.0		6.000	MG/L
03/17/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/17/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.220	
03/17/99	PH, FIELD	.3		7.500	STANDARD
03/17/99	PH, FIELD	1.0		7.400	STANDARD
03/17/99	PH, FIELD	7.0		6.700	STANDARD
03/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		45.000	UMHOS/CM
03/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		45.000	UMHOS/CM
03/17/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		46.000	UMHOS/CM
03/17/99	TEMPERATURE, WATER	.3		14.400	DEG C
03/17/99	TEMPERATURE, WATER	1.0		14.300	DEG C
03/17/99	TEMPERATURE, WATER	7.0		11.800	DEG C

Red River Basin
Clear Lake east of Campti, Louisiana — Site No. 0614

Date	Parameter	Depth meters		ppm	Units
09/03/97	DISSOLVED OXYGEN	.3		7.900	MG/L
09/03/97	DISSOLVED OXYGEN	1.0		7.700	MG/L
09/03/97	DISSOLVED OXYGEN	3.5		1.100	MG/L
09/03/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/03/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.233	
09/03/97	PH, FIELD	.3		7.700	STANDARD
09/03/97	PH, FIELD	1.0		7.600	STANDARD
09/03/97	PH, FIELD	3.5		6.300	STANDARD
09/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		83.000	UMHOS/CM
09/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		82.000	UMHOS/CM
09/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		89.000	UMHOS/CM
09/03/97	TEMPERATURE, WATER	.3		30.500	DEG C
09/03/97	TEMPERATURE, WATER	1.0		29.800	DEG C
09/03/97	TEMPERATURE, WATER	3.5		29.000	DEG C

Red River Basin
Clear Lake north of Mansfield, Louisiana — Site No. 0281

Date	Parameter	Depth meters		ppm	Units
05/21/97	DISSOLVED OXYGEN	.3		5.300	MG/L
05/21/97	DISSOLVED OXYGEN	1.0		4.900	MG/L
05/21/97	DISSOLVED OXYGEN	8.0		.200	MG/L
05/21/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/21/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.128	
05/21/97	PH, FIELD	.3		5.900	STANDARD
05/21/97	PH, FIELD	1.0		6.000	STANDARD
05/21/97	PH, FIELD	8.0		5.800	STANDARD
05/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		75.000	UMHOS/CM
05/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		76.000	UMHOS/CM
05/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.0		76.000	UMHOS/CM
05/21/97	TEMPERATURE, WATER	.3		23.800	DEG C
05/21/97	TEMPERATURE, WATER	1.0		23.900	DEG C
05/21/97	TEMPERATURE, WATER	8.0		19.900	DEG C

Red River Basin
Clear Lake southeast of Bossier City, Louisiana — Site No. 0584

Date	Parameter	Depth meters		ppm	Units
05/21/97	DISSOLVED OXYGEN	.3		2.600	MG/L
05/21/97	DISSOLVED OXYGEN	1.0		.500	MG/L
05/21/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/21/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.073	
05/21/97	PH, FIELD	.3		6.000	STANDARD
05/21/97	PH, FIELD	1.0		5.800	STANDARD
05/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		88.000	UMHOS/CM
05/21/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		92.000	UMHOS/CM
05/21/97	TEMPERATURE, WATER	.3		24.100	DEG C
05/21/97	TEMPERATURE, WATER	1.0		22.700	DEG C

Red River Basin
Cocodrie Lake Southwest of Vidalia, Louisiana — Site No. 0701

Date	Parameter	Depth meters		ppm	Units
05/06/98	DISSOLVED OXYGEN	.3		7.500	MG/L
05/06/98	DISSOLVED OXYGEN	1.0		7.500	MG/L
05/06/98	DISSOLVED OXYGEN	3.0		6.200	MG/L
05/06/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/06/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/06/98	PH, FIELD	.3		7.400	STANDARD
05/06/98	PH, FIELD	1.0		7.400	STANDARD
05/06/98	PH, FIELD	3.0		7.200	STANDARD
05/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		161.000	UMHOS/CM
05/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		161.000	UMHOS/CM
05/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		163.000	UMHOS/CM
05/06/98	TEMPERATURE, WATER	.3		23.900	DEG C
05/06/98	TEMPERATURE, WATER	1.0		23.900	DEG C
05/06/98	TEMPERATURE, WATER	3.0		23.600	DEG C

Red River Basin
Cotile Lake southwest of Boyce, Louisiana — Site No. 0510

Date	Parameter	Depth meters		ppm	Units
08/09/95	DISSOLVED OXYGEN	.1		8.470	MG/L
08/09/95	DISSOLVED OXYGEN	4.0		.880	MG/L
08/09/95	DISSOLVED OXYGEN	7.0		.110	MG/L
08/09/95	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
08/09/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.061	
08/09/95	PH, FIELD	.1		7.910	STANDARD
08/09/95	PH, FIELD	4.0		5.900	STANDARD
08/09/95	PH, FIELD	7.0		6.250	STANDARD
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		43.000	UMHOS/CM
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		42.000	UMHOS/CM
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		106.000	UMHOS/CM
08/09/95	TEMPERATURE, WATER	.1		33.700	DEG C
08/09/95	TEMPERATURE, WATER	4.0		29.570	DEG C
08/09/95	TEMPERATURE, WATER	7.0		24.420	DEG C
12/11/00	DISSOLVED OXYGEN	.3		10.200	MG/L
12/11/00	DISSOLVED OXYGEN	1.0		10.100	MG/L
12/11/00	DISSOLVED OXYGEN	3.0		8.800	MG/L
12/11/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/11/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.078	
12/11/00	PH, FIELD	.3		8.200	STANDARD
12/11/00	PH, FIELD	1.0		8.200	STANDARD
12/11/00	PH, FIELD	3.0		7.900	STANDARD
12/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		65.000	UMHOS/CM
12/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		64.000	UMHOS/CM
12/11/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		65.000	UMHOS/CM
12/11/00	TEMPERATURE, WATER	.3		12.900	DEG C
12/11/00	TEMPERATURE, WATER	1.0		12.900	DEG C
12/11/00	TEMPERATURE, WATER	3.0		11.800	DEG C

Red River Basin
Cross Lake near Shreveport, Louisiana — Site No. 0432

Date	Parameter	Depth meters		ppm	Units
10/13/94	DISSOLVED OXYGEN	1.0		7.300	MG/L
10/13/94	DISSOLVED OXYGEN	5.0		7.300	MG/L
10/13/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/13/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/13/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
10/13/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.065	
10/13/94	PH, FIELD	1.0		6.250	STANDARD
10/13/94	PH, FIELD	5.0		6.100	STANDARD
10/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		198.000	UMHOS/CM
10/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		200.000	UMHOS/CM
10/13/94	TEMPERATURE, WATER	1.0		18.160	DEG C
10/13/94	TEMPERATURE, WATER	5.0		18.200	DEG C
09/16/98	DISSOLVED OXYGEN	.3		1.900	MG/L
09/16/98	DISSOLVED OXYGEN	1.0		2.100	MG/L
09/16/98	DISSOLVED OXYGEN	2.5		2.200	MG/L
09/16/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/16/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.137	
09/16/98	PH, FIELD	.3		9.000	STANDARD
09/16/98	PH, FIELD	1.0		8.800	STANDARD
09/16/98	PH, FIELD	2.5		7.700	STANDARD
09/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		326.000	UMHOS/CM
09/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		327.000	UMHOS/CM
09/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		328.000	UMHOS/CM
09/16/98	TEMPERATURE, WATER	.3		26.000	DEG C
09/16/98	TEMPERATURE, WATER	1.0		25.900	DEG C
09/16/98	TEMPERATURE, WATER	2.5		25.000	DEG C

Red River Basin
Cypress Bayou Reservoir east of Benton, Louisiana — Site No. 0586

Date	Parameter	Depth meters		ppm	Units
06/04/97	DISSOLVED OXYGEN	.3		8.000	MG/L
06/04/97	DISSOLVED OXYGEN	1.0		7.700	MG/L
06/04/97	DISSOLVED OXYGEN	5.0		.800	MG/L
06/04/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/04/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.056	
06/04/97	PH, FIELD	.3		5.900	STANDARD
06/04/97	PH, FIELD	1.0		5.900	STANDARD
06/04/97	PH, FIELD	5.0		5.600	STANDARD
06/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		37.000	UMHOS/CM
06/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		38.000	UMHOS/CM
06/04/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		51.000	UMHOS/CM
06/04/97	TEMPERATURE, WATER	.3		26.500	DEG C
06/04/97	TEMPERATURE, WATER	1.0		26.100	DEG C
06/04/97	TEMPERATURE, WATER	5.0		22.900	DEG C

Red River Basin
Grand Bayou Reservoir near Coushatta, Louisiana — Site No. 0587

Date	Parameter	Depth meters		ppm	Units
06/02/97	DISSOLVED OXYGEN	.3		4.500	MG/L
06/02/97	DISSOLVED OXYGEN	1.0		4.500	MG/L
06/02/97	DISSOLVED OXYGEN	3.5		2.500	MG/L
06/02/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/02/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.025	
06/02/97	PH, FIELD	.3		5.600	STANDARD
06/02/97	PH, FIELD	1.0		5.700	STANDARD
06/02/97	PH, FIELD	3.5		5.600	STANDARD
06/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		65.000	UMHOS/CM
06/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		65.000	UMHOS/CM
06/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		68.000	UMHOS/CM
06/02/97	TEMPERATURE, WATER	.3		26.400	DEG C
06/02/97	TEMPERATURE, WATER	1.0		26.300	DEG C
06/02/97	TEMPERATURE, WATER	3.5		25.000	DEG C
04/20/98	DISSOLVED OXYGEN	.3		7.400	MG/L
04/20/98	DISSOLVED OXYGEN	1.0		7.100	MG/L
04/20/98	DISSOLVED OXYGEN	2.5		6.100	MG/L

04/20/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.080	UG/L AS HG
04/20/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.016	
04/20/98	PH, FIELD	.3		6.300	STANDARD
04/20/98	PH, FIELD	1.0		6.300	STANDARD
04/20/98	PH, FIELD	2.5		6.100	STANDARD
04/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		73.000	UMHOS/CM
04/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		74.000	UMHOS/CM
04/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		73.000	UMHOS/CM
04/20/98	TEMPERATURE, WATER	.3		20.900	DEG C
04/20/98	TEMPERATURE, WATER	1.0		19.500	DEG C
04/20/98	TEMPERATURE, WATER	2.5		18.800	DEG C
03/22/99	DISSOLVED OXYGEN	.3		8.700	MG/L
03/22/99	DISSOLVED OXYGEN	1.0		8.400	MG/L
03/22/99	DISSOLVED OXYGEN	3.1		6.000	MG/L
03/22/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/22/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.044	
03/22/99	PH, FIELD	.3		6.300	STANDARD
03/22/99	PH, FIELD	1.0		6.200	STANDARD
03/22/99	PH, FIELD	3.1		6.000	STANDARD
03/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		55.000	UMHOS/CM
03/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		55.000	UMHOS/CM
03/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.1		57.000	UMHOS/CM
03/22/99	TEMPERATURE, WATER	.3		17.800	DEG C
03/22/99	TEMPERATURE, WATER	1.0		17.700	DEG C
03/22/99	TEMPERATURE, WATER	3.1		16.200	DEG C
03/21/00	DISSOLVED OXYGEN	.3		9.300	MG/L
03/21/00	DISSOLVED OXYGEN	1.0		9.300	MG/L
03/21/00	DISSOLVED OXYGEN	2.5		9.300	MG/L
03/21/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/21/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.079	
03/21/00	PH, FIELD	.3		6.700	STANDARD
03/21/00	PH, FIELD	1.0		6.700	STANDARD
03/21/00	PH, FIELD	2.5		6.600	STANDARD
03/21/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		73.000	UMHOS/CM
03/21/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		73.000	UMHOS/CM
03/21/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		73.000	UMHOS/CM
03/21/00	TEMPERATURE, WATER	.3		17.200	DEG C
03/21/00	TEMPERATURE, WATER	1.0		17.200	DEG C
03/21/00	TEMPERATURE, WATER	2.5		17.200	DEG C
10/24/00	DISSOLVED OXYGEN	.3		8.000	MG/L
10/24/00	DISSOLVED OXYGEN	1.0		7.500	MG/L
10/24/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/24/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.047	
10/24/00	PH, FIELD	.3		7.700	STANDARD
10/24/00	PH, FIELD	1.0		7.600	STANDARD
10/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		92.000	UMHOS/CM
10/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		93.000	UMHOS/CM
10/24/00	TEMPERATURE, WATER	.3		23.600	DEG C
10/24/00	TEMPERATURE, WATER	1.0		23.100	DEG C

Red River Basin
Iatt Lake northeast of Colfax, Louisiana Site No. 0375

Date	Parameter	Depth meters		ppm	Units
07/27/94	DISSOLVED OXYGEN	1.5		2.800	MG/L
07/27/94	DISSOLVED OXYGEN	.7		3.700	MG/L
07/27/94	DISSOLVED OXYGEN	.2		3.400	MG/L
07/27/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.500	UG/L AS HG
07/27/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.500	UG/L AS HG
07/27/94	MERCURY, TOTAL	1.0	<	.500	UG/L AS HG
07/27/94	MERCURY, TOTAL	1.0	<	.500	UG/L AS HG
07/27/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.088	
07/27/94	PH, FIELD	1.5		6.000	STANDARD
07/27/94	PH, FIELD	.7		5.970	STANDARD
07/27/94	PH, FIELD	.2		5.950	STANDARD
07/27/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		54.000	UMHOS/CM
07/27/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.7		50.000	UMHOS/CM
07/27/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		51.000	UMHOS/CM
07/27/94	TEMPERATURE, WATER	1.5		29.590	DEG C
07/27/94	TEMPERATURE, WATER	.7		29.590	DEG C
07/27/94	TEMPERATURE, WATER	.2		29.610	DEG C
03/02/99	DISSOLVED OXYGEN	.3		8.500	MG/L
03/02/99	DISSOLVED OXYGEN	1.0		8.300	MG/L

03/02/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/02/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.296	
03/02/99	PH, FIELD	.3		6.400	STANDARD
03/02/99	PH, FIELD	1.0		6.400	STANDARD
03/02/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		35.000	UMHOS/CM
03/02/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		35.000	UMHOS/CM
03/02/99	TEMPERATURE, WATER	.3		16.600	DEG C
03/02/99	TEMPERATURE, WATER	1.0		16.600	DEG C

Red River Basin
Ivan Lake, Louisiana — Site No. 0964

Date	Parameter	Depth meters		ppm	Units
10/19/99	DISSOLVED OXYGEN	.3		6.500	MG/L
10/19/99	DISSOLVED OXYGEN	1.0		6.400	MG/L
10/19/99	DISSOLVED OXYGEN	3.5		6.100	MG/L
10/19/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/19/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.155	
10/19/99	PH, FIELD	.3		6.800	STANDARD
10/19/99	PH, FIELD	1.0		6.900	STANDARD
10/19/99	PH, FIELD	3.5		6.800	STANDARD
10/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		84.000	UMHOS/CM
10/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		84.000	UMHOS/CM
10/19/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		84.000	UMHOS/CM
10/19/99	TEMPERATURE, WATER	.3		21.000	DEG C
10/19/99	TEMPERATURE, WATER	1.0		21.000	DEG C
10/19/99	TEMPERATURE, WATER	3.5		20.300	DEG C
05/09/00	DISSOLVED OXYGEN	.3		7.800	MG/L
05/09/00	DISSOLVED OXYGEN	1.0		7.500	MG/L
05/09/00	DISSOLVED OXYGEN	5.5		.800	MG/L
05/09/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
05/09/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.152	
05/09/00	PH, FIELD	.3		6.000	STANDARD
05/09/00	PH, FIELD	1.0		6.000	STANDARD
05/09/00	PH, FIELD	5.5		6.400	STANDARD
05/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		67.000	UMHOS/CM
05/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		67.000	UMHOS/CM
05/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		92.000	UMHOS/CM
05/09/00	TEMPERATURE, WATER	.3		25.900	DEG C
05/09/00	TEMPERATURE, WATER	1.0		25.700	DEG C
05/09/00	TEMPERATURE, WATER	5.5		19.400	DEG C

Red River Basin
Kepler Lake north of Castor, Louisiana — Site No. 0590

Date	Parameter	Depth meters		ppm	Units
05/22/97	DISSOLVED OXYGEN	.3		8.400	MG/L
05/22/97	DISSOLVED OXYGEN	1.0		8.300	MG/L
05/22/97	DISSOLVED OXYGEN	2.0		8.000	MG/L
05/22/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/22/97	PH, FIELD	.3		6.200	STANDARD
05/22/97	PH, FIELD	1.0		6.100	STANDARD
05/22/97	PH, FIELD	2.0		6.200	STANDARD
05/22/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		47.000	UMHOS/CM
05/22/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		46.000	UMHOS/CM
05/22/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		47.000	UMHOS/CM
05/22/97	TEMPERATURE, WATER	.3		24.400	DEG C
05/22/97	TEMPERATURE, WATER	1.0		24.400	DEG C
05/22/97	TEMPERATURE, WATER	2.0		24.400	DEG C
08/19/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.034	

Red River Basin
Lake Bistineau west of Ringgold, Louisiana — Site No. 0592

Date	Parameter	Depth meters		ppm	Units
05/20/97	DISSOLVED OXYGEN	.3		7.200	MG/L
05/20/97	DISSOLVED OXYGEN	1.0		7.100	MG/L
05/20/97	DISSOLVED OXYGEN	2.0		7.000	MG/L
05/20/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/20/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.339	
05/20/97	PH, FIELD	.3		5.800	STANDARD

05/20/97	PH, FIELD	1.0		5.900	STANDARD
05/20/97	PH, FIELD	2.0		5.900	STANDARD
05/20/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		55.000	UMHOS/CM
05/20/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		55.000	UMHOS/CM
05/20/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		55.000	UMHOS/CM
05/20/97	TEMPERATURE, WATER	.3		24.600	DEG C
05/20/97	TEMPERATURE, WATER	1.0		24.600	DEG C
05/20/97	TEMPERATURE, WATER	2.0		24.600	DEG C

Red River Basin
Lake Bistineau, Louisiana — Site No. 0965

Date	Parameter	Depth meters		ppm	Units
10/18/99	DISSOLVED OXYGEN	.3		8.100	MG/L
10/18/99	DISSOLVED OXYGEN	1.0		8.000	MG/L
10/18/99	DISSOLVED OXYGEN	1.5		4.100	MG/L
10/18/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/18/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.203	
10/18/99	PH, FIELD	.3		6.400	STANDARD
10/18/99	PH, FIELD	1.0		6.500	STANDARD
10/18/99	PH, FIELD	1.5		6.600	STANDARD
10/18/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		117.000	UMHOS/CM
10/18/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		117.000	UMHOS/CM
10/18/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		117.000	UMHOS/CM
10/18/99	TEMPERATURE, WATER	.3		20.400	DEG C
10/18/99	TEMPERATURE, WATER	1.0		20.400	DEG C
10/18/99	TEMPERATURE, WATER	1.5		20.300	DEG C

Red River Basin
Lake Concordia near Ferriday, Louisiana — Site No. 0707

Date	Parameter	Depth meters		ppm	Units
05/06/98	DISSOLVED OXYGEN	.3		8.800	MG/L
05/06/98	DISSOLVED OXYGEN	1.0		8.800	MG/L
05/06/98	DISSOLVED OXYGEN	5.0		2.000	MG/L
05/06/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/06/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/06/98	PH, FIELD	.3		8.400	STANDARD
05/06/98	PH, FIELD	1.0		8.300	STANDARD
05/06/98	PH, FIELD	5.0		7.300	STANDARD
05/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		322.000	UMHOS/CM
05/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		325.000	UMHOS/CM
05/06/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		331.000	UMHOS/CM
05/06/98	TEMPERATURE, WATER	.3		25.000	DEG C
05/06/98	TEMPERATURE, WATER	1.0		24.400	DEG C
05/06/98	TEMPERATURE, WATER	5.0		21.300	DEG C

Red River Basin
Lake Plain Dealing near Plain Dealing, Louisiana — Site No. 1009

Date	Parameter	Depth meters		ppm	Units
05/10/00	DISSOLVED OXYGEN	.3		8.800	MG/L
05/10/00	DISSOLVED OXYGEN	1.0		8.600	MG/L
05/10/00	DISSOLVED OXYGEN	5.0		2.100	MG/L
05/10/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.	UG/L AS HG
05/10/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.129	
05/10/00	PH, FIELD	.3		6.300	STANDARD
05/10/00	PH, FIELD	1.0		6.300	STANDARD
05/10/00	PH, FIELD	5.0		6.200	STANDARD
05/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		45.000	UMHOS/CM
05/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		45.000	UMHOS/CM
05/10/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		50.000	UMHOS/CM
05/10/00	TEMPERATURE, WATER	.3		24.700	DEG C
05/10/00	TEMPERATURE, WATER	1.0		24.600	DEG C
05/10/00	TEMPERATURE, WATER	5.0		19.900	DEG C

Red River Basin
Lake Rodemacher west of Boyce, Louisiana — Site No. 0597

Date	Parameter	Depth meters		ppm	Units
03/04/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/04/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.361	
08/14/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/14/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.144	
08/14/00	PH, FIELD	.3		6.800	STANDARD
08/14/00	PH, FIELD	1.0		6.900	STANDARD
08/14/00	PH, FIELD	4.0		6.500	STANDARD
08/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		83.000	UMHOS/CM
08/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		84.000	UMHOS/CM
08/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		84.000	UMHOS/CM
08/14/00	TEMPERATURE, WATER	.3		32.200	DEG C
08/14/00	TEMPERATURE, WATER	1.0		32.100	DEG C
08/14/00	TEMPERATURE, WATER	4.0		30.800	DEG C

Red River Basin
Lake Saint John northeast of Ferriday, Louisiana — Site No. 0367

Date	Parameter	Depth meters		ppm	Units
09/18/95	DISSOLVED OXYGEN	.2		7.700	MG/L
09/18/95	DISSOLVED OXYGEN	1.0		5.720	MG/L
09/18/95	DISSOLVED OXYGEN	2.0		4.200	MG/L
09/18/95	DISSOLVED OXYGEN	5.7		2.660	MG/L
09/18/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/18/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
09/18/95	PH, FIELD	.2		8.510	STANDARD
09/18/95	PH, FIELD	1.0		8.280	STANDARD
09/18/95	PH, FIELD	2.0		7.960	STANDARD
09/18/95	PH, FIELD	5.7		7.350	STANDARD
09/18/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		155.000	UMHOS/CM
09/18/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		154.900	UMHOS/CM
09/18/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		155.700	UMHOS/CM
09/18/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.7		158.000	UMHOS/CM
09/18/95	TEMPERATURE, WATER	.2		29.020	DEG C
09/18/95	TEMPERATURE, WATER	1.0		28.250	DEG C
09/18/95	TEMPERATURE, WATER	2.0		28.140	DEG C
09/18/95	TEMPERATURE, WATER	5.7		27.680	DEG C
06/12/00	DISSOLVED OXYGEN	.3		13.700	MG/L
06/12/00	DISSOLVED OXYGEN	1.0		11.600	MG/L
06/12/00	DISSOLVED OXYGEN	6.0		2.900	MG/L
06/12/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/12/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.045	
06/12/00	PH, FIELD	.3		7.800	STANDARD
06/12/00	PH, FIELD	1.0		7.600	STANDARD
06/12/00	PH, FIELD	6.0		6.400	STANDARD
06/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		154.000	UMHOS/CM
06/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		149.000	UMHOS/CM
06/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		156.000	UMHOS/CM
06/12/00	TEMPERATURE, WATER	.3		32.100	DEG C
06/12/00	TEMPERATURE, WATER	1.0		29.100	DEG C
06/12/00	TEMPERATURE, WATER	6.0		27.200	DEG C

Red River Basin
Larto Lake Northeast of Marksville, Louisiana — Site No. 0711

Date	Parameter	Depth meters		ppm	Units
05/05/98	DISSOLVED OXYGEN	.3		7.800	MG/L
05/05/98	DISSOLVED OXYGEN	1.0		7.800	MG/L
05/05/98	DISSOLVED OXYGEN	5.0		6.800	MG/L
05/05/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/05/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/05/98	PH, FIELD	.3		7.000	STANDARD
05/05/98	PH, FIELD	1.0		6.900	STANDARD
05/05/98	PH, FIELD	5.0		6.600	STANDARD
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		65.000	UMHOS/CM
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		65.000	UMHOS/CM
05/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		67.000	UMHOS/CM
05/05/98	TEMPERATURE, WATER	.3		24.900	DEG C

05/05/98	TEMPERATURE, WATER	1.0		24.900	DEG C
05/05/98	TEMPERATURE, WATER	5.0		22.600	DEG C

Red River Basin
Mill Creek Reservoir near Saline, Louisiana — Site No. 0599

Date	Parameter	Depth meters		ppm	Units
05/22/97	DISSOLVED OXYGEN	.3		8.000	MG/L
05/22/97	DISSOLVED OXYGEN	1.0		7.900	MG/L
05/22/97	DISSOLVED OXYGEN	6.0		.300	MG/L
05/22/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/22/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.025	
05/22/97	PH, FIELD	.3		5.800	STANDARD
05/22/97	PH, FIELD	1.0		5.900	STANDARD
05/22/97	PH, FIELD	6.0		5.700	STANDARD
05/22/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		28.000	UMHOS/CM
05/22/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		28.000	UMHOS/CM
05/22/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		48.000	UMHOS/CM
05/22/97	TEMPERATURE, WATER	.3		24.500	DEG C
05/22/97	TEMPERATURE, WATER	1.0		24.300	DEG C
05/22/97	TEMPERATURE, WATER	6.0		15.900	DEG C
10/23/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/25/00	DISSOLVED OXYGEN	.3		8.900	MG/L
10/25/00	DISSOLVED OXYGEN	1.0		8.800	MG/L
10/25/00	DISSOLVED OXYGEN	6.0		1.700	MG/L
10/25/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.034	
10/25/00	PH, FIELD	.3		8.000	STANDARD
10/25/00	PH, FIELD	1.0		8.000	STANDARD
10/25/00	PH, FIELD	6.0		7.700	STANDARD
10/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		44.000	UMHOS/CM
10/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		44.000	UMHOS/CM
10/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		46.000	UMHOS/CM
10/25/00	TEMPERATURE, WATER	.3		22.100	DEG C
10/25/00	TEMPERATURE, WATER	1.0		22.100	DEG C
10/25/00	TEMPERATURE, WATER	6.0		18.600	DEG C

Red River Basin
Nantachie Lake Southeast of Montgomery, Louisiana — Site No. 0712

Date	Parameter	Depth meters		ppm	Units
04/22/98	DISSOLVED OXYGEN	.3		9.400	MG/L
04/22/98	DISSOLVED OXYGEN	1.0		8.600	MG/L
04/22/98	DISSOLVED OXYGEN	2.5		8.400	MG/L
04/22/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/22/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
04/22/98	PH, FIELD	.3		6.700	STANDARD
04/22/98	PH, FIELD	1.0		6.800	STANDARD
04/22/98	PH, FIELD	2.5		6.800	STANDARD
04/22/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		68.000	UMHOS/CM
04/22/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		69.000	UMHOS/CM
04/22/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		68.000	UMHOS/CM
04/22/98	TEMPERATURE, WATER	.3		20.100	DEG C
04/22/98	TEMPERATURE, WATER	1.0		20.000	DEG C
04/22/98	TEMPERATURE, WATER	2.5		19.600	DEG C

Red River Basin
Red River South of Elm Grove, Louisiana — Site No. 0858

Date	Parameter	Depth meters		ppm	Units
09/15/98	DISSOLVED OXYGEN	.3		4.300	MG/L
09/15/98	DISSOLVED OXYGEN	1.0		5.100	MG/L
09/15/98	DISSOLVED OXYGEN	9.3		5.600	MG/L
09/15/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/15/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.103	
09/15/98	PH, FIELD	.3		8.000	STANDARD
09/15/98	PH, FIELD	1.0		8.000	STANDARD
09/15/98	PH, FIELD	9.3		7.900	STANDARD
09/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1360.000	UMHOS/CM
09/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1358.000	UMHOS/CM
09/15/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	9.3		1354.000	UMHOS/CM
09/15/98	TEMPERATURE, WATER	.3		26.500	DEG C

09/15/98	TEMPERATURE, WATER	1.0		26.400	DEG C
09/15/98	TEMPERATURE, WATER	9.3		26.200	DEG C

Red River Basin
Red River at Alexandria, Louisiana — Site No. 0559

Date	Parameter	Depth meters		ppm	Units
10/09/96	DISSOLVED OXYGEN	.3		7.100	MG/L
10/09/96	DISSOLVED OXYGEN	10.0		7.000	MG/L
10/09/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/09/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
10/09/96	PH, FIELD	.3		7.400	STANDARD
10/09/96	PH, FIELD	10.0		7.500	STANDARD
10/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		800.000	UMHOS/CM
10/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		807.000	UMHOS/CM
10/09/96	TEMPERATURE, WATER	.3		22.100	DEG C
10/09/96	TEMPERATURE, WATER	10.0		22.100	DEG C

Red River Basin
Red River at Natchitoches, Louisiana — Site No. 0966

Date	Parameter	Depth meters		ppm	Units
10/12/99	DISSOLVED OXYGEN	.3		12.900	MG/L
10/12/99	DISSOLVED OXYGEN	1.0		12.700	MG/L
10/12/99	DISSOLVED OXYGEN	6.0		6.700	MG/L
10/12/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/12/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.032	
10/12/99	PH, FIELD	.3		8.600	STANDARD
10/12/99	PH, FIELD	1.0		8.600	STANDARD
10/12/99	PH, FIELD	6.0		8.000	STANDARD
10/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1086.000	UMHOS/CM
10/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1085.000	UMHOS/CM
10/12/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		1098.000	UMHOS/CM
10/12/99	TEMPERATURE, WATER	.3		26.500	DEG C
10/12/99	TEMPERATURE, WATER	1.0		26.300	DEG C
10/12/99	TEMPERATURE, WATER	6.0		24.200	DEG C

Red River Basin
Saline Bayou north of Marksville, Louisiana — Site No. 0376

Date	Parameter	Depth meters		ppm	Units
07/26/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
07/27/94	DISSOLVED OXYGEN	.2		6.950	MG/L
07/27/94	DISSOLVED OXYGEN	2.5		4.160	MG/L
07/27/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
07/27/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.172	
07/27/94	PH, FIELD	.2		6.400	STANDARD
07/27/94	PH, FIELD	2.5		6.360	STANDARD
07/27/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		37.000	UMHOS/CM
07/27/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		37.000	UMHOS/CM
07/27/94	TEMPERATURE, WATER	.2		31.140	DEG C
07/27/94	TEMPERATURE, WATER	2.5		30.350	DEG C

Red River Basin
Saline Bayou west of Calvin, Louisiana — Site No. 0622

Date	Parameter	Depth meters		ppm	Units
09/03/97	DISSOLVED OXYGEN	.3		5.500	MG/L
09/03/97	DISSOLVED OXYGEN	1.0		5.500	MG/L
09/03/97	DISSOLVED OXYGEN	4.5		4.900	MG/L
09/03/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/03/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.018	
09/03/97	PH, FIELD	.3		6.200	STANDARD
09/03/97	PH, FIELD	1.0		6.200	STANDARD
09/03/97	PH, FIELD	4.5		6.000	STANDARD
09/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		96.000	UMHOS/CM
09/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		96.000	UMHOS/CM
09/03/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		99.000	UMHOS/CM
09/03/97	TEMPERATURE, WATER	.3		27.200	DEG C
09/03/97	TEMPERATURE, WATER	1.0		27.000	DEG C

09/03/97	TEMPERATURE, WATER	4.5		26.300	DEG C
04/21/98	DISSOLVED OXYGEN	.3		7.400	MG/L
04/21/98	DISSOLVED OXYGEN	1.0		7.100	MG/L
04/21/98	DISSOLVED OXYGEN	3.5		6.900	MG/L
04/21/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.080	UG/L AS HG
04/21/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
04/21/98	PH, FIELD	.3		6.000	STANDARD
04/21/98	PH, FIELD	1.0		5.900	STANDARD
04/21/98	PH, FIELD	3.5		6.000	STANDARD
04/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		75.000	UMHOS/CM
04/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		77.000	UMHOS/CM
04/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		76.000	UMHOS/CM
04/21/98	TEMPERATURE, WATER	.3		16.100	DEG C
04/21/98	TEMPERATURE, WATER	1.0		16.100	DEG C
04/21/98	TEMPERATURE, WATER	3.5		16.100	DEG C

Red River Basin
Saline Lake Southeast of Deville, Louisiana — Site No. 0999

Date	Parameter	Depth meters		ppm	Units
02/16/00	DISSOLVED OXYGEN	.3		11.200	MG/L
02/16/00	DISSOLVED OXYGEN	1.0		10.000	MG/L
02/16/00	DISSOLVED OXYGEN	2.5		8.500	MG/L
02/16/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/16/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.142	
02/16/00	PH, FIELD	.3		6.700	STANDARD
02/16/00	PH, FIELD	1.0		6.700	STANDARD
02/16/00	PH, FIELD	2.5		6.300	STANDARD
02/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		53.000	UMHOS/CM
02/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		54.000	UMHOS/CM
02/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		52.000	UMHOS/CM
02/16/00	TEMPERATURE, WATER	.3		18.500	DEG C
02/16/00	TEMPERATURE, WATER	1.0		16.600	DEG C
02/16/00	TEMPERATURE, WATER	2.5		16.400	DEG C
08/22/00	DISSOLVED OXYGEN	.3		12.700	MG/L
08/22/00	DISSOLVED OXYGEN	1.0		6.500	MG/L
08/22/00	DISSOLVED OXYGEN	2.0		1.100	MG/L
08/22/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/22/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.115	
08/22/00	PH, FIELD	.3		9.800	STANDARD
08/22/00	PH, FIELD	1.0		9.200	STANDARD
08/22/00	PH, FIELD	2.0		8.500	STANDARD
08/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		95.000	UMHOS/CM
08/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		74.000	UMHOS/CM
08/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		75.000	UMHOS/CM
08/22/00	TEMPERATURE, WATER	.3		35.000	DEG C
08/22/00	TEMPERATURE, WATER	1.0		30.900	DEG C
08/22/00	TEMPERATURE, WATER	2.0		29.900	DEG C

Red River Basin
Saline Lake Southwest of Calvin, Louisiana — Site No. 0716

Date	Parameter	Depth meters		ppm	Units
04/21/98	DISSOLVED OXYGEN	.3		7.000	MG/L
04/21/98	DISSOLVED OXYGEN	1.0		6.900	MG/L
04/21/98	DISSOLVED OXYGEN	4.0		.600	MG/L
04/21/98	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
04/21/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.030	
04/21/98	PH, FIELD	.3		5.600	STANDARD
04/21/98	PH, FIELD	1.0		5.700	STANDARD
04/21/98	PH, FIELD	4.0		6.200	STANDARD
04/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		58.000	UMHOS/CM
04/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		58.000	UMHOS/CM
04/21/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		100.000	UMHOS/CM
04/21/98	TEMPERATURE, WATER	.3		19.200	DEG C
04/21/98	TEMPERATURE, WATER	1.0		19.200	DEG C
04/21/98	TEMPERATURE, WATER	4.0		15.100	DEG C

Red River Basin
Sibley Lake west of Natchitoches, Louisiana — Site No. 0518

Date	Parameter	Depth meters		ppm	Units
09/14/95	DISSOLVED OXYGEN	.4		7.010	MG/L
09/14/95	DISSOLVED OXYGEN	2.4		6.720	MG/L
09/14/95	DISSOLVED OXYGEN	4.9		3.890	MG/L
09/14/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/14/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.143	
09/14/95	PH, FIELD	.4		7.050	STANDARD
09/14/95	PH, FIELD	2.4		6.990	STANDARD
09/14/95	PH, FIELD	4.9		6.640	STANDARD
09/14/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.4		126.000	UMHOS/CM
09/14/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.4		126.000	UMHOS/CM
09/14/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.9		128.000	UMHOS/CM
09/14/95	TEMPERATURE, WATER	.4		28.310	DEG C
09/14/95	TEMPERATURE, WATER	2.4		28.080	DEG C
09/14/95	TEMPERATURE, WATER	4.9		27.770	DEG C
10/11/99	DISSOLVED OXYGEN	.3		8.200	MG/L
10/11/99	DISSOLVED OXYGEN	1.0		7.800	MG/L
10/11/99	DISSOLVED OXYGEN	4.5		.800	MG/L
10/11/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/11/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.139	
10/11/99	PH, FIELD	.3		7.200	STANDARD
10/11/99	PH, FIELD	1.0		7.200	STANDARD
10/11/99	PH, FIELD	4.5		6.700	STANDARD
10/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		121.000	UMHOS/CM
10/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		121.000	UMHOS/CM
10/11/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		128.000	UMHOS/CM
10/11/99	TEMPERATURE, WATER	.3		25.600	DEG C
10/11/99	TEMPERATURE, WATER	1.0		25.500	DEG C
10/11/99	TEMPERATURE, WATER	4.5		23.000	DEG C

Red River Basin
Spring Bayou near Marksville, Louisiana — Site No. 0519

Date	Parameter	Depth meters		ppm	Units
09/07/95	DISSOLVED OXYGEN	.3		3.550	MG/L
09/07/95	DISSOLVED OXYGEN	1.4		1.760	MG/L
09/07/95	DISSOLVED OXYGEN	2.9		1.750	MG/L
09/07/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/07/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.267	
09/07/95	PH, FIELD	.3		6.330	STANDARD
09/07/95	PH, FIELD	1.4		6.290	STANDARD
09/07/95	PH, FIELD	2.9		6.300	STANDARD
09/07/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		91.100	UMHOS/CM
09/07/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.4		90.900	UMHOS/CM
09/07/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.9		91.400	UMHOS/CM
09/07/95	TEMPERATURE, WATER	.3		27.800	DEG C
09/07/95	TEMPERATURE, WATER	1.4		27.600	DEG C
09/07/95	TEMPERATURE, WATER	2.9		27.500	DEG C
05/01/96	DISSOLVED OXYGEN	3.0		4.950	MG/L
05/01/96	DISSOLVED OXYGEN	1.5		5.150	MG/L
05/01/96	DISSOLVED OXYGEN	.0		7.430	MG/L
05/01/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/01/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.295	
05/01/96	PH, FIELD	3.0		5.900	STANDARD
05/01/96	PH, FIELD	1.5		6.200	STANDARD
05/01/96	PH, FIELD	.0		6.300	STANDARD
05/01/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		86.200	UMHOS/CM
05/01/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		86.500	UMHOS/CM
05/01/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		86.800	UMHOS/CM
05/01/96	TEMPERATURE, WATER	3.0		20.500	DEG C
05/01/96	TEMPERATURE, WATER	1.5		20.900	DEG C
05/01/96	TEMPERATURE, WATER	.0		22.000	DEG C
07/15/97	DISSOLVED OXYGEN	.3		3.700	MG/L
07/15/97	DISSOLVED OXYGEN	1.0		3.600	MG/L
07/15/97	DISSOLVED OXYGEN	2.5		2.000	MG/L
07/15/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/15/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.083	
07/15/97	PH, FIELD	.3		6.400	STANDARD
07/15/97	PH, FIELD	1.0		6.300	STANDARD

07/15/97	PH, FIELD	2.5		6.300	STANDARD
07/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		92.000	UMHOS/CM
07/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		92.000	UMHOS/CM
07/15/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		92.000	UMHOS/CM
07/15/97	TEMPERATURE, WATER	.3		31.200	DEG C
07/15/97	TEMPERATURE, WATER	1.0		31.200	DEG C
07/15/97	TEMPERATURE, WATER	2.5		30.500	DEG C
10/19/98	DISSOLVED OXYGEN	.3		4.400	MG/L
10/19/98	DISSOLVED OXYGEN	1.0		3.300	MG/L
10/19/98	DISSOLVED OXYGEN	2.5		.300	MG/L
10/19/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/19/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.064	
10/19/98	PH, FIELD	.3		4.600	STANDARD
10/19/98	PH, FIELD	1.0		3.500	STANDARD
10/19/98	PH, FIELD	2.5		2.700	STANDARD
10/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		123.000	UMHOS/CM
10/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		122.000	UMHOS/CM
10/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		124.000	UMHOS/CM
10/19/98	TEMPERATURE, WATER	.3		23.600	DEG C
10/19/98	TEMPERATURE, WATER	1.0		23.500	DEG C
10/19/98	TEMPERATURE, WATER	2.5		22.800	DEG C

Red River Basin
Wallace Lake, Louisiana Site No. 0967

Date	Parameter	Depth meters		ppm	Units
10/20/99	DISSOLVED OXYGEN	.3		8.000	MG/L
10/20/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/20/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.166	
10/20/99	PH, FIELD	.3		6.900	STANDARD
10/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		365.000	UMHOS/CM
10/20/99	TEMPERATURE, WATER	.3		16.800	DEG C

Sabine River Basin
Anacoco Lake west of Leesville, Louisiana — Site No. 0501

Date	Parameter	Depth meters		ppm	Units
07/19/95	DISSOLVED OXYGEN	.2		8.140	MG/L
07/19/95	DISSOLVED OXYGEN	1.5		6.540	MG/L
07/19/95	DISSOLVED OXYGEN	2.5		2.640	MG/L
07/19/95	DISSOLVED OXYGEN	3.5		.510	MG/L
07/19/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.211	
07/19/95	PH, FIELD	.2		7.160	STANDARD
07/19/95	PH, FIELD	1.5		6.220	STANDARD
07/19/95	PH, FIELD	2.5		5.890	STANDARD
07/19/95	PH, FIELD	3.5		6.000	STANDARD
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		32.300	UMHOS/CM
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		32.500	UMHOS/CM
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		34.900	UMHOS/CM
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		39.600	UMHOS/CM
07/19/95	TEMPERATURE, WATER	.2		32.250	DEG C
07/19/95	TEMPERATURE, WATER	1.5		29.980	DEG C
07/19/95	TEMPERATURE, WATER	2.5		28.080	DEG C
07/19/95	TEMPERATURE, WATER	3.5		27.120	DEG C
11/03/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/03/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.111	

Sabine River Basin
Old River near Niblett Bluff, Louisiana — Site No. 0713

Date	Parameter	Depth meters		ppm	Units
05/19/98	DISSOLVED OXYGEN	.3		7.200	MG/L
05/19/98	DISSOLVED OXYGEN	1.0		7.000	MG/L
05/19/98	DISSOLVED OXYGEN	5.0		7.000	MG/L
05/19/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/19/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.059	
05/19/98	PH, FIELD	.3		6.800	STANDARD
05/19/98	PH, FIELD	1.0		6.800	STANDARD
05/19/98	PH, FIELD	5.0		6.800	STANDARD
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		138.000	UMHOS/CM
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		139.000	UMHOS/CM
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		140.000	UMHOS/CM
05/19/98	TEMPERATURE, WATER	.3		27.300	DEG C
05/19/98	TEMPERATURE, WATER	1.0		27.300	DEG C
05/19/98	TEMPERATURE, WATER	5.0		27.300	DEG C

Sabine River Basin
Sabine River Northwest of Merryville, Louisiana — Site No. 0715

Date	Parameter	Depth meters		ppm	Units
05/26/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/26/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	

Sabine River Basin
Sabine River northeast of Orange, Texas — Site No. 0091

Date	Parameter	Depth meters		ppm	Units
05/19/98	DISSOLVED OXYGEN	.3		7.000	MG/L
05/19/98	DISSOLVED OXYGEN	1.0		6.800	MG/L
05/19/98	DISSOLVED OXYGEN	14.0		.600	MG/L
05/19/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/19/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.000	
05/19/98	PH, FIELD	.3		6.700	STANDARD
05/19/98	PH, FIELD	1.0		6.700	STANDARD
05/19/98	PH, FIELD	14.0		6.300	STANDARD
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		149.000	UMHOS/CM
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		150.000	UMHOS/CM
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	14.0		1080.000	UMHOS/CM
05/19/98	TEMPERATURE, WATER	.3		27.300	DEG C
05/19/98	TEMPERATURE, WATER	1.0		26.900	DEG C
05/19/98	TEMPERATURE, WATER	14.0		21.200	DEG C

Sabine River Basin
Sabine Wildlife Refuge Canals north of Johnson Bayou, Louisiana — Site No. 0601

Date	Parameter	Depth meters		ppm	Units
04/10/97	DISSOLVED OXYGEN	.3		7.000	MG/L
04/10/97	DISSOLVED OXYGEN	1.0		6.800	MG/L
04/10/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/10/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.061	
04/10/97	PH, FIELD	.3		7.000	STANDARD
04/10/97	PH, FIELD	1.0		7.000	STANDARD
04/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		3810.000	UMHOS/CM
04/10/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		3840.000	UMHOS/CM
04/10/97	TEMPERATURE, WATER	.3		21.100	DEG C
04/10/97	TEMPERATURE, WATER	1.0		20.900	DEG C

Sabine River Basin
Toledo Bend Reservoir Southwest of Zwolle, Louisiana — Site No. 1006

Date	Parameter	Depth meters		ppm	Units
03/13/00	DISSOLVED OXYGEN	.3		9.600	MG/L
03/13/00	DISSOLVED OXYGEN	1.0		9.400	MG/L
03/13/00	DISSOLVED OXYGEN	4.9		5.200	MG/L
03/13/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/13/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.082	
03/13/00	PH, FIELD	.3		6.600	STANDARD
03/13/00	PH, FIELD	1.0		6.800	STANDARD
03/13/00	PH, FIELD	4.9		6.700	STANDARD
03/13/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		165.000	UMHOS/CM
03/13/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		165.000	UMHOS/CM
03/13/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.9		165.000	UMHOS/CM
03/13/00	TEMPERATURE, WATER	.3		19.700	DEG C
03/13/00	TEMPERATURE, WATER	1.0		19.500	DEG C
03/13/00	TEMPERATURE, WATER	4.9		18.500	DEG C

Sabine River Basin
Toledo Bend Reservoir near Converse, Louisiana — Site No. 0530

Date	Parameter	Depth meters		ppm	Units
11/29/95	DISSOLVED OXYGEN	.5		10.580	MG/L
11/29/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/29/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.236	
11/29/95	PH, FIELD	.5		9.280	STANDARD
11/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		221.000	UMHOS/CM
11/29/95	TEMPERATURE, WATER	.5		13.400	DEG C
03/14/00	DISSOLVED OXYGEN	.3		11.100	MG/L
03/14/00	DISSOLVED OXYGEN	1.0		10.800	MG/L
03/14/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/14/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.037	
03/14/00	PH, FIELD	.3		7.800	STANDARD
03/14/00	PH, FIELD	1.0		7.900	STANDARD
03/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		267.000	UMHOS/CM
03/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		267.000	UMHOS/CM
03/14/00	TEMPERATURE, WATER	.3		17.900	DEG C
03/14/00	TEMPERATURE, WATER	1.0		17.900	DEG C

Sabine River Basin
Toledo Bend Reservoir near Hunter, Louisiana — Site No. 0529

Date	Parameter	Depth meters		ppm	Units
11/29/95	DISSOLVED OXYGEN	.2		7.750	MG/L
11/29/95	DISSOLVED OXYGEN	5.8		6.950	MG/L
11/29/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/29/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.246	
11/29/95	PH, FIELD	.2		7.420	STANDARD
11/29/95	PH, FIELD	5.8		7.250	STANDARD
11/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		497.000	UMHOS/CM
11/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.8		495.000	UMHOS/CM
11/29/95	TEMPERATURE, WATER	.2		14.640	DEG C
11/29/95	TEMPERATURE, WATER	5.8		13.790	DEG C

06/26/96	DISSOLVED OXYGEN	7.3		.890	MG/L
06/26/96	DISSOLVED OXYGEN	3.6		3.340	MG/L
06/26/96	DISSOLVED OXYGEN	.2		4.040	MG/L
06/26/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/26/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
06/26/96	PH, FIELD	7.3		6.430	STANDARD
06/26/96	PH, FIELD	3.6		6.520	STANDARD
06/26/96	PH, FIELD	.2		6.550	STANDARD
06/26/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.3		340.000	UMHOS/CM
06/26/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.6		317.000	UMHOS/CM
06/26/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		314.000	UMHOS/CM
06/26/96	TEMPERATURE, WATER	7.3		28.800	DEG C
06/26/96	TEMPERATURE, WATER	3.6		29.040	DEG C
06/26/96	TEMPERATURE, WATER	.2		29.100	DEG C
03/18/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/17/98	DISSOLVED OXYGEN	.3		8.400	MG/L
11/17/98	DISSOLVED OXYGEN	1.0		8.300	MG/L
11/17/98	DISSOLVED OXYGEN	4.0		8.300	MG/L
11/17/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/17/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.071	
11/17/98	PH, FIELD	.3		6.700	STANDARD
11/17/98	PH, FIELD	1.0		6.600	STANDARD
11/17/98	PH, FIELD	4.0		6.600	STANDARD
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		135.000	UMHOS/CM
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		135.000	UMHOS/CM
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		135.000	UMHOS/CM
11/17/98	TEMPERATURE, WATER	.3		14.200	DEG C
11/17/98	TEMPERATURE, WATER	1.0		14.200	DEG C
11/17/98	TEMPERATURE, WATER	4.0		14.200	DEG C
03/20/00	DISSOLVED OXYGEN	.3		7.500	MG/L
03/20/00	DISSOLVED OXYGEN	1.0		7.100	MG/L
03/20/00	DISSOLVED OXYGEN	4.5		6.800	MG/L
03/20/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/20/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.072	
03/20/00	PH, FIELD	.3		6.200	STANDARD
03/20/00	PH, FIELD	1.0		6.300	STANDARD
03/20/00	PH, FIELD	4.5		6.500	STANDARD
03/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		257.000	UMHOS/CM
03/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		253.000	UMHOS/CM
03/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		247.000	UMHOS/CM
03/20/00	TEMPERATURE, WATER	.3		16.600	DEG C
03/20/00	TEMPERATURE, WATER	1.0		16.700	DEG C
03/20/00	TEMPERATURE, WATER	4.5		16.200	DEG C

Sabine River Basin
Toledo Bend Reservoir near Negreet, Louisiana — Site No. 0534

Date	Parameter	Depth meters		ppm	Units
11/28/95	DISSOLVED OXYGEN	.2		7.720	MG/L
11/28/95	DISSOLVED OXYGEN	5.0		7.560	MG/L
11/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.451	
11/28/95	PH, FIELD	.2		7.160	STANDARD
11/28/95	PH, FIELD	5.0		7.060	STANDARD
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		140.000	UMHOS/CM
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		140.000	UMHOS/CM
11/28/95	TEMPERATURE, WATER	.2		15.200	DEG C
11/28/95	TEMPERATURE, WATER	5.0		15.000	DEG C
06/26/96	DISSOLVED OXYGEN	10.0		1.800	MG/L
06/26/96	DISSOLVED OXYGEN	4.6		6.310	MG/L
06/26/96	DISSOLVED OXYGEN	.3		7.590	MG/L
06/26/96	PH, FIELD	10.0		6.630	STANDARD
06/26/96	PH, FIELD	4.6		6.600	STANDARD
06/26/96	PH, FIELD	.3		7.340	STANDARD
06/26/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.0		153.000	UMHOS/CM
06/26/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.6		139.000	UMHOS/CM
06/26/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		148.400	UMHOS/CM
06/26/96	TEMPERATURE, WATER	10.0		25.720	DEG C
06/26/96	TEMPERATURE, WATER	4.6		28.920	DEG C
06/26/96	TEMPERATURE, WATER	.3		30.580	DEG C
06/27/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/27/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
01/25/00	DISSOLVED OXYGEN	.3		10.700	MG/L

01/25/00	DISSOLVED OXYGEN	1.0		10.600	MG/L
01/25/00	DISSOLVED OXYGEN	3.5		10.200	MG/L
01/25/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.190	UG/L AS HG
01/25/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.036	
01/25/00	PH, FIELD	.3		7.100	STANDARD
01/25/00	PH, FIELD	1.0		7.100	STANDARD
01/25/00	PH, FIELD	3.5		7.100	STANDARD
01/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		143.000	UMHOS/CM
01/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		143.000	UMHOS/CM
01/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		143.000	UMHOS/CM
01/25/00	TEMPERATURE, WATER	.3		13.300	DEG C
01/25/00	TEMPERATURE, WATER	1.0		13.300	DEG C
01/25/00	TEMPERATURE, WATER	3.5		13.300	DEG C

Sabine River Basin
Toledo Bend Reservoir near San Patrice, Louisiana — Site No. 0531

Date	Parameter	Depth meters		ppm	Units
11/29/95	DISSOLVED OXYGEN	.2		8.660	MG/L
11/29/95	DISSOLVED OXYGEN	2.2		8.680	MG/L
11/29/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/29/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.471	
11/29/95	PH, FIELD	.2		7.410	STANDARD
11/29/95	PH, FIELD	2.2		7.350	STANDARD
11/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		163.000	UMHOS/CM
11/29/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.2		162.000	UMHOS/CM
11/29/95	TEMPERATURE, WATER	.2		14.310	DEG C
11/29/95	TEMPERATURE, WATER	2.2		13.430	DEG C
06/27/96	DISSOLVED OXYGEN	4.0		1.350	MG/L
06/27/96	DISSOLVED OXYGEN	2.0		6.090	MG/L
06/27/96	DISSOLVED OXYGEN	.2		7.420	MG/L
06/27/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/27/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.131	
06/27/96	PH, FIELD	4.0		6.470	STANDARD
06/27/96	PH, FIELD	2.0		6.740	STANDARD
06/27/96	PH, FIELD	.2		7.480	STANDARD
06/27/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		184.000	UMHOS/CM
06/27/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		184.000	UMHOS/CM
06/27/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		184.000	UMHOS/CM
06/27/96	TEMPERATURE, WATER	4.0		28.030	DEG C
06/27/96	TEMPERATURE, WATER	2.0		29.280	DEG C
06/27/96	TEMPERATURE, WATER	.2		30.580	DEG C
03/19/97	DISSOLVED OXYGEN	.3		6.200	MG/L
03/19/97	DISSOLVED OXYGEN	2.0		5.900	MG/L
03/19/97	MERCURY, DISSOLVED UG/L AS HG	1.0		.140	UG/L AS HG
03/19/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.775	
03/19/97	PH, FIELD	.3		5.800	STANDARD
03/19/97	PH, FIELD	2.0		5.900	STANDARD
03/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		88.000	UMHOS/CM
03/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		88.000	UMHOS/CM
03/19/97	TEMPERATURE, WATER	.3		15.800	DEG C
03/19/97	TEMPERATURE, WATER	2.0		15.800	DEG C
11/16/98	DISSOLVED OXYGEN	.3		10.500	MG/L
11/16/98	DISSOLVED OXYGEN	1.0		10.400	MG/L
11/16/98	DISSOLVED OXYGEN	2.5		9.000	MG/L
11/16/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/16/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.228	
11/16/98	PH, FIELD	.3		7.600	STANDARD
11/16/98	PH, FIELD	1.0		7.600	STANDARD
11/16/98	PH, FIELD	2.5		7.300	STANDARD
11/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		171.000	UMHOS/CM
11/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		166.000	UMHOS/CM
11/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		165.000	UMHOS/CM
11/16/98	TEMPERATURE, WATER	.3		16.600	DEG C
11/16/98	TEMPERATURE, WATER	1.0		15.900	DEG C
11/16/98	TEMPERATURE, WATER	2.5		15.600	DEG C
03/14/00	DISSOLVED OXYGEN	.3		9.400	MG/L
03/14/00	DISSOLVED OXYGEN	1.0		9.300	MG/L
03/14/00	DISSOLVED OXYGEN	2.1		8.500	MG/L
03/14/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/14/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.057	
03/14/00	PH, FIELD	.3		7.600	STANDARD
03/14/00	PH, FIELD	1.0		7.600	STANDARD

03/14/00	PH, FIELD	2.1		7.400	STANDARD
03/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		183.000	UMHOS/CM
03/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		183.000	UMHOS/CM
03/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.1		183.000	UMHOS/CM
03/14/00	TEMPERATURE, WATER	.3		17.700	DEG C
03/14/00	TEMPERATURE, WATER	1.0		17.600	DEG C
03/14/00	TEMPERATURE, WATER	2.1		17.400	DEG C

Sabine River Basin
Toledo Bend Reservoir near Toro, Louisiana — Site No. 0535

Date	Parameter	Depth meters		ppm	Units
11/28/95	DISSOLVED OXYGEN	.6		8.810	MG/L
11/28/95	DISSOLVED OXYGEN	3.4		8.630	MG/L
11/28/95	DISSOLVED OXYGEN	4.7		8.560	MG/L
11/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.317	
11/28/95	PH, FIELD	.6		6.060	STANDARD
11/28/95	PH, FIELD	3.4		6.080	STANDARD
11/28/95	PH, FIELD	4.7		6.120	STANDARD
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.6		137.500	UMHOS/CM
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.4		137.500	UMHOS/CM
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.7		136.900	UMHOS/CM
11/28/95	TEMPERATURE, WATER	.6		15.950	DEG C
11/28/95	TEMPERATURE, WATER	3.4		15.700	DEG C
11/28/95	TEMPERATURE, WATER	4.7		15.160	DEG C
01/25/00	DISSOLVED OXYGEN	.3		10.900	MG/L
01/25/00	DISSOLVED OXYGEN	1.0		10.400	MG/L
01/25/00	DISSOLVED OXYGEN	5.0		10.200	MG/L
01/25/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.130	UG/L AS HG
01/25/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.071	
01/25/00	PH, FIELD	.3		6.800	STANDARD
01/25/00	PH, FIELD	1.0		6.900	STANDARD
01/25/00	PH, FIELD	5.0		6.900	STANDARD
01/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		123.000	UMHOS/CM
01/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		123.000	UMHOS/CM
01/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		123.000	UMHOS/CM
01/25/00	TEMPERATURE, WATER	.3		13.200	DEG C
01/25/00	TEMPERATURE, WATER	1.0		13.200	DEG C
01/25/00	TEMPERATURE, WATER	5.0		13.100	DEG C

Sabine River Basin
Toledo Bend Reservoir south of Logansport, Louisiana — Site No. 0471

Date	Parameter	Depth meters		ppm	Units
10/13/94	DISSOLVED OXYGEN	8.4		6.360	MG/L
10/13/94	DISSOLVED OXYGEN	4.2		6.010	MG/L
10/13/94	DISSOLVED OXYGEN	.0		5.930	MG/L
10/13/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/13/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
10/13/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.081	
10/13/94	PH, FIELD	8.4		6.460	STANDARD
10/13/94	PH, FIELD	4.2		6.560	STANDARD
10/13/94	PH, FIELD	.0		6.640	STANDARD
10/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.4		174.000	UMHOS/CM
10/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.2		173.000	UMHOS/CM
10/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		177.000	UMHOS/CM
10/13/94	TEMPERATURE, WATER	8.4		18.820	DEG C
10/13/94	TEMPERATURE, WATER	4.2		18.830	DEG C
10/13/94	TEMPERATURE, WATER	.0		18.830	DEG C
11/28/95	DISSOLVED OXYGEN	.2		7.930	MG/L
11/28/95	DISSOLVED OXYGEN	7.2		7.800	MG/L
11/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
11/28/95	PH, FIELD	.2		7.420	STANDARD
11/28/95	PH, FIELD	7.2		7.290	STANDARD
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		533.000	UMHOS/CM
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.2		534.000	UMHOS/CM
11/28/95	TEMPERATURE, WATER	.2		14.630	DEG C
11/28/95	TEMPERATURE, WATER	7.2		14.580	DEG C
11/17/98	DISSOLVED OXYGEN	.3		8.600	MG/L
11/17/98	DISSOLVED OXYGEN	1.0		8.600	MG/L

11/17/98	DISSOLVED OXYGEN	8.0		6.900	MG/L
11/17/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/17/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.095	
11/17/98	PH, FIELD	.3		6.800	STANDARD
11/17/98	PH, FIELD	1.0		6.800	STANDARD
11/17/98	PH, FIELD	8.0		6.600	STANDARD
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		133.000	UMHOS/CM
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		133.000	UMHOS/CM
11/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.0		133.000	UMHOS/CM
11/17/98	TEMPERATURE, WATER	.3		13.700	DEG C
11/17/98	TEMPERATURE, WATER	1.0		13.700	DEG C
11/17/98	TEMPERATURE, WATER	8.0		13.700	DEG C
03/22/00	DISSOLVED OXYGEN	.3		9.200	MG/L
03/22/00	DISSOLVED OXYGEN	1.0		8.800	MG/L
03/22/00	DISSOLVED OXYGEN	6.0		7.600	MG/L
03/22/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/22/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.035	
03/22/00	PH, FIELD	.3		6.700	STANDARD
03/22/00	PH, FIELD	1.0		6.700	STANDARD
03/22/00	PH, FIELD	6.0		6.800	STANDARD
03/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		278.000	UMHOS/CM
03/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		278.000	UMHOS/CM
03/22/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		267.000	UMHOS/CM
03/22/00	TEMPERATURE, WATER	.3		16.500	DEG C
03/22/00	TEMPERATURE, WATER	1.0		16.000	DEG C
03/22/00	TEMPERATURE, WATER	6.0		15.400	DEG C

Sabine River Basin
Toledo Bend Reservoir south of Zwolle, Louisiana — Site No. 0374

Date	Parameter	Depth meters		ppm	Units
07/28/94	DISSOLVED OXYGEN	4.8		4.300	MG/L
07/28/94	DISSOLVED OXYGEN	2.4		5.030	MG/L
07/28/94	DISSOLVED OXYGEN	.0		6.260	MG/L
07/28/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
07/28/94	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/28/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.119	
07/28/94	PH, FIELD	4.8		6.630	STANDARD
07/28/94	PH, FIELD	2.4		6.660	STANDARD
07/28/94	PH, FIELD	.0		6.940	STANDARD
07/28/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.8		156.000	UMHOS/CM
07/28/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.4		155.000	UMHOS/CM
07/28/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		156.000	UMHOS/CM
07/28/94	TEMPERATURE, WATER	4.8		29.510	DEG C
07/28/94	TEMPERATURE, WATER	2.4		29.890	DEG C
07/28/94	TEMPERATURE, WATER	.0		30.500	DEG C
11/28/95	DISSOLVED OXYGEN	.2		9.210	MG/L
11/28/95	DISSOLVED OXYGEN	.8		9.160	MG/L
11/28/95	DISSOLVED OXYGEN	1.9		8.850	MG/L
11/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.205	
11/28/95	PH, FIELD	.2		6.100	STANDARD
11/28/95	PH, FIELD	.8		6.110	STANDARD
11/28/95	PH, FIELD	1.9		6.200	STANDARD
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		147.000	UMHOS/CM
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		147.200	UMHOS/CM
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.9		147.200	UMHOS/CM
11/28/95	TEMPERATURE, WATER	.2		15.910	DEG C
11/28/95	TEMPERATURE, WATER	.8		15.910	DEG C
11/28/95	TEMPERATURE, WATER	1.9		15.870	DEG C
01/24/00	DISSOLVED OXYGEN	.3		10.600	MG/L
01/24/00	DISSOLVED OXYGEN	1.0		10.400	MG/L
01/24/00	DISSOLVED OXYGEN	5.0		4.700	MG/L
01/24/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.720	UG/L AS HG
01/24/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.082	
01/24/00	PH, FIELD	.3		6.300	STANDARD
01/24/00	PH, FIELD	1.0		6.300	STANDARD
01/24/00	PH, FIELD	5.0		6.500	STANDARD
01/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		156.000	UMHOS/CM
01/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		156.000	UMHOS/CM
01/24/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		161.000	UMHOS/CM
01/24/00	TEMPERATURE, WATER	.3		14.000	DEG C

01/24/00	TEMPERATURE, WATER	1.0		14.000	DEG C
01/24/00	TEMPERATURE, WATER	5.0		13.900	DEG C

Sabine River Basin
Toledo Bend Reservoir southwest of Zwolle, Louisiana — Site No. 0532

Date	Parameter	Depth meters		ppm	Units
11/28/95	DISSOLVED OXYGEN	.2		8.770	MG/L
11/28/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.374	
11/28/95	PH, FIELD	.2		6.340	STANDARD
11/28/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		145.500	UMHOS/CM
11/28/95	TEMPERATURE, WATER	.2		15.010	DEG C

Sabine River Basin
Toledo Bend southwest of Logansport, Louisiana — Site No. 0603

Date	Parameter	Depth meters		ppm	Units
03/18/97	DISSOLVED OXYGEN	.3		4.800	MG/L
03/18/97	DISSOLVED OXYGEN	1.0		4.400	MG/L
03/18/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/18/97	PH, FIELD	.3		6.100	STANDARD
03/18/97	PH, FIELD	1.0		6.200	STANDARD
03/18/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		143.000	UMHOS/CM
03/18/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		143.000	UMHOS/CM
03/18/97	TEMPERATURE, WATER	.3		15.700	DEG C
03/18/97	TEMPERATURE, WATER	1.0		15.700	DEG C

Sabine River Basin
Toledo Bend west of Zwolle, Louisiana — Site No. 0604

Date	Parameter	Depth meters		ppm	Units
03/19/97	DISSOLVED OXYGEN	.3		4.900	MG/L
03/19/97	DISSOLVED OXYGEN	2.0		4.600	MG/L
03/19/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/19/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.596	
03/19/97	PH, FIELD	.3		5.800	STANDARD
03/19/97	PH, FIELD	2.0		6.000	STANDARD
03/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		112.000	UMHOS/CM
03/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		113.000	UMHOS/CM
03/19/97	TEMPERATURE, WATER	.3		15.800	DEG C
03/19/97	TEMPERATURE, WATER	2.0		15.800	DEG C

Sabine River Basin
Vernon Lake south of Anacoco, Louisiana — Site No. 0522

Date	Parameter	Depth meters		ppm	Units
07/19/95	DISSOLVED OXYGEN	.2		8.160	MG/L
07/19/95	DISSOLVED OXYGEN	5.1		1.110	MG/L
07/19/95	DISSOLVED OXYGEN	10.2		.120	MG/L
07/19/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/19/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.194	
07/19/95	PH, FIELD	.2		7.570	STANDARD
07/19/95	PH, FIELD	5.1		5.600	STANDARD
07/19/95	PH, FIELD	10.2		6.090	STANDARD
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		28.900	UMHOS/CM
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.1		29.600	UMHOS/CM
07/19/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	10.2		58.400	UMHOS/CM
07/19/95	TEMPERATURE, WATER	.2		31.830	DEG C
07/19/95	TEMPERATURE, WATER	5.1		25.520	DEG C
07/19/95	TEMPERATURE, WATER	10.2		18.040	DEG C
06/13/96	DISSOLVED OXYGEN	7.5		.160	MG/L
06/13/96	DISSOLVED OXYGEN	4.0		6.360	MG/L
06/13/96	DISSOLVED OXYGEN	.2		7.520	MG/L
06/13/96	DISSOLVED OXYGEN	7.5		.240	MG/L
06/13/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/13/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
06/13/96	PH, FIELD	7.5		5.700	STANDARD
06/13/96	PH, FIELD	4.0		6.230	STANDARD
06/13/96	PH, FIELD	.2		6.380	STANDARD

06/13/96	PH, FIELD	7.5		6.040	STANDARD
06/13/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.5		42.200	UMHOS/CM
06/13/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		34.800	UMHOS/CM
06/13/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		34.100	UMHOS/CM
06/13/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.5		42.800	UMHOS/CM
06/13/96	TEMPERATURE, WATER	7.5		20.520	DEG C
06/13/96	TEMPERATURE, WATER	4.0		26.050	DEG C
06/13/96	TEMPERATURE, WATER	.2		27.880	DEG C
06/13/96	TEMPERATURE, WATER	7.5		20.490	DEG C
03/04/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/22/99	DISSOLVED OXYGEN	.3		10.000	MG/L
02/22/99	DISSOLVED OXYGEN	1.0		10.000	MG/L
02/22/99	DISSOLVED OXYGEN	6.0		9.800	MG/L
02/22/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/22/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.046	
02/22/99	PH, FIELD	.3		6.800	STANDARD
02/22/99	PH, FIELD	1.0		6.800	STANDARD
02/22/99	PH, FIELD	6.0		6.700	STANDARD
02/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		28.000	UMHOS/CM
02/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		28.000	UMHOS/CM
02/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		28.000	UMHOS/CM
02/22/99	TEMPERATURE, WATER	.3		14.700	DEG C
02/22/99	TEMPERATURE, WATER	1.0		14.700	DEG C
02/22/99	TEMPERATURE, WATER	6.0		14.300	DEG C
10/26/99	DISSOLVED OXYGEN	.3		7.900	MG/L
10/26/99	DISSOLVED OXYGEN	1.0		7.900	MG/L
10/26/99	DISSOLVED OXYGEN	7.0		6.600	MG/L
10/26/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.074	
10/26/99	PH, FIELD	.3		6.000	STANDARD
10/26/99	PH, FIELD	1.0		6.000	STANDARD
10/26/99	PH, FIELD	7.0		5.700	STANDARD
10/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		34.000	UMHOS/CM
10/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		34.000	UMHOS/CM
10/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		34.000	UMHOS/CM
10/26/99	TEMPERATURE, WATER	.3		22.100	DEG C
10/26/99	TEMPERATURE, WATER	1.0		21.700	DEG C
10/26/99	TEMPERATURE, WATER	7.0		19.900	DEG C

Terrebonne River Basin
Bay Antoine South of Houma, Louisiana — Site No. 0718

Date	Parameter	Depth meters		ppm	Units
05/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		19.200	UMHOS/CM
05/14/98	TEMPERATURE, WATER	1.5		25.900	DEG C

Terrebonne River Basin
Bay Wallace south of Gibson, Louisiana — Site No. 0502

Date	Parameter	Depth meters		ppm	Units
06/11/95	DISSOLVED OXYGEN	.2		4.040	MG/L
06/11/95	DISSOLVED OXYGEN	1.3		2.580	MG/L
06/11/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/11/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.387	
06/11/95	PH, FIELD	.2		6.580	STANDARD
06/11/95	PH, FIELD	1.3		6.450	STANDARD
06/11/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		316.000	UMHOS/CM
06/11/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		318.000	UMHOS/CM
06/11/95	TEMPERATURE, WATER	.2		28.210	DEG C
06/11/95	TEMPERATURE, WATER	1.3		25.690	DEG C

Terrebonne River Basin
Bayou Choctaw near I-10 East of Gross Tete, Louisiana — Site No. 0609

Date	Parameter	Depth meters		ppm	Units
06/26/97	DISSOLVED OXYGEN	.3		3.800	MG/L
06/26/97	DISSOLVED OXYGEN	1.0		2.900	MG/L
06/26/97	DISSOLVED OXYGEN	4.0		2.200	MG/L
06/26/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/26/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.112	
06/26/97	PH, FIELD	.3		7.200	STANDARD
06/26/97	PH, FIELD	1.0		7.100	STANDARD
06/26/97	PH, FIELD	4.0		7.000	STANDARD
06/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		289.000	UMHOS/CM
06/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		288.000	UMHOS/CM
06/26/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		297.000	UMHOS/CM
06/26/97	TEMPERATURE, WATER	.3		28.400	DEG C
06/26/97	TEMPERATURE, WATER	1.0		28.100	DEG C
06/26/97	TEMPERATURE, WATER	4.0		27.300	DEG C
11/28/00	DISSOLVED OXYGEN	.3		5.400	MG/L
11/28/00	DISSOLVED OXYGEN	1.0		5.300	MG/L
11/28/00	DISSOLVED OXYGEN	4.5		4.500	MG/L
11/28/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/28/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.092	
11/28/00	PH, FIELD	.3		7.300	STANDARD
11/28/00	PH, FIELD	1.0		7.300	STANDARD
11/28/00	PH, FIELD	4.5		7.300	STANDARD
11/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		358.000	UMHOS/CM
11/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		359.000	UMHOS/CM
11/28/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		331.000	UMHOS/CM
11/28/00	TEMPERATURE, WATER	.3		13.800	DEG C
11/28/00	TEMPERATURE, WATER	1.0		13.700	DEG C
11/28/00	TEMPERATURE, WATER	4.5		12.600	DEG C

Terrebonne River Basin
Bayou Choctaw near Indian Village, Louisiana — Site No. 0610

Date	Parameter	Depth meters		ppm	Units
06/25/97	DISSOLVED OXYGEN	.3		4.400	MG/L
06/25/97	DISSOLVED OXYGEN	1.0		4.200	MG/L
06/25/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/25/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.034	
06/25/97	PH, FIELD	.3		7.100	STANDARD
06/25/97	PH, FIELD	1.0		7.100	STANDARD
06/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		293.000	UMHOS/CM
06/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		293.000	UMHOS/CM
06/25/97	TEMPERATURE, WATER	.3		28.000	DEG C
06/25/97	TEMPERATURE, WATER	1.0		27.700	DEG C

Terrebonne River Basin
Bayou Choctaw north of confluence with Bayou Grosse Tete, Louisiana — Site No. 1113

Date	Parameter	Depth meters		ppm	Units
01/14/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/14/00	DISSOLVED OXYGEN	1.0		7.200	MG/L
11/14/00	DISSOLVED OXYGEN	1.0		6.800	MG/L
11/14/00	DISSOLVED OXYGEN	3.5		6.600	MG/L
11/14/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.122	
11/14/00	PH, FIELD	1.0		7.400	STANDARD
11/14/00	PH, FIELD	1.0		7.500	STANDARD
11/14/00	PH, FIELD	3.5		7.500	STANDARD
11/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		423.000	UMHOS/CM
11/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		429.000	UMHOS/CM
11/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		425.000	UMHOS/CM
11/14/00	TEMPERATURE, WATER	1.0		17.500	DEG C
11/14/00	TEMPERATURE, WATER	1.0		17.500	DEG C
11/14/00	TEMPERATURE, WATER	3.5		17.400	DEG C

Terrebonne River Basin
Bayou Long near Stephenville, Louisiana — Site No. 0726

Date	Parameter	Depth meters		ppm	Units
06/04/98	DISSOLVED OXYGEN	.3		6.600	MG/L
06/04/98	DISSOLVED OXYGEN	1.0		6.000	MG/L
06/04/98	DISSOLVED OXYGEN	4.0		2.900	MG/L
06/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.002	
06/04/98	PH, FIELD	.3		7.900	STANDARD
06/04/98	PH, FIELD	1.0		7.900	STANDARD
06/04/98	PH, FIELD	4.0		7.400	STANDARD
06/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		320.000	UMHOS/CM
06/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		320.000	UMHOS/CM
06/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		325.000	UMHOS/CM
06/04/98	TEMPERATURE, WATER	.3		31.000	DEG C
06/04/98	TEMPERATURE, WATER	1.0		31.000	DEG C
06/04/98	TEMPERATURE, WATER	4.0		30.100	DEG C

Terrebonne River Basin
Bayou Plaquemine, Louisiana — Site No. 0983

Date	Parameter	Depth meters		ppm	Units
11/22/99	DISSOLVED OXYGEN	.1		4.600	MG/L
11/22/99	DISSOLVED OXYGEN	1.0		4.400	MG/L
11/22/99	DISSOLVED OXYGEN	2.5		4.200	MG/L
11/22/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/22/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.101	
11/22/99	PH, FIELD	.1		7.200	STANDARD
11/22/99	PH, FIELD	1.0		7.300	STANDARD
11/22/99	PH, FIELD	2.5		7.300	STANDARD
11/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		594.000	UMHOS/CM
11/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		593.000	UMHOS/CM
11/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		590.000	UMHOS/CM
11/22/99	TEMPERATURE, WATER	.1		19.200	DEG C
11/22/99	TEMPERATURE, WATER	1.0		18.500	DEG C
11/22/99	TEMPERATURE, WATER	2.5		18.200	DEG C

Terrebonne River Basin
Bayou Pointe Aux Chiens, East of Montegut, Louisiana — Site No. 0873

Date	Parameter	Depth meters		ppm	Units
12/17/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		9.700	UMHOS/CM
12/17/98	TEMPERATURE, WATER	2.0		12.000	DEG C

Terrebonne River Basin
Bayou Rambio — Site No. 0867

Date	Parameter	Depth meters		ppm	Units
11/16/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		11.800	UMHOS/CM
11/16/98	TEMPERATURE, WATER	1.8		21.800	DEG C

Terrebonne River Basin
Blue Hammock Bayou — Site No. 0866

Date	Parameter	Depth meters		ppm	Units
11/12/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		15.300	UMHOS/CM
11/12/98	TEMPERATURE, WATER	1.0		16.800	DEG C

Terrebonne River Basin
Caillou Bay near Raccoon Point (Isles Dernieres) — Site No. 0732

Date	Parameter	Depth meters		ppm	Units
04/30/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		32.300	UMHOS/CM
04/30/98	TEMPERATURE, WATER	1.5		21.000	DEG C

Terrebonne River Basin
Caillou Lake south of Houma, Louisiana — Site No. 0351

Date	Parameter	Depth meters		ppm	Units
01/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		3.100	UMHOS/CM
01/02/97	TEMPERATURE, WATER	1.0		20.900	DEG C

Terrebonne River Basin
Catfish Lake West of Golden Meadow, Louisiana — Site No. 0566

Date	Parameter	Depth meters		ppm	Units
11/13/96	DISSOLVED OXYGEN	1.0		10.520	MG/L
11/13/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		28630.000	UMHOS/CM
11/13/96	TEMPERATURE, WATER	1.0		18.550	DEG C
12/09/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		27.100	UMHOS/CM
12/09/96	TEMPERATURE, WATER	1.0		17.100	DEG C
04/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		18.200	UMHOS/CM
04/23/98	TEMPERATURE, WATER	1.0		21.400	DEG C

Terrebonne River Basin
Devil's Bay — Site No. 0728

Date	Parameter	Depth meters		ppm	Units
04/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		32.200	UMHOS/CM
04/23/98	TEMPERATURE, WATER	1.0		19.800	DEG C

Terrebonne River Basin
False River — Site No. 0536

Date	Parameter	Depth meters		ppm	Units
05/30/96	DISSOLVED OXYGEN	.2		5.850	MG/L
05/30/96	DISSOLVED OXYGEN	7.4		.450	MG/L
05/30/96	DISSOLVED OXYGEN	4.6		4.060	MG/L
05/30/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/30/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.161	
05/30/96	PH, FIELD	.2		7.610	STANDARD
05/30/96	PH, FIELD	7.4		7.160	STANDARD
05/30/96	PH, FIELD	4.6		7.450	STANDARD
05/30/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		278.000	UMHOS/CM
05/30/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.4		284.000	UMHOS/CM
05/30/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.6		281.000	UMHOS/CM
05/30/96	TEMPERATURE, WATER	.2		28.250	DEG C
05/30/96	TEMPERATURE, WATER	7.4		20.800	DEG C
05/30/96	TEMPERATURE, WATER	4.6		27.480	DEG C

Terrebonne River Basin
False River south of New Roads, Louisiana — Site No. 0335

Date	Parameter	Depth meters		ppm	Units
07/31/00	DISSOLVED OXYGEN	.3		12.800	MG/L
07/31/00	DISSOLVED OXYGEN	1.0		11.900	MG/L
07/31/00	DISSOLVED OXYGEN	7.0		1.200	MG/L
07/31/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/31/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.079	
07/31/00	PH, FIELD	.3		8.800	STANDARD
07/31/00	PH, FIELD	1.0		8.800	STANDARD
07/31/00	PH, FIELD	7.0		8.200	STANDARD
07/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		246.000	UMHOS/CM
07/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		245.000	UMHOS/CM
07/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.0		259.000	UMHOS/CM
07/31/00	TEMPERATURE, WATER	.3		31.200	DEG C
07/31/00	TEMPERATURE, WATER	1.0		31.200	DEG C
07/31/00	TEMPERATURE, WATER	7.0		29.800	DEG C

Terrebonne River Basin
Fohs Canal southwest of Dulac, Louisiana — Site No. 0444

Date	Parameter	Depth meters		ppm	Units
08/04/94	DISSOLVED OXYGEN	1.0		4.100	MG/L
08/04/94	DISSOLVED OXYGEN	2.0		4.300	MG/L
08/04/94	DISSOLVED OXYGEN	3.0		4.950	MG/L
08/04/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/04/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/04/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/04/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/04/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.081	
08/04/94	PH, FIELD	1.0		7.100	STANDARD
08/04/94	PH, FIELD	2.0		7.130	STANDARD
08/04/94	PH, FIELD	3.0		7.160	STANDARD
08/04/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		2320.000	UMHOS/CM
08/04/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		2940.000	UMHOS/CM
08/04/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		3000.000	UMHOS/CM
08/04/94	TEMPERATURE, WATER	1.0		29.180	DEG C
08/04/94	TEMPERATURE, WATER	2.0		29.040	DEG C
08/04/94	TEMPERATURE, WATER	3.0		29.040	DEG C

Terrebonne River Basin
Grassy Lake southwest of Napoleonville, Louisiana — Site No. 0588

Date	Parameter	Depth meters		ppm	Units
02/05/97	DISSOLVED OXYGEN	.3		8.400	MG/L
02/05/97	DISSOLVED OXYGEN	1.0		8.400	MG/L
02/05/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/05/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.454	
02/05/97	PH, FIELD	.3		7.700	STANDARD
02/05/97	PH, FIELD	1.0		7.700	STANDARD
02/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		242.000	UMHOS/CM
02/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		242.000	UMHOS/CM
02/05/97	TEMPERATURE, WATER	.3		16.800	DEG C
02/05/97	TEMPERATURE, WATER	1.0		16.800	DEG C
08/27/97	DISSOLVED OXYGEN	.3		10.700	MG/L
08/27/97	DISSOLVED OXYGEN	1.0		9.900	MG/L
08/27/97	DISSOLVED OXYGEN	1.5		9.600	MG/L
08/27/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/27/97	PH, FIELD	.3		9.200	STANDARD
08/27/97	PH, FIELD	1.0		9.200	STANDARD
08/27/97	PH, FIELD	1.5		9.100	STANDARD
08/27/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		256.000	UMHOS/CM
08/27/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		253.000	UMHOS/CM
08/27/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		242.000	UMHOS/CM
08/27/97	TEMPERATURE, WATER	.3		30.500	DEG C
08/27/97	TEMPERATURE, WATER	1.0		30.100	DEG C
08/27/97	TEMPERATURE, WATER	1.5		29.800	DEG C

Terrebonne River Basin
Gulf of Mexico, SS-45 near Isles Dernieres, Louisiana — Site No. 0721

Date	Parameter	Depth meters		ppm	Units
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		40.500	UMHOS/CM
05/19/98	TEMPERATURE, WATER	1.5		26.000	DEG C

Terrebonne River Basin
Intracoastal Waterway near Bourg, Louisiana — Site No. 0615

Date	Parameter	Depth meters		ppm	Units
07/09/97	DISSOLVED OXYGEN	.3		3.800	MG/L
07/09/97	DISSOLVED OXYGEN	1.0		3.400	MG/L
07/09/97	DISSOLVED OXYGEN	3.5		2.800	MG/L
07/09/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/09/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		1.202	
07/09/97	PH, FIELD	.3		6.900	STANDARD
07/09/97	PH, FIELD	1.0		6.900	STANDARD
07/09/97	PH, FIELD	3.5		6.800	STANDARD
07/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		252.000	UMHOS/CM
07/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		252.000	UMHOS/CM
07/09/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		242.000	UMHOS/CM
07/09/97	TEMPERATURE, WATER	.3		29.200	DEG C
07/09/97	TEMPERATURE, WATER	1.0		29.100	DEG C
07/09/97	TEMPERATURE, WATER	3.5		28.600	DEG C

Terrebonne River Basin
Lake Barre — Site No. 0564

Date	Parameter	Depth meters		ppm	Units
10/29/96	DISSOLVED OXYGEN	1.0		7.420	MG/L
10/29/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		34170.000	UMHOS/CM
10/29/96	TEMPERATURE, WATER	1.0		27.010	DEG C

Terrebonne River Basin
Lake Fields near Lockport, Louisiana — Site No. 0730

Date	Parameter	Depth meters		ppm	Units
06/02/98	DISSOLVED OXYGEN	.3		10.900	MG/L
06/02/98	DISSOLVED OXYGEN	1.0		10.500	MG/L
06/02/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/02/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.001	
06/02/98	PH, FIELD	.3		9.800	STANDARD
06/02/98	PH, FIELD	1.0		9.900	STANDARD
06/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		333.000	UMHOS/CM
06/02/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		333.000	UMHOS/CM
06/02/98	TEMPERATURE, WATER	.3		32.400	DEG C
06/02/98	TEMPERATURE, WATER	1.0		32.300	DEG C

Terrebonne River Basin
Lake Hatch southwest of Crozier, Louisiana — Site No. 0869

Date	Parameter	Depth meters		ppm	Units
01/26/99	DISSOLVED OXYGEN	.3		4.300	MG/L
01/26/99	DISSOLVED OXYGEN	.5		3.100	MG/L
01/26/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/26/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.075	
01/26/99	PH, FIELD	.3		7.200	STANDARD
01/26/99	PH, FIELD	.5		7.100	STANDARD
01/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		477.000	UMHOS/CM
01/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		462.000	UMHOS/CM
01/26/99	TEMPERATURE, WATER	.3		16.800	DEG C
01/26/99	TEMPERATURE, WATER	.5		16.700	DEG C

Terrebonne River Basin
Lake Palourde — Site No. 1036

Date	Parameter	Depth meters		ppm	Units
10/06/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
10/16/00	DISSOLVED OXYGEN	.3	>	16.000	MG/L
10/16/00	DISSOLVED OXYGEN	1.0		15.300	MG/L
10/16/00	DISSOLVED OXYGEN	2.0		9.800	MG/L
10/16/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.110	
10/16/00	PH, FIELD	.3		8.900	STANDARD
10/16/00	PH, FIELD	1.0		8.900	STANDARD
10/16/00	PH, FIELD	2.0		8.700	STANDARD
10/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		526.000	UMHOS/CM
10/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		515.000	UMHOS/CM
10/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		518.000	UMHOS/CM
10/16/00	TEMPERATURE, WATER	.3		25.200	DEG C
10/16/00	TEMPERATURE, WATER	1.0		21.900	DEG C
10/16/00	TEMPERATURE, WATER	2.0		20.400	DEG C

Terrebonne River Basin
Lake Palourde near Morgan City, Louisiana — Site No. 0338

Date	Parameter	Depth meters		ppm	Units
01/30/97	DISSOLVED OXYGEN	.3		11.200	MG/L
01/30/97	DISSOLVED OXYGEN	.8		10.800	MG/L
01/30/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/30/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.410	
01/30/97	PH, FIELD	.3		8.400	STANDARD
01/30/97	PH, FIELD	.8		8.300	STANDARD
01/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		261.000	UMHOS/CM
01/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.8		260.000	UMHOS/CM
01/30/97	TEMPERATURE, WATER	.3		12.900	DEG C
01/30/97	TEMPERATURE, WATER	.8		12.700	DEG C
08/27/97	DISSOLVED OXYGEN	.3		8.800	MG/L
08/27/97	DISSOLVED OXYGEN	1.0		8.200	MG/L
08/27/97	DISSOLVED OXYGEN	2.5		7.300	MG/L
08/27/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/27/97	PH, FIELD	.3		9.400	STANDARD
08/27/97	PH, FIELD	1.0		9.300	STANDARD
08/27/97	PH, FIELD	2.5		9.300	STANDARD
08/27/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		275.000	UMHOS/CM
08/27/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		276.000	UMHOS/CM
08/27/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		277.000	UMHOS/CM
08/27/97	TEMPERATURE, WATER	.3		29.200	DEG C
08/27/97	TEMPERATURE, WATER	1.0		29.000	DEG C
08/27/97	TEMPERATURE, WATER	2.5		28.900	DEG C

Terrebonne River Basin
Lake Pelto — Site No. 0561

Date	Parameter	Depth meters		ppm	Units
10/28/96	DISSOLVED OXYGEN	1.0		6.810	MG/L
10/28/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		39980.000	UMHOS/CM
10/28/96	TEMPERATURE, WATER	1.0		24.790	DEG C
11/18/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		46.500	UMHOS/CM
11/18/96	TEMPERATURE, WATER	1.0		22.600	DEG C

Terrebonne River Basin
Lake Pelto near Isles Dernieres, Louisiana — Site No. 0722

Date	Parameter	Depth meters		ppm	Units
05/19/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		35.500	UMHOS/CM
05/19/98	TEMPERATURE, WATER	.5		29.200	DEG C

Terrebonne River Basin
Lake Pelto/Lost Lake — Site No. 0562

Date	Parameter	Depth meters		ppm	Units
12/03/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		38.200	UMHOS/CM

12/03/96	TEMPERATURE, WATER	1.0		15.200	DEG C

Terrebonne River Basin
Lake Penchant Southwest of Houma, Louisiana — Site No. 0896

Date	Parameter	Depth meters		ppm	Units
04/07/99	DISSOLVED OXYGEN	.3		11.400	MG/L
04/07/99	DISSOLVED OXYGEN	1.0		11.400	MG/L
04/07/99	DISSOLVED OXYGEN	2.0		1.100	MG/L
04/07/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/07/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.090	
04/07/99	PH, FIELD	.3		9.000	STANDARD
04/07/99	PH, FIELD	1.0		9.000	STANDARD
04/07/99	PH, FIELD	2.0		7.700	STANDARD
04/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		311.000	UMHOS/CM
04/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		309.000	UMHOS/CM
04/07/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		320.000	UMHOS/CM
04/07/99	TEMPERATURE, WATER	.3		26.900	DEG C
04/07/99	TEMPERATURE, WATER	1.0		26.600	DEG C
04/07/99	TEMPERATURE, WATER	2.0		24.800	DEG C

Terrebonne River Basin
Lake Tambour Southeast of Chauvin, Louisiana — Site No. 0720

Date	Parameter	Depth meters		ppm	Units
04/27/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		27.900	UMHOS/CM
04/27/98	TEMPERATURE, WATER	1.0		21.800	DEG C

Terrebonne River Basin
Lake Theriot southwest of Crozier, Louisiana — Site No. 0871

Date	Parameter	Depth meters		ppm	Units
02/08/99	DISSOLVED OXYGEN	.3		6.300	MG/L
02/08/99	DISSOLVED OXYGEN	1.0		5.900	MG/L
02/08/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/08/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.046	
02/08/99	PH, FIELD	.3		7.500	STANDARD
02/08/99	PH, FIELD	1.0		7.500	STANDARD
02/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		569.000	UMHOS/CM
02/08/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		569.000	UMHOS/CM
02/08/99	TEMPERATURE, WATER	.3		22.200	DEG C
02/08/99	TEMPERATURE, WATER	1.0		22.200	DEG C

Terrebonne River Basin
Lake Verret at Attakapas Landing near Georgia, Louisiana — Site No. 0144

Date	Parameter	Depth meters		ppm	Units
05/22/96	DISSOLVED OXYGEN	1.1		7.840	MG/L
05/22/96	DISSOLVED OXYGEN	.1		9.170	MG/L
05/22/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/22/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.049	
05/22/96	PH, FIELD	1.1		8.660	STANDARD
05/22/96	PH, FIELD	.1		8.810	STANDARD
05/22/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.1		322.000	UMHOS/CM
05/22/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		319.000	UMHOS/CM
05/22/96	TEMPERATURE, WATER	1.1		29.770	DEG C
05/22/96	TEMPERATURE, WATER	.1		30.350	DEG C
09/25/97	DISSOLVED OXYGEN	.3		8.800	MG/L
09/25/97	DISSOLVED OXYGEN	1.0		8.500	MG/L
09/25/97	DISSOLVED OXYGEN	2.0		8.400	MG/L
09/25/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/25/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.094	
09/25/97	PH, FIELD	.3		9.400	STANDARD
09/25/97	PH, FIELD	1.0		9.300	STANDARD
09/25/97	PH, FIELD	2.0		9.200	STANDARD
09/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		345.000	UMHOS/CM
09/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		346.000	UMHOS/CM
09/25/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		352.000	UMHOS/CM
09/25/97	TEMPERATURE, WATER	.3		27.300	DEG C
09/25/97	TEMPERATURE, WATER	1.0		27.300	DEG C

09/25/97	TEMPERATURE, WATER	2.0		27.300	DEG C
10/31/00	DISSOLVED OXYGEN	.3		11.900	MG/L
10/31/00	DISSOLVED OXYGEN	1.0		11.700	MG/L
10/31/00	DISSOLVED OXYGEN	1.3		9.800	MG/L
10/31/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/31/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.102	
10/31/00	PH, FIELD	.3		8.900	STANDARD
10/31/00	PH, FIELD	1.0		8.900	STANDARD
10/31/00	PH, FIELD	1.3		8.800	STANDARD
10/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		469.000	UMHOS/CM
10/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		468.000	UMHOS/CM
10/31/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		468.000	UMHOS/CM
10/31/00	TEMPERATURE, WATER	.3		25.200	DEG C
10/31/00	TEMPERATURE, WATER	1.0		25.000	DEG C
10/31/00	TEMPERATURE, WATER	1.3		24.500	DEG C

Terrebonne River Basin
Lake de Cade west of Dulac, Louisiana — Site No. 0513

Date	Parameter	Depth meters		ppm	Units
08/31/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/31/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.178	
08/31/95	PH, FIELD	.0		8.050	STANDARD
08/31/95	TEMPERATURE, WATER	.0		29.500	DEG C

Terrebonne River Basin
Little Lake — Site No. 0565

Date	Parameter	Depth meters		ppm	Units
12/12/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		36.100	UMHOS/CM
12/12/96	TEMPERATURE, WATER	1.0		21.000	DEG C

Terrebonne River Basin
Orange Grove Canal west of Houma, Louisiana — Site No. 0443

Date	Parameter	Depth meters		ppm	Units
08/03/94	DISSOLVED OXYGEN	.2		3.040	MG/L
08/03/94	DISSOLVED OXYGEN	1.5		2.600	MG/L
08/03/94	DISSOLVED OXYGEN	2.9		1.820	MG/L
08/03/94	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/03/94	MERCURY, TOTAL	1.0	<	.050	UG/L AS HG
08/03/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.064	
08/03/94	PH, FIELD	.2		6.750	STANDARD
08/03/94	PH, FIELD	1.5		6.610	STANDARD
08/03/94	PH, FIELD	2.9		6.610	STANDARD
08/03/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		211.000	UMHOS/CM
08/03/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		212.000	UMHOS/CM
08/03/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.9		215.000	UMHOS/CM
08/03/94	TEMPERATURE, WATER	.2		27.410	DEG C
08/03/94	TEMPERATURE, WATER	1.5		27.200	DEG C
08/03/94	TEMPERATURE, WATER	2.9		27.010	DEG C
01/26/99	DISSOLVED OXYGEN	.3		7.400	MG/L
01/26/99	DISSOLVED OXYGEN	1.0		7.300	MG/L
01/26/99	DISSOLVED OXYGEN	3.0		4.900	MG/L
01/26/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/26/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.065	
01/26/99	PH, FIELD	.3		7.500	STANDARD
01/26/99	PH, FIELD	1.0		7.400	STANDARD
01/26/99	PH, FIELD	3.0		7.100	STANDARD
01/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		354.000	UMHOS/CM
01/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		351.000	UMHOS/CM
01/26/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		352.000	UMHOS/CM
01/26/99	TEMPERATURE, WATER	.3		17.500	DEG C
01/26/99	TEMPERATURE, WATER	1.0		17.100	DEG C
01/26/99	TEMPERATURE, WATER	3.0		14.400	DEG C

Terrebonne River Basin
Taylor's Bayou near Caillou Bay — Site No. 0723

Date	Parameter	Depth meters		ppm	Units
05/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.7		28.600	UMHOS/CM
05/20/98	TEMPERATURE, WATER	.7		29.200	DEG C
08/25/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		28.400	UMHOS/CM
08/25/98	TEMPERATURE, WATER	2.0		29.600	DEG C

Terrebonne River Basin
Timbalier Bay, Louisiana — Site No. 0563

Date	Parameter	Depth meters		ppm	Units
11/13/96	DISSOLVED OXYGEN	1.0		8.170	MG/L
11/13/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		50860.000	UMHOS/CM
11/13/96	TEMPERATURE, WATER	1.0		18.000	DEG C

Terrebonne River Basin
Union Oil Canal System southwest of Houma, Louisiana — Site No. 0520

Date	Parameter	Depth meters		ppm	Units
06/15/95	DISSOLVED OXYGEN	.2		2.450	MG/L
06/15/95	DISSOLVED OXYGEN	1.4		.300	MG/L
06/15/95	DISSOLVED OXYGEN	2.6		.120	MG/L
06/15/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/15/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.108	
06/15/95	PH, FIELD	.2		6.490	STANDARD
06/15/95	PH, FIELD	1.4		6.380	STANDARD
06/15/95	PH, FIELD	2.6		6.210	STANDARD
06/15/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		307.000	UMHOS/CM
06/15/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.4		300.000	UMHOS/CM
06/15/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.6		473.000	UMHOS/CM
06/15/95	TEMPERATURE, WATER	.2		28.930	DEG C
06/15/95	TEMPERATURE, WATER	1.4		26.470	DEG C
06/15/95	TEMPERATURE, WATER	2.6		25.650	DEG C

Terrebonne River Basin
Upper Grand River at levee — Site No. 0998

Date	Parameter	Depth meters		ppm	Units
01/12/00	DISSOLVED OXYGEN	.3		8.100	MG/L
01/12/00	DISSOLVED OXYGEN	1.0		7.500	MG/L
01/12/00	DISSOLVED OXYGEN	2.0		1.900	MG/L
01/12/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/12/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.089	
01/12/00	PH, FIELD	.3		6.200	STANDARD
01/12/00	PH, FIELD	1.0		6.500	STANDARD
01/12/00	PH, FIELD	2.0		6.700	STANDARD
01/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		296.000	UMHOS/CM
01/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		312.000	UMHOS/CM
01/12/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		319.000	UMHOS/CM
01/12/00	TEMPERATURE, WATER	.3		17.600	DEG C
01/12/00	TEMPERATURE, WATER	1.0		17.000	DEG C
01/12/00	TEMPERATURE, WATER	2.0		16.800	DEG C
08/09/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/09/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.084	
08/09/00	PH, FIELD	.3		8.200	STANDARD
08/09/00	PH, FIELD	1.0		8.000	STANDARD
08/09/00	PH, FIELD	3.2		7.200	STANDARD
08/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		444.000	UMHOS/CM
08/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		443.000	UMHOS/CM
08/09/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.2		449.000	UMHOS/CM
08/09/00	TEMPERATURE, WATER	.3		33.400	DEG C
08/09/00	TEMPERATURE, WATER	1.0		32.000	DEG C
08/09/00	TEMPERATURE, WATER	3.2		30.200	DEG C

Terrebonne River Basin
Wonder Lake Southeast of Chauvin, Louisiana Site No. 0724

Date	Parameter	Depth meters	ppm	Units
04/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0	4.000	UMHOS/CM
04/24/98	TEMPERATURE, WATER	2.0	22.700	DEG C
12/01/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0	10.800	UMHOS/CM
12/01/98	TEMPERATURE, WATER	2.0	22.400	DEG C

Vermilion-Teche River Basin
Bayou Cocodrie North of Washington, Louisiana — Site No. 0625

Date	Parameter	Depth meters		ppm	Units
02/18/98	DISSOLVED OXYGEN	.3		7.800	MG/L
02/18/98	DISSOLVED OXYGEN	1.0		7.700	MG/L
02/18/98	DISSOLVED OXYGEN	4.5		7.600	MG/L
02/18/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/18/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.003	
02/18/98	PH, FIELD	.3		6.600	STANDARD
02/18/98	PH, FIELD	1.0		6.700	STANDARD
02/18/98	PH, FIELD	4.5		6.700	STANDARD
02/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		86.000	UMHOS/CM
02/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		86.000	UMHOS/CM
02/18/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		87.000	UMHOS/CM
02/18/98	TEMPERATURE, WATER	.3		12.800	DEG C
02/18/98	TEMPERATURE, WATER	1.0		12.800	DEG C
02/18/98	TEMPERATURE, WATER	4.5		12.800	DEG C

Vermilion-Teche River Basin
Bayou Courtableau east of Port Barre, Louisiana — Site No. 0388

Date	Parameter	Depth meters		ppm	Units
07/14/94	DISSOLVED OXYGEN	7.4		4.360	MG/L
07/14/94	DISSOLVED OXYGEN	3.7		4.200	MG/L
07/14/94	DISSOLVED OXYGEN	.0		4.120	MG/L
07/14/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.080	UG/L AS HG
07/14/94	MERCURY, TOTAL	1.0		.070	UG/L AS HG
07/14/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.133	
07/14/94	PH, FIELD	7.4		6.190	STANDARD
07/14/94	PH, FIELD	3.7		6.400	STANDARD
07/14/94	PH, FIELD	.0		6.500	STANDARD
07/14/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	7.4		194.000	UMHOS/CM
07/14/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.7		190.000	UMHOS/CM
07/14/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		148.000	UMHOS/CM
07/14/94	TEMPERATURE, WATER	7.4		25.710	DEG C
07/14/94	TEMPERATURE, WATER	3.7		25.710	DEG C
07/14/94	TEMPERATURE, WATER	.0		25.880	DEG C
08/25/98	DISSOLVED OXYGEN	.3		6.400	MG/L
08/25/98	DISSOLVED OXYGEN	1.0		6.200	MG/L
08/25/98	DISSOLVED OXYGEN	6.0		5.900	MG/L
08/25/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/25/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.176	
08/25/98	PH, FIELD	.3		7.600	STANDARD
08/25/98	PH, FIELD	1.0		7.200	STANDARD
08/25/98	PH, FIELD	6.0		7.900	STANDARD
08/25/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		409.000	UMHOS/CM
08/25/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		409.000	UMHOS/CM
08/25/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		410.000	UMHOS/CM
08/25/98	TEMPERATURE, WATER	.3		30.900	DEG C
08/25/98	TEMPERATURE, WATER	1.0		30.200	DEG C
08/25/98	TEMPERATURE, WATER	6.0		29.500	DEG C
04/18/00	DISSOLVED OXYGEN	.3		8.900	MG/L
04/18/00	DISSOLVED OXYGEN	1.0		7.300	MG/L
04/18/00	DISSOLVED OXYGEN	8.0		1.600	MG/L
04/18/00	MERCURY, DISSOLVED UG/L AS HG	1.0	ND	.000	UG/L AS HG
04/18/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.165	
04/18/00	PH, FIELD	.3		6.400	STANDARD
04/18/00	PH, FIELD	1.0		6.300	STANDARD
04/18/00	PH, FIELD	8.0		6.100	STANDARD
04/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		256.000	UMHOS/CM
04/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		254.000	UMHOS/CM
04/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	8.0		258.000	UMHOS/CM
04/18/00	TEMPERATURE, WATER	.3		26.500	DEG C
04/18/00	TEMPERATURE, WATER	1.0		20.000	DEG C
04/18/00	TEMPERATURE, WATER	8.0		18.700	DEG C

Vermilion-Teche River Basin
Bayou Petite Anse east of Delcambre, Louisiana — Site No. 0578

Date	Parameter	Depth meters		ppm	Units
02/20/97	DISSOLVED OXYGEN	.3		6.200	MG/L
02/20/97	DISSOLVED OXYGEN	1.5		6.000	MG/L
02/20/97	DISSOLVED OXYGEN	3.5		5.800	MG/L
02/20/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/20/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.132	
02/20/97	PH, FIELD	.3		6.900	STANDARD
02/20/97	PH, FIELD	1.5		6.800	STANDARD
02/20/97	PH, FIELD	3.5		6.800	STANDARD
02/20/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		823.000	UMHOS/CM
02/20/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		837.000	UMHOS/CM
02/20/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.5		853.000	UMHOS/CM
02/20/97	TEMPERATURE, WATER	.3		15.300	DEG C
02/20/97	TEMPERATURE, WATER	1.5		14.500	DEG C
02/20/97	TEMPERATURE, WATER	3.5		14.200	DEG C
01/28/98	DISSOLVED OXYGEN	.3		7.100	MG/L
01/28/98	DISSOLVED OXYGEN	1.0		6.900	MG/L
01/28/98	DISSOLVED OXYGEN	3.0		6.900	MG/L
01/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.177	
01/28/98	PH, FIELD	.3		6.800	STANDARD
01/28/98	PH, FIELD	1.0		6.900	STANDARD
01/28/98	PH, FIELD	3.0		7.000	STANDARD
01/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		928.000	UMHOS/CM
01/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		926.000	UMHOS/CM
01/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		919.000	UMHOS/CM
01/28/98	TEMPERATURE, WATER	.3		12.000	DEG C
01/28/98	TEMPERATURE, WATER	1.0		11.700	DEG C
01/28/98	TEMPERATURE, WATER	3.0		11.000	DEG C

Vermilion-Teche River Basin
Bayou Teche at New Iberia, Louisiana — Site No. 0505

Date	Parameter	Depth meters		ppm	Units
06/22/95	DISSOLVED OXYGEN	.2		7.120	MG/L
06/22/95	DISSOLVED OXYGEN	1.3		6.010	MG/L
06/22/95	DISSOLVED OXYGEN	2.5		5.780	MG/L
06/22/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/22/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.323	
06/22/95	PH, FIELD	.2		7.520	STANDARD
06/22/95	PH, FIELD	1.3		7.320	STANDARD
06/22/95	PH, FIELD	2.5		7.280	STANDARD
06/22/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		332.000	UMHOS/CM
06/22/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.3		332.000	UMHOS/CM
06/22/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		332.000	UMHOS/CM
06/22/95	TEMPERATURE, WATER	.2		29.740	DEG C
06/22/95	TEMPERATURE, WATER	1.3		29.200	DEG C
06/22/95	TEMPERATURE, WATER	2.5		29.200	DEG C
10/30/97	DISSOLVED OXYGEN	.3		7.500	MG/L
10/30/97	DISSOLVED OXYGEN	1.0		7.400	MG/L
10/30/97	DISSOLVED OXYGEN	2.0		7.300	MG/L
10/30/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/30/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.150	
10/30/97	PH, FIELD	.3		7.700	STANDARD
10/30/97	PH, FIELD	1.0		7.700	STANDARD
10/30/97	PH, FIELD	2.0		7.700	STANDARD
10/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		600.000	UMHOS/CM
10/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		600.000	UMHOS/CM
10/30/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		600.000	UMHOS/CM
10/30/97	TEMPERATURE, WATER	.3		19.500	DEG C
10/30/97	TEMPERATURE, WATER	1.0		19.500	DEG C
10/30/97	TEMPERATURE, WATER	2.0		19.400	DEG C

Vermilion-Teche River Basin
Bayou Teche near Franklin, Louisiana — Site No. 0870

Date	Parameter	Depth meters		ppm	Units
01/20/99	DISSOLVED OXYGEN	.3		12.200	MG/L

01/20/99	DISSOLVED OXYGEN	1.0		12.100	MG/L
01/20/99	DISSOLVED OXYGEN	2.5		11.700	MG/L
01/20/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/20/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.057	
01/20/99	PH, FIELD	.3		7.200	STANDARD
01/20/99	PH, FIELD	1.0		7.200	STANDARD
01/20/99	PH, FIELD	2.5		7.300	STANDARD
01/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		218.000	UMHOS/CM
01/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		216.000	UMHOS/CM
01/20/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		216.000	UMHOS/CM
01/20/99	TEMPERATURE, WATER	.3		11.500	DEG C
01/20/99	TEMPERATURE, WATER	1.0		11.400	DEG C
01/20/99	TEMPERATURE, WATER	2.5		11.200	DEG C

Vermilion-Teche River Basin
Bayou Teche near New Iberia, Louisiana — Site No. 1034

Date	Parameter	Depth meters		ppm	Units
09/25/00	DISSOLVED OXYGEN	.3		6.600	MG/L
09/25/00	DISSOLVED OXYGEN	1.0		6.600	MG/L
09/25/00	DISSOLVED OXYGEN	3.0		5.600	MG/L
09/25/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/25/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.079	
09/25/00	PH, FIELD	.3		7.800	STANDARD
09/25/00	PH, FIELD	1.0		7.800	STANDARD
09/25/00	PH, FIELD	3.0		7.700	STANDARD
09/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		561.000	UMHOS/CM
09/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		561.000	UMHOS/CM
09/25/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		561.000	UMHOS/CM
09/25/00	TEMPERATURE, WATER	.3		28.600	DEG C
09/25/00	TEMPERATURE, WATER	1.0		28.500	DEG C
09/25/00	TEMPERATURE, WATER	3.0		28.300	DEG C

Vermilion-Teche River Basin
Bird Island Bayou at Marsh Island — Site No. 0579

Date	Parameter	Depth meters		ppm	Units
05/05/97	DISSOLVED OXYGEN	.3		4.600	MG/L
05/05/97	DISSOLVED OXYGEN	1.0		4.300	MG/L
05/05/97	DISSOLVED OXYGEN	2.0		4.400	MG/L
05/05/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/05/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.232	
05/05/97	PH, FIELD	.3		6.900	STANDARD
05/05/97	PH, FIELD	1.0		6.900	STANDARD
05/05/97	PH, FIELD	2.0		7.000	STANDARD
05/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1205.000	UMHOS/CM
05/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1206.000	UMHOS/CM
05/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		1435.000	UMHOS/CM
05/05/97	TEMPERATURE, WATER	.3		25.600	DEG C
05/05/97	TEMPERATURE, WATER	1.0		23.900	DEG C
05/05/97	TEMPERATURE, WATER	2.0		23.600	DEG C

Vermilion-Teche River Basin
Catahoula Lake at Catahoula, Louisiana — Site No. 0629

Date	Parameter	Depth meters		ppm	Units
02/11/98	DISSOLVED OXYGEN	.3		6.900	MG/L
02/11/98	DISSOLVED OXYGEN	1.0		6.700	MG/L
02/11/98	DISSOLVED OXYGEN	6.0		6.700	MG/L
02/11/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/11/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.033	
02/11/98	PH, FIELD	.3		7.000	STANDARD
02/11/98	PH, FIELD	1.0		7.000	STANDARD
02/11/98	PH, FIELD	6.0		7.000	STANDARD
02/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		142.000	UMHOS/CM
02/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		143.000	UMHOS/CM
02/11/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		152.000	UMHOS/CM
02/11/98	TEMPERATURE, WATER	.3		13.600	DEG C
02/11/98	TEMPERATURE, WATER	1.0		13.600	DEG C
02/11/98	TEMPERATURE, WATER	6.0		13.900	DEG C

Vermilion-Teche River Basin
Cocodrie Lake east of Glenmora, Louisiana — Site No. 0378

Date	Parameter	Depth meters		ppm	Units
07/13/94	DISSOLVED OXYGEN	.0		5.580	MG/L
07/13/94	DISSOLVED OXYGEN	1.5		2.030	MG/L
07/13/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
07/13/94	MERCURY, TOTAL	1.0		.060	UG/L AS HG
07/13/94	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.152	
07/13/94	PH, FIELD	.0		5.830	STANDARD
07/13/94	PH, FIELD	1.5		5.640	STANDARD
07/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		41.000	UMHOS/CM
07/13/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		39.000	UMHOS/CM
07/13/94	TEMPERATURE, WATER	.0		28.070	DEG C
07/13/94	TEMPERATURE, WATER	1.5		24.920	DEG C

Vermilion-Teche River Basin
Cote Blanche Bay near Lake Point (Marsh Island) — Site No. 0733

Date	Parameter	Depth meters		ppm	Units
05/04/98	DISSOLVED OXYGEN	2.5		8.600	MG/L
05/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		5.500	UMHOS/CM
05/04/98	TEMPERATURE, WATER	2.5		24.400	DEG C

Vermilion-Teche River Basin
Franklin Canal Southeast of Franklin, Louisiana — Site No. 0632

Date	Parameter	Depth meters		ppm	Units
02/05/98	DISSOLVED OXYGEN	.3		7.200	MG/L
02/05/98	DISSOLVED OXYGEN	1.0		7.100	MG/L
02/05/98	DISSOLVED OXYGEN	3.0		7.000	MG/L
02/05/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/05/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.044	
02/05/98	PH, FIELD	.3		7.100	STANDARD
02/05/98	PH, FIELD	1.0		7.000	STANDARD
02/05/98	PH, FIELD	3.0		7.000	STANDARD
02/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		311.000	UMHOS/CM
02/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		312.000	UMHOS/CM
02/05/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		311.000	UMHOS/CM
02/05/98	TEMPERATURE, WATER	.3		11.300	DEG C
02/05/98	TEMPERATURE, WATER	1.0		11.300	DEG C
02/05/98	TEMPERATURE, WATER	3.0		11.200	DEG C

Vermilion-Teche River Basin
Garden City Oilfield Canals South of Franklin, Louisiana — Site No. 0633

Date	Parameter	Depth meters		ppm	Units
02/04/98	DISSOLVED OXYGEN	.3		5.100	MG/L
02/04/98	DISSOLVED OXYGEN	1.0		5.200	MG/L
02/04/98	DISSOLVED OXYGEN	2.5		5.200	MG/L
02/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.067	
02/04/98	PH, FIELD	.3		6.700	STANDARD
02/04/98	PH, FIELD	1.0		6.700	STANDARD
02/04/98	PH, FIELD	2.5		6.700	STANDARD
02/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		209.000	UMHOS/CM
02/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		231.000	UMHOS/CM
02/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		236.000	UMHOS/CM
02/04/98	TEMPERATURE, WATER	.3		14.100	DEG C
02/04/98	TEMPERATURE, WATER	1.0		13.700	DEG C
02/04/98	TEMPERATURE, WATER	2.5		13.700	DEG C

Vermilion-Teche River Basin
Gulf of Mexico, Tete-Butte Reef — Site No. 0703

Date	Parameter	Depth meters		ppm	Units
04/14/98	DISSOLVED OXYGEN	1.2		8.100	MG/L
04/14/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.2		16.000	UMHOS/CM
04/14/98	TEMPERATURE, WATER	1.2		20.700	DEG C

05/04/98	DISSOLVED OXYGEN	1.5		6.000	MG/L
05/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		32.100	UMHOS/CM
05/04/98	TEMPERATURE, WATER	1.5		24.100	DEG C
05/20/98	DISSOLVED OXYGEN	1.2		8.600	MG/L
05/20/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.2		14.600	UMHOS/CM
05/20/98	TEMPERATURE, WATER	1.2		28.000	DEG C

Vermilion-Teche River Basin
Indian Creek Reservoir west of Lecompte, Louisiana — Site No. 0589

Date	Parameter	Depth meters		ppm	Units
03/03/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/03/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.403	
09/02/97	DISSOLVED OXYGEN	.3		8.000	MG/L
09/02/97	DISSOLVED OXYGEN	1.0		8.000	MG/L
09/02/97	DISSOLVED OXYGEN	4.5		1.400	MG/L
09/02/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
09/02/97	PH, FIELD	.3		7.500	STANDARD
09/02/97	PH, FIELD	1.0		7.600	STANDARD
09/02/97	PH, FIELD	4.5		6.100	STANDARD
09/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		52.000	UMHOS/CM
09/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		53.000	UMHOS/CM
09/02/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		51.000	UMHOS/CM
09/02/97	TEMPERATURE, WATER	.3		31.500	DEG C
09/02/97	TEMPERATURE, WATER	1.0		31.400	DEG C
09/02/97	TEMPERATURE, WATER	4.5		29.500	DEG C
10/18/00	DISSOLVED OXYGEN	.3		9.500	MG/L
10/18/00	DISSOLVED OXYGEN	1.0		9.400	MG/L
10/18/00	DISSOLVED OXYGEN	4.5		1.600	MG/L
10/18/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
10/18/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.042	
10/18/00	PH, FIELD	.3		8.000	STANDARD
10/18/00	PH, FIELD	1.0		8.000	STANDARD
10/18/00	PH, FIELD	4.5		7.400	STANDARD
10/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		79.000	UMHOS/CM
10/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		29.000	UMHOS/CM
10/18/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.5		81.000	UMHOS/CM
10/18/00	TEMPERATURE, WATER	.3		21.800	DEG C
10/18/00	TEMPERATURE, WATER	1.0		21.800	DEG C
10/18/00	TEMPERATURE, WATER	4.5		19.100	DEG C

Vermilion-Teche River Basin
Intracoastal Waterway South of Avery Island, Louisiana — Site No. 0694

Date	Parameter	Depth meters		ppm	Units
06/22/99	DISSOLVED OXYGEN	.3		6.000	MG/L
06/22/99	DISSOLVED OXYGEN	1.0		6.000	MG/L
06/22/99	DISSOLVED OXYGEN	5.5		5.500	MG/L
06/22/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/22/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.110	
06/22/99	PH, FIELD	.3		7.400	STANDARD
06/22/99	PH, FIELD	1.0		7.400	STANDARD
06/22/99	PH, FIELD	5.5		7.400	STANDARD
06/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		2621.000	UMHOS/CM
06/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		2617.000	UMHOS/CM
06/22/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		2631.000	UMHOS/CM
06/22/99	TEMPERATURE, WATER	.3		28.500	DEG C
06/22/99	TEMPERATURE, WATER	1.0		28.600	DEG C
06/22/99	TEMPERATURE, WATER	5.5		28.200	DEG C

Vermilion-Teche River Basin
Kincaid Lake west of Alexandria, Louisiana — Site No. 0512

Date	Parameter	Depth meters		ppm	Units
08/09/95	DISSOLVED OXYGEN	.5		8.350	MG/L
08/09/95	DISSOLVED OXYGEN	2.6		4.970	MG/L
08/09/95	DISSOLVED OXYGEN	3.0		2.330	MG/L
08/09/95	DISSOLVED OXYGEN	3.9		.090	MG/L
08/09/95	DISSOLVED OXYGEN	5.3		.170	MG/L
08/09/95	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG
08/09/95	MERCURY, DISSOLVED UG/L AS HG	1.0		.060	UG/L AS HG

08/09/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.631	
08/09/95	PH, FIELD	.5		7.620	STANDARD
08/09/95	PH, FIELD	2.6		5.960	STANDARD
08/09/95	PH, FIELD	3.0		5.810	STANDARD
08/09/95	PH, FIELD	3.9		5.630	STANDARD
08/09/95	PH, FIELD	5.3		5.690	STANDARD
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		38.000	UMHOS/CM
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.6		37.000	UMHOS/CM
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		37.000	UMHOS/CM
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.9		39.000	UMHOS/CM
08/09/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.3		56.000	UMHOS/CM
08/09/95	TEMPERATURE, WATER	.5		33.510	DEG C
08/09/95	TEMPERATURE, WATER	2.6		30.200	DEG C
08/09/95	TEMPERATURE, WATER	3.0		30.020	DEG C
08/09/95	TEMPERATURE, WATER	3.9		28.980	DEG C
08/09/95	TEMPERATURE, WATER	5.3		26.900	DEG C
02/14/00	DISSOLVED OXYGEN	.3		10.700	MG/L
02/14/00	DISSOLVED OXYGEN	1.0		10.600	MG/L
02/14/00	DISSOLVED OXYGEN	6.0		6.000	MG/L
02/14/00	MERCURY, DISSOLVED UG/L AS HG	1.0		.050	UG/L AS HG
02/14/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.144	
02/14/00	PH, FIELD	.3		5.000	STANDARD
02/14/00	PH, FIELD	1.0		5.200	STANDARD
02/14/00	PH, FIELD	6.0		5.400	STANDARD
02/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		37.000	UMHOS/CM
02/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		37.000	UMHOS/CM
02/14/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		37.000	UMHOS/CM
02/14/00	TEMPERATURE, WATER	.3		14.100	DEG C
02/14/00	TEMPERATURE, WATER	1.0		13.800	DEG C
02/14/00	TEMPERATURE, WATER	6.0		12.300	DEG C
08/16/00	DISSOLVED OXYGEN	.3		7.300	MG/L
08/16/00	DISSOLVED OXYGEN	1.0		7.600	MG/L
08/16/00	DISSOLVED OXYGEN	4.0		.900	MG/L
08/16/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/16/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.157	
08/16/00	PH, FIELD	.3		8.200	STANDARD
08/16/00	PH, FIELD	1.0		8.200	STANDARD
08/16/00	PH, FIELD	4.0		7.800	STANDARD
08/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		55.000	UMHOS/CM
08/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		55.000	UMHOS/CM
08/16/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		58.000	UMHOS/CM
08/16/00	TEMPERATURE, WATER	.3		32.900	DEG C
08/16/00	TEMPERATURE, WATER	1.0		31.200	DEG C
08/16/00	TEMPERATURE, WATER	4.0		29.800	DEG C

Vermilion-Teche River Basin
LAKE MARTIN near Parks, Louisiana Site No. 0514

Date	Parameter	Depth meters		ppm	Units
05/04/95	DISSOLVED OXYGEN	.0		8.220	MG/L
05/04/95	DISSOLVED OXYGEN	1.0		7.390	MG/L
05/04/95	DISSOLVED OXYGEN	1.9		3.310	MG/L
05/04/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/04/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/04/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0	<	.001	
05/04/95	PH, FIELD	.0		7.240	STANDARD
05/04/95	PH, FIELD	1.0		7.010	STANDARD
05/04/95	PH, FIELD	1.9		6.710	STANDARD
05/04/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		58.200	UMHOS/CM
05/04/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		58.600	UMHOS/CM
05/04/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.9		66.900	UMHOS/CM
05/04/95	TEMPERATURE, WATER	.0		23.040	DEG C
05/04/95	TEMPERATURE, WATER	1.0		22.750	DEG C
05/04/95	TEMPERATURE, WATER	1.9		21.930	DEG C
01/06/00	DISSOLVED OXYGEN	.3		6.000	MG/L
01/06/00	DISSOLVED OXYGEN	1.0		6.000	MG/L
01/06/00	DISSOLVED OXYGEN	2.5		5.100	MG/L
01/06/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/06/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.191	
01/06/00	PH, FIELD	.3		6.400	STANDARD
01/06/00	PH, FIELD	1.0		6.400	STANDARD
01/06/00	PH, FIELD	2.5		6.200	STANDARD
01/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		77.000	UMHOS/CM

01/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		77.000	UMHOS/CM
01/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		78.000	UMHOS/CM
01/06/00	TEMPERATURE, WATER	.3		13.700	DEG C
01/06/00	TEMPERATURE, WATER	1.0		13.600	DEG C
01/06/00	TEMPERATURE, WATER	2.5		13.400	DEG C

Vermilion-Teche River Basin
Lake Buhlow at Pineville, Louisiana — Site No. 0593

Date	Parameter	Depth meters		ppm	Units
03/05/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/05/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.239	
03/10/98	DISSOLVED OXYGEN	.3		9.200	MG/L
03/10/98	DISSOLVED OXYGEN	1.0		9.000	MG/L
03/10/98	DISSOLVED OXYGEN	2.5		9.100	MG/L
03/10/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
03/10/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.007	
03/10/98	PH, FIELD	.3		7.000	STANDARD
03/10/98	PH, FIELD	1.0		7.000	STANDARD
03/10/98	PH, FIELD	2.5		6.900	STANDARD
03/10/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		66.000	UMHOS/CM
03/10/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		65.000	UMHOS/CM
03/10/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.5		67.000	UMHOS/CM
03/10/98	TEMPERATURE, WATER	.3		13.500	DEG C
03/10/98	TEMPERATURE, WATER	1.0		13.500	DEG C
03/10/98	TEMPERATURE, WATER	2.5		13.400	DEG C

Vermilion-Teche River Basin
Lake Chicot north of Ville Platte, Louisiana — Site No. 0312

Date	Parameter	Depth meters		ppm	Units
11/16/99	DISSOLVED OXYGEN	.3		5.400	MG/L
11/16/99	DISSOLVED OXYGEN	1.0		5.200	MG/L
11/16/99	DISSOLVED OXYGEN	5.5		3.500	MG/L
11/16/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/16/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.067	
11/16/99	PH, FIELD	.3		5.900	STANDARD
11/16/99	PH, FIELD	1.0		5.900	STANDARD
11/16/99	PH, FIELD	5.5		5.900	STANDARD
11/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		69.000	UMHOS/CM
11/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		69.000	UMHOS/CM
11/16/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.5		70.000	UMHOS/CM
11/16/99	TEMPERATURE, WATER	.3		17.600	DEG C
11/16/99	TEMPERATURE, WATER	1.0		17.400	DEG C
11/16/99	TEMPERATURE, WATER	5.5		16.800	DEG C
11/02/00	DISSOLVED OXYGEN	.3		5.300	MG/L
11/02/00	DISSOLVED OXYGEN	1.0		4.100	MG/L
11/02/00	DISSOLVED OXYGEN	5.0		.600	MG/L
11/02/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
11/02/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.080	
11/02/00	PH, FIELD	.3		7.700	STANDARD
11/02/00	PH, FIELD	1.0		7.600	STANDARD
11/02/00	PH, FIELD	5.0		7.300	STANDARD
11/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		112.000	UMHOS/CM
11/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		112.000	UMHOS/CM
11/02/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	5.0		121.000	UMHOS/CM
11/02/00	TEMPERATURE, WATER	.3		22.800	DEG C
11/02/00	TEMPERATURE, WATER	1.0		21.700	DEG C
11/02/00	TEMPERATURE, WATER	5.0		19.100	DEG C

Vermilion-Teche River Basin
Lake Chicot south of St. Landry, Louisiana — Site No. 0379

Date	Parameter	Depth meters		ppm	Units
07/08/94	DISSOLVED OXYGEN	.0		4.060	MG/L
07/08/94	DISSOLVED OXYGEN	2.4		.260	MG/L
07/08/94	DISSOLVED OXYGEN	2.0		.230	MG/L
07/08/94	DISSOLVED OXYGEN	1.0		2.650	MG/L
07/08/94	DISSOLVED OXYGEN	1.5		.140	MG/L
07/08/94	MERCURY, DISSOLVED UG/L AS HG	1.0		.090	UG/L AS HG
07/08/94	MERCURY, DISSOLVED UG/L AS HG	2.4		.080	UG/L AS HG

07/08/94	MERCURY, DISSOLVED UG/L AS HG	2.4		.080	UG/L AS HG
07/08/94	MERCURY, TOTAL	.0		.117	UG/L AS HG
07/08/94	MERCURY, TOTAL	1.0		.070	UG/L AS HG
07/08/94	MERCURY, TOTAL	2.4		.090	UG/L AS HG
07/08/94	MERCURY, TOTAL	2.4		.070	UG/L AS HG
07/08/94	PH, FIELD	.0		6.760	STANDARD
07/08/94	PH, FIELD	2.4		5.940	STANDARD
07/08/94	PH, FIELD	2.0		5.750	STANDARD
07/08/94	PH, FIELD	1.0		6.060	STANDARD
07/08/94	PH, FIELD	1.5		5.800	STANDARD
07/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	.0		58.000	UMHOS/CM
07/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.4		132.000	UMHOS/CM
07/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		107.000	UMHOS/CM
07/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		58.000	UMHOS/CM
07/08/94	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		63.000	UMHOS/CM
07/08/94	TEMPERATURE, WATER	.0		29.970	DEG C
07/08/94	TEMPERATURE, WATER	2.4		23.200	DEG C
07/08/94	TEMPERATURE, WATER	2.0		24.500	DEG C
07/08/94	TEMPERATURE, WATER	1.0		29.830	DEG C
07/08/94	TEMPERATURE, WATER	1.5		27.860	DEG C
05/11/95	DISSOLVED OXYGEN	.1		8.940	MG/L
05/11/95	DISSOLVED OXYGEN	.9		5.430	MG/L
05/11/95	DISSOLVED OXYGEN	2.4		.190	MG/L
05/11/95	MERCURY, DISSOLVED UG/L AS HG	1.0		.070	UG/L AS HG
05/11/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.413	
05/11/95	PH, FIELD	.1		6.760	STANDARD
05/11/95	PH, FIELD	.9		6.280	STANDARD
05/11/95	PH, FIELD	2.4		6.030	STANDARD
05/11/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		32.500	UMHOS/CM
05/11/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.9		33.000	UMHOS/CM
05/11/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.4		72.800	UMHOS/CM
05/11/95	TEMPERATURE, WATER	.1		27.940	DEG C
05/11/95	TEMPERATURE, WATER	.9		25.030	DEG C
05/11/95	TEMPERATURE, WATER	2.4		20.020	DEG C
04/23/96	DISSOLVED OXYGEN	.1		8.640	MG/L
04/23/96	DISSOLVED OXYGEN	.5		8.350	MG/L
04/23/96	DISSOLVED OXYGEN	1.0		6.940	MG/L
04/23/96	DISSOLVED OXYGEN	1.5		4.660	MG/L
04/23/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
04/23/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.151	
04/23/96	PH, FIELD	.1		7.000	STANDARD
04/23/96	PH, FIELD	.5		6.850	STANDARD
04/23/96	PH, FIELD	1.0		6.540	STANDARD
04/23/96	PH, FIELD	1.5		6.330	STANDARD
04/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		51.900	UMHOS/CM
04/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.5		51.700	UMHOS/CM
04/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		51.700	UMHOS/CM
04/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		51.900	UMHOS/CM
04/23/96	TEMPERATURE, WATER	.1		25.020	DEG C
04/23/96	TEMPERATURE, WATER	.5		23.800	DEG C
04/23/96	TEMPERATURE, WATER	1.0		22.990	DEG C
04/23/96	TEMPERATURE, WATER	1.5		22.630	DEG C
11/04/96	DISSOLVED OXYGEN	.3		3.100	MG/L
11/04/96	DISSOLVED OXYGEN	1.5		2.800	MG/L
11/04/96	PH, FIELD	.3		7.300	STANDARD
11/04/96	PH, FIELD	1.5		7.100	STANDARD
11/04/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		61.000	UMHOS/CM
11/04/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		60.000	UMHOS/CM
11/04/96	TEMPERATURE, WATER	.3		16.300	DEG C
11/04/96	TEMPERATURE, WATER	1.5		16.200	DEG C
10/14/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
10/14/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.083	
12/01/98	DISSOLVED OXYGEN	.3		7.300	MG/L
12/01/98	DISSOLVED OXYGEN	1.0		7.000	MG/L
12/01/98	DISSOLVED OXYGEN	3.0		.700	MG/L
12/01/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
12/01/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.261	
12/01/98	PH, FIELD	.3		6.700	STANDARD
12/01/98	PH, FIELD	1.0		6.600	STANDARD
12/01/98	PH, FIELD	3.0		6.200	STANDARD
12/01/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		60.000	UMHOS/CM
12/01/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		60.000	UMHOS/CM
12/01/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		59.000	UMHOS/CM
12/01/98	TEMPERATURE, WATER	.3		18.800	DEG C

12/01/98	TEMPERATURE, WATER	1.0		18.800	DEG C
12/01/98	TEMPERATURE, WATER	3.0		16.800	DEG C

Vermilion-Teche River Basin
Lake Dauterive northeast of Loreauville, Louisiana — Site No. 0594

Date	Parameter	Depth meters		ppm	Units
02/18/97	DISSOLVED OXYGEN	.3		8.400	MG/L
02/18/97	DISSOLVED OXYGEN	1.0		8.400	MG/L
02/18/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/18/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.205	
02/18/97	PH, FIELD	.3		6.900	STANDARD
02/18/97	PH, FIELD	1.0		6.900	STANDARD
02/18/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		91.000	UMHOS/CM
02/18/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		90.000	UMHOS/CM
02/18/97	TEMPERATURE, WATER	.3		12.400	DEG C
02/18/97	TEMPERATURE, WATER	1.0		12.200	DEG C
07/31/97	DISSOLVED OXYGEN	.3		6.400	MG/L
07/31/97	DISSOLVED OXYGEN	1.0		5.400	MG/L
07/31/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/31/97	PH, FIELD	.3		7.200	STANDARD
07/31/97	PH, FIELD	1.0		7.100	STANDARD
07/31/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		182.000	UMHOS/CM
07/31/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		179.000	UMHOS/CM
07/31/97	TEMPERATURE, WATER	.3		30.300	DEG C
07/31/97	TEMPERATURE, WATER	1.0		30.000	DEG C
08/04/98	DISSOLVED OXYGEN	.3		8.000	MG/L
08/04/98	DISSOLVED OXYGEN	1.0		7.800	MG/L
08/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.037	
08/04/98	PH, FIELD	.3		9.000	STANDARD
08/04/98	PH, FIELD	1.0		8.900	STANDARD
08/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		374.000	UMHOS/CM
08/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		375.000	UMHOS/CM
08/04/98	TEMPERATURE, WATER	.3		32.100	DEG C
08/04/98	TEMPERATURE, WATER	1.0		31.900	DEG C

Vermilion-Teche River Basin
Lake Dubuisson — Site No. 0618

Date	Parameter	Depth meters		ppm	Units
06/19/97	DISSOLVED OXYGEN	.3		7.500	MG/L
06/19/97	DISSOLVED OXYGEN	1.0		7.300	MG/L
06/19/97	DISSOLVED OXYGEN	3.0		3.000	MG/L
06/19/97	DISSOLVED OXYGEN	6.0		.500	MG/L
06/19/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/19/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.041	
06/19/97	PH, FIELD	.3		6.900	STANDARD
06/19/97	PH, FIELD	1.0		7.100	STANDARD
06/19/97	PH, FIELD	3.0		6.500	STANDARD
06/19/97	PH, FIELD	6.0		6.200	STANDARD
06/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		83.000	UMHOS/CM
06/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		83.000	UMHOS/CM
06/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.0		84.000	UMHOS/CM
06/19/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	6.0		109.000	UMHOS/CM
06/19/97	TEMPERATURE, WATER	.3		28.600	DEG C
06/19/97	TEMPERATURE, WATER	1.0		28.600	DEG C
06/19/97	TEMPERATURE, WATER	3.0		26.200	DEG C
06/19/97	TEMPERATURE, WATER	6.0		18.300	DEG C
02/24/99	DISSOLVED OXYGEN	.3		8.600	MG/L
02/24/99	DISSOLVED OXYGEN	1.0		8.500	MG/L
02/24/99	DISSOLVED OXYGEN	4.0		8.300	MG/L
02/24/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/24/99	PH, FIELD	.3		6.900	STANDARD
02/24/99	PH, FIELD	1.0		7.000	STANDARD
02/24/99	PH, FIELD	4.0		7.100	STANDARD
02/24/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		85.000	UMHOS/CM
02/24/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		86.000	UMHOS/CM
02/24/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		85.000	UMHOS/CM
02/24/99	TEMPERATURE, WATER	.3		15.200	DEG C
02/24/99	TEMPERATURE, WATER	1.0		15.100	DEG C
02/24/99	TEMPERATURE, WATER	4.0		14.700	DEG C

Vermilion-Teche River Basin
Lake Fausse Pointe east of New Iberia, Louisiana — Site No. 0313

Date	Parameter	Depth meters		ppm	Units
06/20/96	DISSOLVED OXYGEN	.2		10.110	MG/L
06/20/96	DISSOLVED OXYGEN	.9		5.830	MG/L
06/20/96	DISSOLVED OXYGEN	1.8		5.830	MG/L
06/20/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/20/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.633	
06/20/96	PH, FIELD	.2		8.030	STANDARD
06/20/96	PH, FIELD	.9		7.680	STANDARD
06/20/96	PH, FIELD	1.8		7.680	STANDARD
06/20/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.2		294.000	UMHOS/CM
06/20/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.9		303.000	UMHOS/CM
06/20/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		303.000	UMHOS/CM
06/20/96	TEMPERATURE, WATER	.2		29.930	DEG C
06/20/96	TEMPERATURE, WATER	.9		28.270	DEG C
06/20/96	TEMPERATURE, WATER	1.8		28.270	DEG C
02/18/97	DISSOLVED OXYGEN	.3		8.800	MG/L
02/18/97	DISSOLVED OXYGEN	1.0		8.900	MG/L
02/18/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
02/18/97	PH, FIELD	.3		7.000	STANDARD
02/18/97	PH, FIELD	1.0		7.000	STANDARD
02/18/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		99.000	UMHOS/CM
02/18/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		97.000	UMHOS/CM
02/18/97	TEMPERATURE, WATER	.3		11.100	DEG C
02/18/97	TEMPERATURE, WATER	1.0		10.700	DEG C
07/31/97	DISSOLVED OXYGEN	.3		8.800	MG/L
07/31/97	DISSOLVED OXYGEN	1.0		6.700	MG/L
07/31/97	DISSOLVED OXYGEN	2.0		3.900	MG/L
07/31/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/31/97	PH, FIELD	.3		7.900	STANDARD
07/31/97	PH, FIELD	1.0		7.500	STANDARD
07/31/97	PH, FIELD	2.0		7.100	STANDARD
07/31/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		218.000	UMHOS/CM
07/31/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		221.000	UMHOS/CM
07/31/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		220.000	UMHOS/CM
07/31/97	TEMPERATURE, WATER	.3		33.700	DEG C
07/31/97	TEMPERATURE, WATER	1.0		32.100	DEG C
07/31/97	TEMPERATURE, WATER	2.0		31.400	DEG C
08/04/98	DISSOLVED OXYGEN	.3		8.400	MG/L
08/04/98	DISSOLVED OXYGEN	1.0		8.100	MG/L
08/04/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/04/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.041	
08/04/98	PH, FIELD	.3		9.100	STANDARD
08/04/98	PH, FIELD	1.0		8.800	STANDARD
08/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		366.000	UMHOS/CM
08/04/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		373.000	UMHOS/CM
08/04/98	TEMPERATURE, WATER	.3		32.500	DEG C
08/04/98	TEMPERATURE, WATER	1.0		32.000	DEG C

Vermilion-Teche River Basin
Lake Michael, Marsh Island — Site No. 0708

Date	Parameter	Depth meters		ppm	Units
03/31/98	DISSOLVED OXYGEN	1.0		7.400	MG/L
03/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		3.400	UMHOS/CM
03/31/98	TEMPERATURE, WATER	1.0		22.600	DEG C

Vermilion-Teche River Basin
Lake Peigneur at Jefferson Island, Louisiana — Site No. 0595

Date	Parameter	Depth meters		ppm	Units
06/12/97	DISSOLVED OXYGEN	.3		5.000	MG/L
06/12/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/12/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.216	
06/12/97	PH, FIELD	.3		6.700	STANDARD
06/12/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		307.000	UMHOS/CM
06/12/97	TEMPERATURE, WATER	.3		29.500	DEG C

Vermilion-Teche River Basin
Oyster Lake at Marsh Island, Louisiana — Site No. 0600

Date	Parameter	Depth meters		ppm	Units
05/05/97	DISSOLVED OXYGEN	.3		7.700	MG/L
05/05/97	DISSOLVED OXYGEN	1.0		7.600	MG/L
05/05/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/05/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.201	
05/05/97	PH, FIELD	.3		8.000	STANDARD
05/05/97	PH, FIELD	1.0		8.000	STANDARD
05/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		1980.000	UMHOS/CM
05/05/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		1970.000	UMHOS/CM
05/05/97	TEMPERATURE, WATER	.3		25.300	DEG C
05/05/97	TEMPERATURE, WATER	1.0		25.300	DEG C

Vermilion-Teche River Basin
South Point, Marsh Island — Site No. 0717

Date	Parameter	Depth meters		ppm	Units
03/31/98	DISSOLVED OXYGEN	1.0		7.900	MG/L
03/31/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		.500	UMHOS/CM
03/31/98	TEMPERATURE, WATER	1.0		21.300	DEG C
04/13/98	DISSOLVED OXYGEN	1.0		8.100	MG/L
04/13/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		10.600	UMHOS/CM
04/13/98	TEMPERATURE, WATER	1.0		20.400	DEG C
04/23/98	DISSOLVED OXYGEN	1.0		5.500	MG/L
04/23/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		29.400	UMHOS/CM
04/23/98	TEMPERATURE, WATER	1.0		20.700	DEG C

Vermilion-Teche River Basin
Spanish Lake near New Iberia, Louisiana — Site No. 0642

Date	Parameter	Depth meters		ppm	Units
01/28/98	DISSOLVED OXYGEN	.3		11.400	MG/L
01/28/98	DISSOLVED OXYGEN	1.0		11.400	MG/L
01/28/98	DISSOLVED OXYGEN	1.5		11.500	MG/L
01/28/98	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/28/98	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.096	
01/28/98	PH, FIELD	.3		7.700	STANDARD
01/28/98	PH, FIELD	1.0		7.700	STANDARD
01/28/98	PH, FIELD	1.5		7.700	STANDARD
01/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		143.000	UMHOS/CM
01/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		142.000	UMHOS/CM
01/28/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		143.000	UMHOS/CM
01/28/98	TEMPERATURE, WATER	.3		13.100	DEG C
01/28/98	TEMPERATURE, WATER	1.0		13.100	DEG C
01/28/98	TEMPERATURE, WATER	1.5		13.100	DEG C
01/06/99	DISSOLVED OXYGEN	.3		14.100	MG/L
01/06/99	DISSOLVED OXYGEN	1.0		13.900	MG/L
01/06/99	DISSOLVED OXYGEN	1.5		11.700	MG/L
01/06/99	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/06/99	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.058	
01/06/99	PH, FIELD	.3		8.100	STANDARD
01/06/99	PH, FIELD	1.0		8.100	STANDARD
01/06/99	PH, FIELD	1.5		7.800	STANDARD
01/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		139.000	UMHOS/CM
01/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		139.000	UMHOS/CM
01/06/99	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		139.000	UMHOS/CM
01/06/99	TEMPERATURE, WATER	.3		8.500	DEG C
01/06/99	TEMPERATURE, WATER	1.0		8.700	DEG C
01/06/99	TEMPERATURE, WATER	1.5		8.700	DEG C
01/06/00	DISSOLVED OXYGEN	.3		10.000	MG/L
01/06/00	DISSOLVED OXYGEN	1.0		9.900	MG/L
01/06/00	DISSOLVED OXYGEN	4.0		3.500	MG/L
01/06/00	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
01/06/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.083	
01/06/00	PH, FIELD	.3		6.800	STANDARD
01/06/00	PH, FIELD	1.0		7.000	STANDARD
01/06/00	PH, FIELD	4.0		6.800	STANDARD
01/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		135.000	UMHOS/CM
01/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		135.000	UMHOS/CM

01/06/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		139.000	UMHOS/CM
01/06/00	TEMPERATURE, WATER	.3		12.700	DEG C
01/06/00	TEMPERATURE, WATER	1.0		12.700	DEG C
01/06/00	TEMPERATURE, WATER	4.0		12.800	DEG C
12/20/00	DISSOLVED OXYGEN	.3		11.600	MG/L
12/20/00	DISSOLVED OXYGEN	1.0		11.600	MG/L
12/20/00	DISSOLVED OXYGEN	1.5		11.600	MG/L
12/20/00	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.110	
12/20/00	PH, FIELD	.3		8.100	STANDARD
12/20/00	PH, FIELD	1.0		7.900	STANDARD
12/20/00	PH, FIELD	1.5		7.900	STANDARD
12/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		227.000	UMHOS/CM
12/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		228.000	UMHOS/CM
12/20/00	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.5		229.000	UMHOS/CM
12/20/00	TEMPERATURE, WATER	.3		8.300	DEG C
12/20/00	TEMPERATURE, WATER	1.0		8.300	DEG C
12/20/00	TEMPERATURE, WATER	1.5		8.300	DEG C

Vermilion-Teche River Basin
Vermilion Bay at Redfish Point, Louisiana — Site No. 0714

Date	Parameter	Depth meters		ppm	Units
04/08/98	DISSOLVED OXYGEN	1.0		7.900	MG/L
04/08/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		3.500	UMHOS/CM
04/08/98	TEMPERATURE, WATER	1.0		22.500	DEG C
07/08/98	DISSOLVED OXYGEN	1.0		4.800	MG/L
07/08/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		9.200	UMHOS/CM
07/08/98	TEMPERATURE, WATER	1.0		31.500	DEG C

Vermilion-Teche River Basin
Vermilion River at Lafayette, Louisiana — Site No. 0521

Date	Parameter	Depth meters		ppm	Units
06/21/95	DISSOLVED OXYGEN	.3		5.070	MG/L
06/21/95	DISSOLVED OXYGEN	1.6		5.070	MG/L
06/21/95	DISSOLVED OXYGEN	3.3		5.090	MG/L
06/21/95	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
06/21/95	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.470	
06/21/95	PH, FIELD	.3		7.240	STANDARD
06/21/95	PH, FIELD	1.6		7.230	STANDARD
06/21/95	PH, FIELD	3.3		7.220	STANDARD
06/21/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		350.000	UMHOS/CM
06/21/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.6		350.000	UMHOS/CM
06/21/95	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.3		5.090	UMHOS/CM
06/21/95	TEMPERATURE, WATER	.3		27.180	DEG C
06/21/95	TEMPERATURE, WATER	1.6		27.170	DEG C
06/21/95	TEMPERATURE, WATER	3.3		27.160	DEG C
05/23/96	DISSOLVED OXYGEN	3.6		4.900	MG/L
05/23/96	DISSOLVED OXYGEN	1.8		4.960	MG/L
05/23/96	DISSOLVED OXYGEN	.1		4.920	MG/L
05/23/96	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
05/23/96	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.226	
05/23/96	PH, FIELD	3.6		7.120	STANDARD
05/23/96	PH, FIELD	1.8		7.150	STANDARD
05/23/96	PH, FIELD	.1		7.180	STANDARD
05/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	3.6		302.000	UMHOS/CM
05/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.8		303.000	UMHOS/CM
05/23/96	SPECIFIC CONDUCTANCE, FIELD (@25C)	.1		303.000	UMHOS/CM
05/23/96	TEMPERATURE, WATER	3.6		25.780	DEG C
05/23/96	TEMPERATURE, WATER	1.8		25.800	DEG C
05/23/96	TEMPERATURE, WATER	.1		25.830	DEG C

Vermilion-Teche River Basin
Vermilion River near Abbeville, Louisiana — Site No. 0624

Date	Parameter	Depth meters		ppm	Units
08/06/97	DISSOLVED OXYGEN	.3		3.400	MG/L
08/06/97	DISSOLVED OXYGEN	1.0		3.200	MG/L
08/06/97	DISSOLVED OXYGEN	4.0		3.200	MG/L
08/06/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
08/06/97	MERCURY,TOTAL, BOT DEPOS (MG/KG AS HG DRY WGT)	.0		.018	

08/06/97	PH, FIELD	.3		7.100	STANDARD
08/06/97	PH, FIELD	1.0		7.200	STANDARD
08/06/97	PH, FIELD	4.0		7.200	STANDARD
08/06/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		431.000	UMHOS/CM
08/06/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	1.0		431.000	UMHOS/CM
08/06/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	4.0		431.000	UMHOS/CM
08/06/97	TEMPERATURE, WATER	.3		30.800	DEG C
08/06/97	TEMPERATURE, WATER	1.0		30.800	DEG C
08/06/97	TEMPERATURE, WATER	4.0		30.700	DEG C

Vermilion-Teche River Basin
West Cote Blanche Bay, Hammock Bulkhead — Site No. 0760

Date	Parameter	Depth meters		ppm	Units
06/24/98	DISSOLVED OXYGEN	2.0		4.700	MG/L
06/24/98	SPECIFIC CONDUCTANCE, FIELD (@25C)	2.0		9.400	UMHOS/CM
06/24/98	TEMPERATURE, WATER	2.0		31.000	DEG C

Vermilion-Teche River Basin
West Retention Levee Borrow Pit Canal — Site No. 0608

Date	Parameter	Depth meters		ppm	Units
07/08/97	DISSOLVED OXYGEN	.3		3.600	MG/L
07/08/97	MERCURY, DISSOLVED UG/L AS HG	1.0	<	.050	UG/L AS HG
07/08/97	PH, FIELD	.3		7.000	STANDARD
07/08/97	SPECIFIC CONDUCTANCE, FIELD (@25C)	.3		384.000	UMHOS/CM
07/08/97	TEMPERATURE, WATER	.3		27.400	DEG C